CONFIDENTIAL

Kansas Corporation Commission
Oil & Gas Conservation Division

ORIGINA Form ACO-1
September 1999
Horm Must Be Typed

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 31885	API No. 15 - 023-20730-00-00				
Name: M & M Exploration, Inc.	County: Cheyenne				
Address: 60 Garden Center, Suite 102					
City/State/Zip: Broomfield, CO 80020	feet from S / N (circle one) Line of Section				
Purchaser: KCC	2000 feet from E/ W (circle one) Line of Section				
Operator Contact Person: Mike Austin Phone: (303) 438-1991 DEC 1 9 2006	Footages Calculated from Nearest Outside Section Corner:				
	(circle one) NE SE NW SW				
Contractor: Name: Kaler Oil Company CONFIDENTIA License: 33607	Lease Name: Well #: 1				
Wellsite Geologist: Bill Goff	Producing Formation:				
Designate Type of Completion:	Elevation: Ground: 3273 Kelly Bushing: 3280				
✓ New Well Re-Entry Workover	Total Depth: 4790 Plug Back Total Depth:				
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at Feet				
·					
Gas SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No				
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet				
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from				
Operator:					
Well Name:	Drilling Fluid Management Plan $\triangle A + I + T + I) + I_0 + I_0 + I_0$				
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)				
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 26,000 ppm Fluid volume 975 bbls				
Plug BackPlug Back Total Depth	Dewatering method used_Evaporate then backfill				
Commingled Docket No.	Location of fluid disposal if hauled offsite:				
Dual Completion Docket No					
Other (SWD or Enhr.?) Docket No.	Operator Name:				
October 14, 2006 October 24, 2006 October 25, 2006	Lease Name: License No.:				
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West				
Recompletion Date Recompletion Date	County: Docket No.:				
Kansas 67202, within 120 days of the spud date, recompletion, works Information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline log TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged we	with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, over or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. If 12 months if requested in writing and submitted with the form (see rule 82-3-gs and geologist well report shall be attached with this form. ALL CEMENTING cells. Submit CP-111 form with all temporarily abandoned wells.				
perein are complete and correct to the best of my knowledge.	and and modelly mate destribility complied with and the statements				
Signature: WWW. M. G. K.	V00 045- U 044V				
	KCC Office Use ONLY				
President Date: November 24, 20	Letter of Confidentiality Received				
Subscribed and sworn to before me this 24 day of	If Denied, Yes Date:				
OCC.	Wireline Log Received				
	Geologist Report Received				
lotary Public:	UIC Distribution RECEIVED				
Date Commission Expires: 27, 27	KANSAS CORPORATION COMMISS				
Mor Cor	DEC 2 6 2006				
My Commission Ex JULY 27, 2010	PIES CONSERVATION DIVIRION				

CONSERVATION DIVISION WICHITA, KB

Operator Name: M & M Exploration, Inc.			Lease Name: Jensen				Well #:			
Sec. 13 Twp. 4	S. R. <u>37</u>	East	✓ West	Count	y: Chey	enne				
INSTRUCTIONS: Sh tested, time tool oper temperature, fluid red Electric Wireline Logs	and closed, flowing overy, and flow rate	g and shut s if gas to	in pressures, surface test, a	whether s long with	hut-in pr	essure reached	static level, hydr	ostatic pressui	es, botton	n hole
Drill Stem Tests Take	-	 ✓ Ye	es No		Δr	.og Formati	on (Top), Depth	and Datum	□s	Sample
Samples Sent to Geo	ological Survey	 ✓ Ye	s 🗌 No		Nam	18	*	Тор		atum
Cores Taken Yes No							+	253		
Electric Log Run (Submit Copy)		√ Ye	es No		Heebner Shale 4			4108 4591	-828 -1311	
List All E. Logs Run:					Che	lukee Shale		4031	-,	311
DIL, CNL/CDL	., MEL		0.0000							
		Repor		RECORD conductor, s	✓ No urface, into	ew Used ermediate, product	ion, etc.			
Purpose of String	Size Hole Drilled		e Casing (In O.D.)		ight . / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	12 1/4	8 5/8		23#		304	Common	200	3%CC,2% gel	
		······································	ADDITIONAL	CEMENT	ING / SQI	JEEZE RECORD				
Purpose: Depth Top Botton		Type of Cement		#Sacks Used		Type and Percent Additives				
Protect Casing Plug Back TD Plug Off Zone										
		<u> </u>	. =	<u> </u>		<u> </u>			-n	
Shots Per Foot PERFORATION RECORD - Bridge Plugs S Specify Footage of Each Interval Perfora					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) De				Depth	
TUBING RECORD	Size	Set At		Packer	At	Liner Run	Yes No			
Date of First, Resumero	Production, SWD or E	Enhr.	Producing Met	hod	Flowin	g Pumpii	ng 🔲 Gas Li	ft 🔲 Oth	er (Explain)	
Estimated Production Oil Bbls. Gas Me Per 24 Hours			Mcf Water Bbls. Gas-Oil Ratio Gravity						Gravity	
Disposition of Gas	METHOD OF (COMPLETIC	N		# 8 A	Production Intel	val			
Vented Sold			Open Hole	Pa		Oually Comp.	Commingled _		, ,	
18 1 4 C 21 83081 1 F 2006			Office (Spec	···\$/		02 10.4	}			
TOPPN TO	-					My Commission JULY 27, 20				

ALLIED CEMENTING CO., INC. 25367

REMIT TO P.O. B RUSS	OX 31 ELL, KANSAS 676	65		SEI	RVICE POINT:	eyK5
10-14-06 DATE	SEC. TWP.	RANGE 37	CALLED OUT	ON LOCATION	14:150m	
Jensen LEASE	WELL# (-13	LOCATION MC	Donald 21		COUNTY	STATE K
OLD OR NEW Cir	rcle one)	win				
CONTRACTOR TYPE OF JOB	RATER O		OWNER	SAME	U KC(ン 一省
HOLE SIZE 12	.) .	316'	CEMENT		CONFIDE	MITIAL
·	35/8 23 *DEI		_ AMOUNT OF	RDERED 2	O com	SSeco
TUBING SIZE	DEI	TH	29054	Q		
DRILL PIPE	DEI					
TOOL PRES. MAX	DEI		- COMPTÓN	5 ~ ~	30	11100
MEAS. LINE	,	NIMUM DE JOINT	_ COMMON POZMIX	200	<u>@ 1ター</u> 。	2440
CEMENT LEFT IN		<	_ FOZMIX · GEL	Ц	$-\frac{@}{@}\frac{6}{16}$	10/0
PERFS.			_ CHLORIDE		-@46 <u>60</u>	3263
DISPLACEMENT	18.3	B315	ASC		@	
*	EQUIPMENT	•			@	
					@	
PUMP TRUCK C	CEMENTER	1274			@	
	IELPER 5	rrod			@ @	
BULK TRUCK	DIVID AS I					
# 2\8 I BULK TRUCK	DRIVER ALA	<u>~</u>				
	ORIVER.	•				90
			- HANDLING_	211	_@,	400 25
	DEMANIZO	. •	MILEAGE	10945K	x mile	1424
<i>L</i> -	REMARKS:		*		TOTAL	4657 9
CEMORY	d'd c	reclate	-			
Pluz dou	2 C 9	:45 am	_	SERV	ICE	
	,	FM	_ DEPTH OF JC)R	302	
			_ PUMP TRUCE			815
Thanks	Tuzzy ~	r	_ EXTRA FOOT		@	
		18W	MILEAGE	75	@ 600	450
-			- MANIFOLD	thead	@	10000
		•			_ @	
		k .			@	· · · · · · · · · · · · · · · · · · ·
CHARGE TO: N			_			13/100
STREET 60 6	Arden Cordy	ek 50,4e 10	<u>.</u> 3		TOTAL	1365
CITY Broom C.	eld STATE COL	0 7IP 8003	<u>۸</u> -			
	5MML <u>< 0 - 1</u>		022	PLUG & FLOA	T EQUIPMEN	T ·
					@	30
			1,8,18	plus	@	60
To Allied Cementin	_			1	@	
You are hereby req					@ <u>·</u>	
and furnish cement					_ @	
contractor to do wo				-	mom. r	60
done to satisfaction					TOTAL	
contractor. I have a CONDITIONS" lis			TAX		_ ·	
COMPLITONS IIS	icu on me teverse	SIUC.	•	CE		
	,		TOTAL CHAR	GE .		
		,	DISCOUNT —		IF PAID	IN 30 DAYS
		7	t			
- 11		1	RECEIVED			•
SIGNATURE 4	I M	KANSAS	RECEIVED CORPORATION COMMIS	SSION		

CONSERVATION DIVISION WICHITA, KS

ALLIED CEMENTING CO., INC. 28512

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665 DEC 1 9 2006	SEI	RVICE POINT:
DATE 10-2406 13 TWP. SEC. TWP. SANGE 37 W	CALLED OUT ON LOCATION	in JOB START AWOB FINISH AW
LEASE Jenson WELL# 1-13 LOCATION MCD OLD OR NEW (Circle one)	Conald 1 W-65-140	COUNTY STATE
CONTRACTOR Kaler Dele Co	OWNER	
TYPE OF JOB PTA HOLE SIZE T.D. 4790'	CEMENT	to the boly
CASING SIZE DEPTH TUBING SIZE DEPTH	AMOUNT ORDERED 14 666 U4#F	0 5Ks 60/40 por_
DRILL PIPE 4½ X LL DEPTH 1950' TOOL DEPTH		
PRES. MAX MINIMUM	COMMON 84 5/CS	@ 1220 1,024
MEAS. LINE SHOE JOINT CEMENT LEFT IN CSG.	POZMIX <u>56 S/Cs</u> GEL 7 S/Cs	$\frac{0}{5} = \frac{6}{165} = \frac{34}{165} = \frac{34}{1$
PERFS. DISPLACEMENT	CHLORIDE	
EQUIPMENT	ASC Flo-Sal 35#	_@_ <u>2°</u>
PUMPTRUCK CEMENTER 1 Jalt		@ @
# 102 HELPER Kelly		@ @
BULK TRUCK # 377 DRIVER Longie	,	@
BULK TRUCK		@ @
# DRIVER		's @ 190 28120
REMARKS:	MILEAGE YPPS	TOTAL 2,833
		TOTAL QUEST
25 SKS D 1950;	SERV	ICE
40 SK5 0 316'	DEPTH OF JOB	
10 SKs 2 40°	PUMP TRUCK CHARGE EXTRA FOOTAGE	
15 SKs in Mit	MILEAGE 75 miles	@_ <u></u>
- Ihank You	MANIFOLD	@
CHARGE TO: M+M Exploration		1015-00
STREET		TOTAL (265
CITYSTATEZIP	PLUG & FLOA	T EQUIPMENT
	857	2.00
•	1-DH Plus	@ <u>35~~</u>
To Allied Cementing Co., Inc.		_@
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or		@
contractor to do work as is listed. The above work was		TOTAL 3500
done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND"		101AL
CONDITIONS" listed on the reverse side.	TAX	_
	TOTAL CHARGE	
	DISCOUNT	IF PAID IN 30 DAYS
SIGNATURE Slay L 1 Kill HAMICAS	RECEIVED	
· PANONO C	CORPORATION COMMISSION PRINT	ED NAME

CONSERVATION DIVISION WICHITA, KS