KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 GRIGINAL Form Must Be Typed

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33583	API No. 15 - 099-23869-00-00
Name: Admiral Bay (USA) Inc.	County: Labette
	NW NE - Sec. 26 Twp. 33 S. R. 18
City/State/Zip: Centennial, CO 80112	550 feet from S / (N) (circle one) Line of Section
Purchaser: Seminole Energy	2032 feet from E/ W (circle one) Line of Section
Operator Contact Person: Karla Peterson	Footages Calculated from Nearest Outside Section Corner:
Phone: (303) 350-1255	(circle one) WE SE NW SW
Contractor: Name: L & S Well Service	Lease Name: Bennett Well #: 2-26
License: 33374	Field Name: Wildcat
Wellsite Geologist: Greg Bratton	Producing Formation: Summit, Excello
Designate Type of Completion:	Elevation: Ground: 818' Kelly Bushing: NA
New Well Re-Entry Workover	Total Depth: 887' Plug Back Total Depth:
OilSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 20' Feet
GasENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 877
Operator:	feet depth to
Well Name:	Alt 2- Dlg - 6/16/08
Original Comp. Date: 6/14/06 Original Total Depth: 887	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls
Plug BackPlug Back Total Depth	Dewatering method used_air dry
Commingled Docket No.	•
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
6/9/00 1/24/00 6/12/06 6/14/06 - 1/24/08	Lease Name: License No.:
6/9/06 124/06 6/12/06 6/14/06 - 1/24/08 Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
twor-Dic	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs of TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. It months if requested in writing and submitted with the form (see rule 82-3- und geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	e the oil and gas industry have been fully complied with and the statements
Signature:	KCC Office Use ONLY
Title: Milaul Date: 4/11/18	A. Letter of Confidentiality Received
Subscribed and sworn to before me this 17th day of April 6	If Denied, Yes Date:
08	If Denied, Yes Date:
7 + 7, 1	Geologist Report Received KANSAS CORPORATION COMMISSION
Notary Public: Alle My Muning 1	• /
// 11	2
Date Commission Expires: 5-22-0 PU VO. SU	

Side Two

2. 504.

Operator Name: Adi	ame: Admiral Bay (USA) Inc.					Lease Name: Bennett			Well #: 2-26		
Sec Twp3				t West	Count	y: Labe	tte		VVCII #		
INSTRUCTIONS: S tested, time tool ope	how impor in and clos covery, an	rtant tops sed, flowin d flow rate	and base on and shures if gas to	of formations t-in pressures surface test,	penetrated. s, whether sl along with t	Detail a hut-in pre	III cores. Repo essure reache	d static level, hyd	Irostatic pressur		
Drill Stem Tests Take				✓ Log Formation (ation (Top), Depth	(Top), Depth and Datum				
Samples Sent to Ge	ological Su	urvey	Y	es ✓ No		Nam	ne .		Тор	Datum	
Cores Taken Electric Log Run	ores Taken		✓ Y			Exce	ello er Bartlesvil	lle	302' 771'	516' 47'	
<i>(Submit Copy)</i> List All E. Logs Run:						1	sissippian		788'	30'	
Gamma Ray,	Densit	y Neut	ron, Du	al Inducti	on						
			_		3 RECORD	✓ No			-		
Purpose of String	ring Size Hole Size Casing		ze Casing	et-conductor, surface, int Weight		Setting	Type of	# Sacks	Type and Percent		
Surface	12 1/	Orilled '4"	8 5/8"	Set (In O.D.)		/ Ft.	Depth 20'	Cement	Used	Additives	
Production 6 3/4"			4 1/2"		24 LBS	• • • • • • • • • • • • • • • • • • • •	877'	owc	145		
	0 0,4		7 1/2		10.0 LD	•			1.40		
, , , , , , , , , , , , , , , , , , , ,			1	ADDITIONA	L CEMENTII	NG / SOL	JEEZE RECOF	RD			
Purpose: Perforate		Depth Bottom	Туре	of Cement	#Sacks		Type and Percent Additives				
Protect Casing Plug Back TD Plug Off Zone											
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated						Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
4 274-280';302-308'						4700# 20/40, 415 bbls			329 gal 7.5% H0	CL acid 274-280';302-308	
		NA					***************************************	····			

	- 										
		****				***					
TUBING RECORD	Size		Set At		Packer A	t	Liner Run	Yes N	0		
Date of First, Resumero	Production	n, SWD or E	Enhr.	Producing Me	_	Flowing] Pump	oing Gas L	.ift	r (Explain)	
Estimated Production Per 24 Hours		Oil	Bbls.	Gas	Mcf	Wate	er	Bbis.	Gas-Oil Ratio	Gravity	
Disposition of Gas	METHOD OF COMPLETION						Production Interval RECEIVED				
Vented Sold	Used	on Lease 8.)		Open Hole	Perf.		ually Comp.	Commingled .	KAI	NSAS CORPORATION COM APR 1 8 2008	