

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| Operator: License # 33583   | API No. 15 - 099-23922-00-00 0  |
|---|---|
| Name: Admiral Bay (USA) Inc.  | County: Labette   |
| Address: 7060B South Tucson Way   | SE_NW_SE_NE_Sec_26_25_Twp. 33 S. R. 18                                      |
| City/State/Zip: Centennial, CO 80112  | 1957' feet from S / (N) (circle one) Line of Section                        |
| Purchaser: Southern Star  | 715' feet from (E)/ W (circle one) Line of Section                          |
| Operator Contact Person: Karla Peterson   | Footages Calculated from Nearest Outside Section Corner:                    |
| Phone: (303 ) 350-1255  | (circle one) NE SE NW SW  |
| Contractor: Name: HAT Drilling  | Lease Name: O'Brien Well #: 8-25  |
| License: 33734  | Field Name: Mound Valley  |
| Wellsite Geologist: Greg Bratton  | Producing Formation: Summit, Excello  |
| Designate Type of Completion:   | Elevation: Ground: 833' Kelly Bushing:                                      |
| New Well ✓ Re-Entry — Workover  | Total Depth: 868' Plug Back Total Depth:                                    |
| •   |   |
| OilSWDTemp. Abd.  | Amount of Surface Pipe Set and Cemented at 20' Feet                         |
| Gas ENHR SIGW   | Multiple Stage Cementing Collar Used? Yes No                                |
| Dry Other (Core, WSW, Expl., Cathodic, etc)   | If Alternate II completion coment circulated from                           |
| If Workover/Re-entry: Old Well Info as follows:   | A Alternate in completion, cernent circulated noni                          |
| Operator:   | feet depth to w/ sx cmt.  |
| Well Name:Original Comp. Date: 7/25/06 Original Total Depth: 868  | Drilling Fluid Management Plan  |
|   | (Data must be collected from the Reserve Pit)                               |
| Deepening V Re-perf Conv. to Enhr./SWD  | Chloride content ppm Fluid volume bbls                                      |
| Plug Back Plug Back Total Depth   | Dewatering method used_air dry  |
| Commingled Docket No.   | Location of fluid disposal if hauled offsite:                               |
| Dual Completion Docket No   | ·   |
| Other (SWD or Enhr.?) Docket No   | Operator Name:  |
| 7/14/06 2/29/08 7/17/06 7/25/06 2/29/08   | Lease Name: License No.:  |
| Spud Date or Date Reached TD Completion Date or   | Quarter Sec. Twp. S. R. East West   |
| Recompletion Date Recompletion Date   | County: Docket No.:   |
| KCC-DIC   |   |
| INSTRUCTIONS: An original and two copies of this form shall be filed with t   | the Kansas Cornoration Commission, 130 S. Market - Room 2078, Wichita       |
| Kansas 67202, within 120 days of the spud date, recompletion, workover  | or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply.        |
| Information of side two of this form will be held confidential for a period of 12   | months if requested in writing and submitted with the form (see rule 82-3-  |
| 107 for confidentiality in excess of 12 months). One copy of all wireline logs a TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. | Submit CP-111 form with all temporarily abandoned wells.                    |
|   |   |
| All requirements of the statutes, rules and regulations promulgated to regulat<br>herein are complete and correct to the best of my knowledge.      | e the oil and gas industry have been fully complied with and the statements |
| increm are complete and confect to the dest of my knowledge.  |   |
| Signature:  | KCC Office Use ONLY   |
| Title: Patrick Date: 4/17/07  | Letter of Confidentiality Received  |
| M. L. A. M.   | If Danied Von Date:   |
| Subscribed and sworn to before me this THM day of Physics   | Wireline Log Received KANSAS CORPORATION COMMISSIO                          |
| 20 08   | Geologist Report Received   |
| Notary Public: I live M Sung  | UIC Distribution APR 1 8 2008   |
| Date Commission Expires: 5-22-0 f   |   |
| Bate Commission Expires.  | CONSERVATION DIVISION WICHITA, KS   |

## Side Two

| Operator Name: Adı  | perator Name: Admiral Bay (USA) Inc.  |   |                             |                        | e Name:.                  | O'Brien   | Well #: 8-25        |                       |  |  |
|---|---|---|-----------------------------|------------------------|---------------------------|---|---------------------|-----------------------|--|--|
|   | 33 S. R. 18   |   |                             | Count                  | y: Labe                   | tte   |                     |                       |  |  |
| tested, time tool ope<br>temperature, fluid re                          | how important tops a<br>n and closed, flowing<br>covery, and flow rate<br>is surveyed. Attach f | g and shut-in<br>s if gas to su           | pressures,<br>rface test, a | whether s<br>long with | hut-in pr                 | essure reached  | static level, hydro | ostatic pressu        | ests giving interval<br>res, bottom hole<br>ed. Attach copy of all |  |
| Drill Stem Tests Taken  |   |   | <b>✓</b> No                 |                        | ✓ Log Formation (Top), De |   |                     | epth and Datum Sample |  |  |
| Samples Sent to Geological Survey Cores Taken                           |   | ☐ Yes                                     | <b>✓</b> No                 |                        |                           | ame   |                     | Тор                   | Datum <b>555</b> '   |  |
|   |   | Yes                                       | <b>√</b> No                 |                        |                           |   |                     | 278'                  |  |  |
| Electric Log Run  |   | Yes Yes                                   | <b>√</b> No                 |                        | Rive                      | erton   |                     | 752'                  | 81'  |  |
| (Submit Copy)  List All E. Logs Run:                                    |   |   |                             |                        | Miss                      | sissippian  |                     | 767'                  | 66'  |  |
| High Resolution Co<br>Gamma Ray/Neutr<br>Dual Induction LL3/<br>Mud Log |   | Neutron Log                               | 1                           |                        |                           |   |                     |                       |  |  |
|   |   | Report a                                  |                             | RECORD                 | ✓ No<br>urface, into      | ew Used<br>ermediate, product   | ion, etc.           |                       |  |  |
| Purpose of String   | Size Hole<br>Drilled  | Size Casing<br>Set (In O.D.)              |                             | Weight<br>Lbs. / Ft.   |                           | Setting<br>Depth  | Type of<br>Cement   | # Sacks<br>Used       | Type and Percent<br>Additives                                      |  |
| Surface   | 9 5/8"  | 8 5/8"                                    |                             | 20 LBS                 |                           | 20'   | Portland            |                       |  |  |
| Production  | 6 3/4"  | 4 1/2"                                    |                             | 10.5 LB                |                           | 858'  | Thickset            | 100                   | Kol & Flo seal; gel  |  |
|   |   | A   | DDITIONAL                   | CEMENTI                | NG / SQI                  | JEEZE RECORD  |                     |                       |  |  |
| Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone            | Depth<br>Top Bottom   | Type of Cement #                          |                             | #Sacks                 | s Used                    | Type and Percent Additives  |                     |                       | 5  |  |
| Shots Per Foot  |   | ERFORATION RECORD - Bridge Plugs Set/Type |                             |                        |                           | Acid, Fracture, Shot, Cement Squeeze Record   |                     |                       |  |  |
| Specify Footage of Each Interval Perforated 4 254-257'; 278-282'        |   |   |                             | iorated                |                           | (Amount and Kind of Material Used)  Depth  3150#20/40; 390 bbls water; 400 gal 7.5% HCL 254-257; 278-26 |                     |                       |  |  |
|   |   |   |                             |                        |                           |   |                     | , 100 gdi 110         | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,                            |  |
|   |   |   |                             |                        |                           |   |                     |                       |  |  |
| TUBING RECORD   | Size  | Set At Packer At                          |                             |                        |                           | Liner Run   |                     |                       |  |  |
| Date of First, Resumero   | =====================================   | nhr. Pi                                   | oducing Meth                | nod [                  | Flowing                   |   |                     | t Othe                | er (Explain)   |  |
| Estimated Production<br>Per 24 Hours                                    | Oil   | Bbls.                                     | Gas                         | Mcf                    | Wate                      | er Bt   | ols. G              | las-Oil Ratio         | Gravity  |  |
| Disposition of Gas  | METHOD OF C   | OMPLETION                                 |                             | 1                      |                           | Production Interv   | /al                 | KAN                   | RECEIVED SAS CORPORATION COM                                       |  |
| Vented Sold   | Used on Lease   |   | Open Hole<br>Other (Specif  | Perf                   | . 🔲 🗆                     | Oually Comp.  | Commingled          |                       | APR 1 8 2008   |  |