

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33979
Name: Clippper Energy LLC
Address: 3838 Oak Lawn Ste 1310
City/State/Zip: Dallas, TX. 75219
Purchaser: na
Operator Contact Person: Bill Robinson
Phone: (214) 220-1080
Contractor: Name: Warren Drlg.
License: 33724
Wellsite Geologist: Bill Robinson

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: Denis Roberts

Well Name: Benoit 33
Original Comp. Date: 8-29-04 Original Total Depth: 3736
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. D-30078

10-3-07	10-6-07	1-29-08
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 065-22994-000 **X02**
County: Graham

e/2 - e/2 - nw Sec. 11 Twp. 7 S. R. 21 East West
3880 feet from (S) / N (circle one) Line of Section
2880 feet from (E) / W (circle one) Line of Section


Footages Calculated from Nearest Outside Section Corner:
(circle one) NE (SE) NW SW
Lease Name: Jerome Well #: 1
Field Name: na
Producing Formation: na
Elevation: Ground: 2159 Kelly Bushing: 2167
Total Depth: 3736 Plug Back Total Depth: 1665
Amount of Surface Pipe Set and Cemented at 230 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 1670 Feet
If Alternate II completion, cement circulated from 1670
feet depth to 910 340 ALZ-Dlg w/ 6/16/08 sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Geologist Date: 3-3-08
Subscribed and sworn to before me this 3rd day of March, 2008.
Notary Public: [Signature]
Date Commission Expires: _____



KCC Office Use ONLY

Letter of Confidentiality Received **RECEIVED**
 If Denied, Yes Date: _____ KANSAS CORPORATION COMMISSION
 Wireline Log Received
 _____ Report Received

MAR 13 2008
CONSERVATION DIVISION
WICHITA, KS

Operator Name: Clippner Energy LLC Lease Name: Jerome Well #: 1
 Sec. 11 Twp. 7 S. R. 21 East West County: Graham

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: cement bond log	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum T/Anhydrite 1717 450
--	--

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12 1/4	8 5/8	unknown	230	common	150	3 + 2
production	7 7/8	5 1/2	14	3736	common	182	10% salt

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input checked="" type="checkbox"/> Protect Casing	580-840	common	350	2% gel + 1/4 flo seal/sk
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone	530-surface	common	150	2% cc + 6 % gel

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
3	1290-1350	na	na

TUBING RECORD	Size 2 7/8	Set At 1290	Packer At 1285	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
---------------	---------------	----------------	-------------------	---

Date of First, Resumerd Production, SWD or Enhr. 3-3-08	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
--	--

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
na	na	na	na		

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input checked="" type="checkbox"/> Other (Specify) SWD	_____

RECEIVED
KANSAS CORPORATION COMMISSION

MAR 13 2008

 CONSERVATION DIVISION
 WICHITA, KS

ALLIED CEMENTING CO., INC.

P.O. BOX 31
RUSSELL, KS 67665
PH (785) 483-3887
FAX (785) 483-5566
FEDERAL TAX ID# 48-0727860

JEROME FILE

* I N V O I C E *

Invoice Number: 094262

Invoice Date: 08/31/04

Sold Denis Roberts Oil
To: 3904 Fairway Dr.
P. O. Box 1252
Hays, KS
67601

Cust I.D.....: RobeDe
P.O. Number...: Benoit #33
P.O. Date....: 08/31/04

Due Date : 09/30/04

Terms : Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
Common	150.00	SKS	9.1000	1365.00	T
Gel	3.00	SKS	11.0000	33.00	T
Chloride	5.00	SKS	33.0000	165.00	T
Handling	158.00	SKS	1.3500	213.30	F
Mileage (85)	85.00	MILE	7.9000	671.50	E
158 sks @\$.05 per sk per mi					
Surface	1.00	JOB	570.0000	570.00	E
Mileage pmp trk	85.00	MILE	4.0000	340.00	F
Plug	1.00	EACH	55.0000	55.00	T

All Prices Are Net, Payable 30 Days Following
Date of Invoice. 1 1/2% Charged Thereafter.
If Account CURRENT take Discount of \$ ~~311.28~~
ONLY if paid within 30 days from Invoice Date

Subtotal: 3412.80
Tax.....: 89.80
Payments: 0.00
Total....: 3502.60

RECEIVED
KANSAS CORPORATION COMMISSION

MAR 13 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., INC.

29563

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>1-25-08</u>	SEC. <u>11</u>	TWP. <u>7 S</u>	RANGE <u>21 W</u>	CALLED OUT	ON LOCATION	JOB START	JOB FINISH <u>2:30 PM</u>
LEASE <u>Jerome</u>	WELL # <u>1 SWD</u>	LOCATION <u>Nicodemus 1 W 5 N</u>			COUNTY <u>McPherson</u>	STATE <u>Ks.</u>	
<u>OLD</u> OR NEW (Circle one)				<u>1/2 W Sint.</u>		RECEIVED KANSAS CORPORATION COMMISSION MAR 13 2008 CONSERVATION DIVISION WICHITA, KS	

CONTRACTOR Alliance Well Service

TYPE OF JOB Squeeze Job

HOLE SIZE _____ T.D. _____

CASING SIZE 5 1/2 DEPTH _____

TUBING SIZE 2 3/8 DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL Expert DEPTH _____

PRES. MAX 1500 psi MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

OWNER _____

CEMENT

AMOUNT ORDERED 100 Com 3% CL

2-Sand

COMMON	<u>100</u>	@	<u>12.15</u>	<u>1215.00</u>
POZMIX		@		
GEL		@		
CHLORIDE	<u>3</u>	@	<u>51.00</u>	<u>153.00</u>
ASC		@		
<u>Sand</u>	<u>2</u>	@	<u>11.50</u>	<u>23.00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>105</u>	@	<u>2.05</u>	<u>215.25</u>
MILEAGE	<u>109/st/mile</u>			<u>661.50</u>
TOTAL				<u>2267.75</u>

EQUIPMENT

PUMP TRUCK CEMENTER Shane

366 HELPER Matt

BULK TRUCK

410 DRIVER Doug

BULK TRUCK

_____ DRIVER _____

REMARKS:

B.P. 1260' Tested tools to 1500psi. Spotted 2 sand @ 1230' Hole @ 530' Took rate 1 3/4 bbl/min @ 800 psi. Mixed 100 skr & Squeezed. Released. Came out of Hole. Put swage on pressured up to 500 psi + Shut in


SERVICE

DEPTH OF JOB	_____		
PUMP TRUCK CHARGE			<u>1045.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>70</u>	@	<u>2.00</u> <u>490.00</u>
MANIFOLD		@	
		@	
		@	
TOTAL <u>1535.00</u>			

CHARGE TO: Clipper Energy

STREET _____

CITY _____ STATE _____ ZIP _____



PLUG & FLOAT EQUIPMENT

		@	
		@	
		@	
		@	
		@	

TOTAL _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

Thanks!

SIGNATURE Tom Bevan

PRINTED NAME

ALLIED CEMENTING CO., INC.

24798

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <i>11-13-07</i>	SEC. <i>11</i>	TWP. <i>7</i>	RANGE <i>21</i>	CALLED OUT	ON LOCATION	JOB START	JOB FINISH <i>11-25-07</i>
LEASE <i>Jep. Inc</i>	WELL # <i>1</i>	LOCATION <i>Nicholsman 1W 4N</i>		COUNTY <i>OSAGE</i>		STATE <i>KANSAS</i>	
<input checked="" type="radio"/> OLD OR NEW (Circle one)		<i>1/2 W</i>		<i>Sinto</i>			

MAR 13 2008

CONSERVATION DIVISION
WICHITA, KS

CONTRACTOR *Alliance Well Service*

TYPE OF JOB *Circulate Cement*

HOLE SIZE _____ T.D. _____

CASING SIZE *5 1/2* *14* DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. *530*

DISPLACEMENT _____

OWNER _____

CEMENT *Used 10 1/2 6 1/2*

AMOUNT ORDERED *125 6 1/2 6 1/2*

14 # Flo 50 Con 22 CC

EQUIPMENT

PUMP TRUCK CEMENTER *Shane*

366 HELPER *Tom Roberts*

BULK TRUCK

396 DRIVER *Chuck*

BULK TRUCK

710 DRIVER *Chris Beck*

COMMON	110 <i>110</i>	@	<i>11.10</i>	<i>1221.00</i>
POZMIX	<i>40</i>	@	<i>6.20</i>	<i>248.00</i>
GEL	<i>100</i>	@	<i>16.65</i>	<i>1665.00</i>
CHLORIDE	<i>1</i>	@	<i>46.60</i>	<i>46.60</i>
ASC		@		
<i>Flo Seal 25</i>		@	<i>2.00</i>	<i>50.00</i>
		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<i>182.5</i>	@	<i>1.90</i>	<i>346.75</i>
MILEAGE	<i>128/14/mile</i>			<i>1156.00</i>
				TOTAL <i>3186.55</i>

REMARKS:

Perfs @ 530. @ Trial with 5% 60# Circulation with water. Mixed 100 lb cement to Cement in pit. Mixed 50 Con to Surface to 700. 25. + 50.

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____ *950.00*

EXTRA FOOTAGE _____ @ _____

MILEAGE *70* @ *6.10* *427.00*

MANIFOLD _____ @ _____

_____ @ _____

_____ @ _____

CHARGE TO: *Cliper Energy*

STREET _____

CITY _____ STATE _____ ZIP _____

456.85
2.00
456.10

TOTAL *1375.00*

PLUG & FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

Thanks!

SIGNATURE *[Signature]*

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

Jep. headman

PRINTED NAME

ALLIED CEMENTING CO., INC.

25424

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <i>11-12-07</i>	SEC. <i>11</i>	TWP. <i>7S</i>	RANGE <i>21</i>	CALLED OUT	ON LOCATION	JOB START <i>8:30</i>	JOB FINISH <i>4:30</i>
LEASE <i>T. ...</i>	WELL# <i>1-0120</i>	LOCATION <i>Nicodemus W-EDGE 3N</i>			COUNTY <i>Graham</i>	STATE <i>Kansas</i>	
OLD OR <u>NEW</u> (Circle one)		<i>1W 2N 34E+S INTO</i>				RECEIVED KANSAS CORPORATION COMMISSION	

CONTRACTOR *Alliance Well Service*

TYPE OF JOB *Circ-Cement*

HOLE SIZE _____ T.D. _____

CASING SIZE *5 1/2 CSG* DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. *@ 840-841 4-16101*

DISPLACEMENT *19 1/2 BBL*

OWNER *"ozzy"*

CEMENT AMOUNT ORDERED *200*

50 SK Comm. 23 Gel

RECEIVED
MAR 13 2008
KANSAS CORPORATION COMMISSION
FD
WICHITA, KS
CONSERVATION DIVISION
1/2 SEAL
4 PER SK

EQUIPMENT

PUMP TRUCK CEMENTER *Gilann*

398 HELPER *GARY*

BULK TRUCK

410 DRIVER *MATT*

BULK TRUCK

345 DRIVER *CHUCK*

COMMON	<i>170 SK</i>	@ <i>11.10</i>	<i>1897.00</i>
POZMIX	<i>50 SK</i>	@ <i>6.00</i>	<i>496.00</i>
GEL	<i>13 SK</i>	@ <i>16.65</i>	<i>216.45</i>
CHLORIDE		@	
ASC		@	
<i>Flo Seal #51</i>		@ <i>3.00</i>	<i>100.00</i>
		@	
		@	
		@	
		@	
		@	
		@	
HANDLING	<i>263 Tons/sk</i>	@ <i>1.90</i>	<i>479.70</i>
MILEAGE	<i>263.34 Tons mi.</i>	@ <i>.07</i>	<i>2011.95</i>
TOTAL			

REMARKS:

Perf. @ 840-41. Hooked up to 5 1/2 CSG. w/ Swage, Took Injection Rate of 8Bpm @ # ANNULAS

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE	<i>7.55</i>	@	<i>9.55.00</i>
EXTRA FOOTAGE		@	
MILEAGE	<i>85</i>	@ <i>6.00</i>	<i>15,10.00</i>
MANIFOLD		@	
		@	
		@	

CHARGE TO: *Clipper Energy*

STREET _____

CITY _____ STATE _____ ZIP _____

6008.49 after discount

TOTAL _____

THANKS

PLUG & FLOAT EQUIPMENT

		@	
		@	
		@	
		@	
		@	

TOTAL _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE _____

PRINTED NAME _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

ALLIED CEMENTING CO., INC.

28076

SERVICE POINT

Russell, Ks

24 S. L. BOX 31
P.O. Box
Russell, Ks
RUSSELL, KANSAS 67665

DATE <i>1/9-07</i>	SEC. <i>11</i>	TWP. <i>7s</i>	RANGE <i>21w</i>	CALLED OUT	ON LOCATION <i>11:00am</i>	JOB START	JOB FINISH <i>12:30pm</i>
LEASE <i>Regione</i>		WELL # <i>1</i>	LOCATION <i>Nicodemus 3 Mile 2w</i>		COUNTY <i>Clatsop</i>	STATE <i>Ks</i>	

RECEIVED
KANSAS CORPORATION COMMISSION

CONTRACTOR *Alliance*

TYPE OF JOB *Port Collec.*

HOLE SIZE *2 1/2* T.D.

CASING SIZE *5 1/2* DEPTH

TUBING SIZE *2 7/8* DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT

EQUIPMENT

PUMP TRUCK CEMENTER *Bill*

409 HELPER *Adrian*

BULK TRUCK

396 DRIVER *Rock*

BULK TRUCK

DRIVER

REMARKS:

Port Collec C1670

Test Case 1000'

open tool - got blank

Cement w/ 340 lbs. small amount

of Retenas. closed tool pressure 1000'

Ret 5/16 wash clean w/ KCL

CHARGE TO: *Clippon Energy*

STREET

CITY STATE ZIP

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE *Jeff Lumbard*

OWNER

CEMENT AMOUNT ORDERED

CONSERVATION DIVISION WICHITA, KS

340 6/40-6

1/2" # FLO 3601 KCL

COMMON <i>204</i>	@ <i>11.10</i>	<i>2264.00</i>
POZMIX <i>136</i>	@ <i>6.20</i>	<i>843.20</i>
GEL <i>17</i>	@ <i>16.65</i>	<i>283.05</i>
CHLORIDE	@	
ASC	@	
<i>Flo Seal 25/lb.</i>	@ <i>2.00</i>	<i>170.00</i>
<i>KCL -3</i>	@ <i>25.00</i>	<i>75.00</i>
	@	
	@	
	@	
	@	
	@	
HANDLING <i>357</i>	@ <i>1.90</i>	<i>678.30</i>
MILEAGE <i>57/21/09</i>		<i>2088.45</i>
TOTAL		<i>6462.40</i>

SERVICE

DEPTH OF JOB

PUMP TRUCK CHARGE *955.00*

EXTRA FOOTAGE @

MILEAGE *65* @ *6.00* *390.00*

MANIFOLD @

TOTAL *1345.00*

PLUG & FLOAT EQUIPMENT

TOTAL

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

PRINTED NAME *Jeff Lumbard*

ALLIED CEMENTING CO., INC.

25758

P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

10-6-07

DATE <u>10-5-07</u>	SEC. <u>11</u>	TWP. <u>7</u>	RANGE <u>21</u>	CALLED OUT	ON LOCATION	JOB START <u>11:30 PM</u>	JOB FINISH <u>12:30 AM</u>
LEASEE <u>Jerome</u>	WELL # <u>1-WD</u>	LOCATION <u>Nicodemus 3N 1W 2E</u>			COUNTY <u>GRAHAM</u>	STATE <u>KANSAS</u>	
OLD OR (NEW) (Circle one)				<u>1/2 E 1/4 S INTO</u>			

CONTRACTOR Warren Dalg. Rig# OWNER _____
 TYPE OF JOB Production String
 HOLE SIZE 7 7/8 T.D. 3736
 CASING SIZE 5 1/2 14" DEPTH 3735
 TUBING SIZE 5 1/2 DEPTH _____
 DRILL PIPE LATCH DN. Plug DEPTH 3725
 TOOL ~~_____~~ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT 10.0
 CEMENT LEFT IN CSG. 10.0
 PERFS. _____
 DISPLACEMENT _____ 91 / BBL

EQUIPMENT _____
 PUMP TRUCK CEMENTER Glenn
 # 398 HELPER GARY
 BULK TRUCK _____
 # 345 DRIVER CHRIS
 BULK TRUCK _____
 # _____ DRIVER _____

REMARKS:
Port Collar on #48 JT. (1674)
Land Plug @ 1490ft (Hold)
15 SK @ Rothie
THANK'S

CHARGE TO: Clipper Energy
 STREET _____
 CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Paul Pawha

CEMENT
 AMOUNT ORDERED 165 sk Com. 10% Salt
500 GAL WFR-2 FLUSH
10 GAL KCL
 COMMON 165 SK @ 11.10 1831.50
 POZMIX @ _____
 GEL @ _____
 CHLORIDE @ _____
 ASC @ _____
Salt 17sk Per/cwt @ 19.20 326.40
10 GAL KCL PER 1 GAL @ 25.00 250.00
500 GAL WFR² FLUSH GAL @ 1.00 500.00
 HANDLING 102 Total SK @ 1.90 345.80
 MILEAGE 70 Ton Mile @ .094 651.80

TOTAL RECEIVED 4400.00
 KANSAS CORPORATION COMMISSION SERVICE

MAR 13 2008
 DEPTH OF JOB _____
 PUMP TRUCK CHARGE CONSERVATION DIVISION WICHITA, KS 1810.00
 EXTRA FOOTAGE @ _____
 MILEAGE 70 @ 6.00 420.00
 MANIFOLD _____
USED
5' Coles 15' +
 TOTAL 2030.00

PLUG & FLOAT EQUIPMENT
 * Blue Port Collar 1750.00
Latch Down Plug Assy @ 410.00 410.00
Float - Shoe @ 263.00 263.00
2 - BASKETS @ 165.00 330.00
12 - CENTRALIZERS @ 50.00 600.00
 TOTAL 3353.00

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME Joci Nawhorn