

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 5952
Name: BP AMERICA PRODUCTION COMPANY
Address P. O. BOX 3092, WL1-RM 6.121, WL-1
City/State/Zip HOUSTON, TX 77253-3092
Purchaser: _____
Operator Contact Person: DEANN SMYERS
Phone (281) 366-4395
Contractor: Name: _____
License: _____
Wellsite Geologist: _____

Designate Type of Completion
____ New Well ____ Re-Entry Workover
____ Oil ____ SWD ____ SLOW ____ Temp. Abd.
 Gas ____ ENHR ____ SIGW
____ Dry ____ Other (Core, WSW, Expl., Cathodic, etc.)

If Workover/Reentry: Old Well Info as follows:
Operator: BP AMERICA PRODUCTION COMPANY
Well Name: K. WAECHTER GAS UNIT
Original Comp. Date 05/28/74 Original Total Depth 2855
____ Deepening ____ Re-perf. ____ Conv. to Enhr./SWD
____ Plug Back ____ Plug Back Total Depth
 Commingled Docket No. _____
____ Dual Completion Docket No. _____
____ Other (SWD or Enhr?) Docket No. _____
04/28/74 05/28/74 11/12/07
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date


API NO. 15- 093-20126 -00-01
County KEARNY
NW-NW-SW-SE Sec. 20 Twp. 26S S. R. 37W E W
1250' FSL Feet from S/N (circle one) Line of Section
2440' FEL Feet from E/W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW *Kelly May 5/22/08*
Lease Name K. WAECHTER GAS UNIT Well # 2
Field Name PANOMA
Producing Formation CHASE/COUNCIL GROVE
Elevation: Ground _____ Kelley Bushing 3136
Total Depth 2855 Plug Back Total Depth _____
Amount of Surface Pipe Set and Cemented at _____ Feet
Multiple Stage Cementing Collar Used? _____ Yes _____ No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to 6/10/08 w/ _____ sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite:
Operator Name _____
Lease Name _____ License No. _____
Quarter _____ Sec. _____ Twp. _____ S R. _____ E W
County _____ Docket No. _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature DeAnn Smyers
Title REGULATORY STAFF ASSISTANT Date 04/10/08
Subscribed and sworn to before me this 1st day of May
20 08
Notary Public Ann Thompson
Date Commission Expires _____



KCC Office Use ONLY
 Letter of Confidentiality Attached
 If Denied, Yes Date: _____
Wireline Log Received
Geologist Report Received
UIC Distribution
RECEIVED
KANSAS CORPORATION COMMISSION
MAY 02 2008
CONSERVATION DIVISION
WICHITA, KS

Operator Name BP AMERICA PRODUCTION COMPANY

Lease Name K. WAECHTER GAS UNIT

Well # 2

Sec. 20 Twp. 26S S.R. 37W East West

County KEARNY

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional Sheets.)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datums		<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top	Datum	
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	CHASE	2405	KB	
Electric Log Run (Submit Copy.)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	COUNCIL GROVE	2678	KB	
List All E.Logs Run: GAMMA RAY NEUTRON LOG - 05/08/74					

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING/SQUEEZE RECORD					
Purpose	Depth		Type of Cement	#Sacks Used	Type and Percent Additives
	Top	Bottom			
Perforate					
Protect Casing					
Plug Back TD					
Plug Off Zone					

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	2464-2474 / WINFIELD	FRAC - W/100,500# 12/20 BRADY SAND	
	2530-2540 / TOWANDA	42,000 GALS 70Q N2 (10/13/2007)	
	2570-2590 / FORT RILEY	ACID - 15% HCL ACID / 2000 GALS.	

TUBING RECORD	Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
---------------	------	--------	-----------	-----------	---

Date of First, Resumed Production, SWD or Enhr. 11/12/07	Producing Method <input checked="" type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
--	---

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	-----------	---------	-------------	---------------	---------

Disposition of Gas: Vented Sold Used on Lease

METHOD OF COMPLETION: Open Hole Perforation Dually Comp. Commingled

(If vented, submit ACO-18.) Other (Specify) _____

Production Interval _____

Side Two

Operator Name BP AMERICA PRODUCTION COMPANY

Lease Name K. WASCHER GAS UNIT Well # 2

Sec. 20 Twp. 26S S.R. 37W East West

County KEARNY

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional Sheets.) Yes No

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run (Submit Copy.) Yes No

List All E Logs Run:

GAMMA RAY NEUTRON LOG - 05/08/74

Log Formation (Top), Depth and Datums Sample

Name Top Datum

CHASE 2405 KB
COUNCIL GROVE 2678 KB

RECEIVED
KANSAS CORPORATION COMMISSION

MAY 30 2008

CONSERVATION DIVISION
WICHITA, KS

CASING RECORD New Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Selling Depth	Type of Cement	# Sacks Used	Type and Percent Additives
<u>SURFACE</u>	<u>12 1/4</u>	<u>8 5/8</u>	<u>20</u>	<u>615</u>		<u>400</u>	
<u>PRODUCTION</u>		<u>5 1/2</u>	<u>14</u>	<u>2855</u>		<u>800</u>	

ADDITIONAL CEMENTING/SQUEEZE RECORD

Purpose	Depth		Type of Cement	#Sacks Used	Type and Percent Additives
	Top	Bottom			
<input type="checkbox"/> Perforate					
<input type="checkbox"/> Protect Casing					
<input type="checkbox"/> Plug Back TD					
<input type="checkbox"/> Plug Off Zone					

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)		Depth
<u>4</u>	<u>2464-2474 / WINFIELD</u>	<u>FRAC - W/100,500# 12/20 BRADY SAND</u>		
	<u>2530-2540 / TOWANDA</u>	<u>42,000 GALS 70Q N2 (10/13/2007)</u>		
	<u>2570-2590 / FORT RILEY</u>	<u>ACID - 15% HCL ACID / 2000 GALS.</u>		

TUBING RECORD Size Set At Packer At Liner Run Yes No

Date of First, Resumed Production, SWD or Enhr. 11/12/07 Producing Method Flowing Pumping Gas Lift Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas: Vented Sold Used on Lease Open Hole Perforation Dually Comp. Commingled
(If vented, submit ACO-18.) Other (Specify)