KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form Must Be Typed

ORIGINAL

perator: License #32756	API No. 15 - 099-23601-0000
me: Double 7 Oil & Gas	County: Labette
21002 Wallago Rd	NW_SE_NE Sec28_Twp.31_S. R.21 ☑ East ☐ West
ty/State/Zip: Parsons Ks. 67357	3410=feet from O / N (circle one) Line of Section
	1290 teet from (E) W (circle one) Line of Section
ırchaser:	
porator Contact Person: Bruce Schulz	Footages Calculated from Nearest Outside Section Corner:
none: () 316-423-0951	(circle one) NE SE IIW SW
ontractor: Name:	Lease Name: Maners east Well #: 4
cense:	Field Name:
ellsite Geologist:	Producing Formation: Bartlesville
esignate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 170 Plug Back Total Depth:
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 20 1 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐Yes ☑No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set Feet
Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
perator:	feet depth to w/ 18 sx cmt
	Alt 2-Da- 5/13/
/ell Name:	Drilling Fluid Management Plan
riginal Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pil)
Deepening Re-perf Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls
Plug BackPlug Back Total Depth	Dewatering method used Empty & Fill
Commingled Docket No.	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	
Other (SWD or Enhr.?) Docket No	Operator Name:
9-9-04 9-12-04 9-15-04	Lease Name: License No.:
9-9-04 9-12-04 9-15-04 Group Date or Date Reached TD Completion Date or	QuarterSecTwpS. RBeast West
Recompletion Date Recompletion Date	County: Docket No.: RECEIVED
	DEC 2 3 2004
Kansas 67202, within 120 days of the spud date, recompletion, work information of side two of this form will be held confidential for a period	with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita to cover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 with the form (see rule 82-3-ogs and geologist well report shall be attached with this form. ALL CEMENTING ells. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to re- perein are complete and correct to the best of my knowledge.	gulate the oil and gas industry have been fully complied with and the statements
Signature: Sull Schut	KCC Office Use ONLY
Illo: Owner Dato:	Letter of Confidentiality Attached
Subscribed and sworn to before me this 20th day of Decem	tf Donlod. Yes Date:
Dood O	
acur.	G BHENDA SOMULTIZ colved
Notary Public: Julia Ja J	OFFICIAL MURCHANISSIQNEXPIRES
1. 8 2007	\$EAL huy 8, 2007

Date Commission Expires:___

perator Name: DBub	le 7 0il	&_Gas	 	Lease	Name: M	anners	east	Well #:		
oc. 28 Twp. 31	_sR21	► East	₩est	County	: <u>La</u> l	<u>bette</u>	· · · · · · · · · · · · · · · · · · ·		:	
STRUCTIONS: Show sted, time tool open ar mperature, fluid recove actric Wireline Logs su	nd closed, flowing ary, and flow rates	and shut-le	n prossuros, v urfaco tost, al-	vhether st ong with f	hut-In pross	ure reached	static level, hydros	tatic pressure	es, bottom	hole
ill Stem Tests Taken (Attach Additional She	oots)	Yes	No No		[]Log	Format	ion (Top), Depth an	d Datum	Sa	mpla
Samples Sent to Geological Survey			s INo Name					Тор		itum
ores Taken ectric Log Run (Submit Copy)		Yes				•				
st All E. Logs Run:						•				
•										
		Report	CASING I		New	Used	ction etc		•	,
Purpose of String	Size Hole Drilled	Size	Casing (in O.D.)	We	ight /Ft.	Setting Depth	Type of Cement	# Sacjs Used		d Percent
Surface Drill Well	" 11' 'BBD' 1'	20'	61/4''				Portland	5	1	
ongstring	' * ¹ 5 1/2	2	3/8			165	1 1	18		
			ADDITIONAL	CEMENT	ING / SQUE	EZE RECOR	D		<u> </u>	· .
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Type of Top Bottom Casing ck TD		of Cement #Sacks Used			Type and Percent Additives				
Shots Per Foot		ridgo Plugs ScVIype nterval Perforated			Acid, Fracture, Shot, Cement Squeezo Record (Amount and Kind of Material Used) Depth					
	. , 1			 , -						
									· . ,	
		Set At				Liner Run				
Date of First, Resumerd F	Production, SWD or I		Producing Me	thod		₽ Fum	plng Gas Lif		ner (Explain)	
Estimated Production Per 24 Hours	Oll	Bbls.	Gas	Mcf	Wato			as-Oil Ratio	(prony	Gravity
Disposition of Gas	METHOD OF	COMPLETIC)N		L	Production Int	erval :			
Vented Sold (If vented, Surr	Used on Lease all ACO-18.)		Open Hale	Clfy)	orf, D	ually Comp.	Commingled			

Flyer Feed & Tire

P. O. Box 216 501 N. Galveston Thayer, KS 66776-0216 (620) 839-5400



	CHSTO	MÉR'S NO.				DATE 10	. <u>-</u>	- an 4-ai	,
작사		Ocuble		er en	la massim im i si	DATE 🍣		S (. .
	NAME (Uculle.	i Caranta	يي بهيئه يبين ۱۰۰۰	es erres es	ہ استعماد دائرہا ہے۔ اسالی مستعماد دائرہا	د و اد چارسدسه د	44. L24. L34	
i Little	ADDRES	SS							
. 3	SOLD BY	CASH	C.O.D.	CHARGE ³	ON ACC	T. MDSE. RET'D.	PAID OU	֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	* * ** * 30 * 1
40	2					HEID.			
	QUANNI		(7.34% 1/D)	ESCIPIII	ON A	1 6 6 6	PRICE		UNIT
2	150	P	lanc	J.					ر سر ا
1	(3.CZ	1058	lene	<u> </u>				23.71	, Si
		*							
		· 學							
									-
-				100			 		
				1 (1) (1) (1)	****	· · · · · · · · · · · · · · · · · · ·			
3				*1	· # ;				
	ita.		-						+
				- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<u>rafi</u> .			3 3 3 3	
		-3			kaj Kajaran				
	***		· · · · · · · · · · · · · · · · · · ·						
43.5	. "	s			, 1 -	· - (F# 24.47	-44 32-3	
		Francis TV	vine ii		W. 345.	e e e e e e e e e e e e e e e e e e e			
4.654) - 1754	**************************************			**************************************	# 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
						K.E.T.	410		
right. Satia	×	# .0* 	$\widetilde{K} = \sup_{x \in \mathcal{X}_{p}(X)} \chi_{1}^{-1}$			Sales Tax	J. J. J.	y Val	
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		**		uics lax		173	12
						TOTAL		ا	
	. ' '	- T.		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1	2544	6-2

RECEIVED
DEC 2 3 2004
KCC WICHITA