## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## Form ACO-1 September 1999 Form Must Be Typed

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPICINAL

•	API No. 15 - 099-23747=0000
perator: License #32756	· · · · · · · · · · · · · · · · · · ·
amo: Double 7 Oil & Gas	County: L ABETTE
idross: 21003 Wallace Rd.	GNE-NE-NESec. 20 Twp. 31 S. R. 21 X East West
lty/State/Zip: Parsons Ks. 67357	4850 feet from 1 N (circle one) Line of Section
urchaser:	252 feet from W (circle one) Line of Section
perator Contact Person: Bruce Schulz	Footages Calculated from Nearest Outside Section Corner:
hono: () 316-423-0951	(circle one) NE SE) NW SW
ontractor: Name:	Lease Name: L. Cook Well #: 5
Da.	Field Name:
lcense: KCC RECEIVED	Producing Formation: Bartlesville
esignate Type of Completion:	Elevation: Ground: Kelly Bushing:
( ) ( 5 200e	Total Depth: 500 Plug Back Total Depth: 350
New Well Re-Entry Workover Oil SWD SIOW Mann Abd Gas ENHR SIGW KS	
Oil SWD SIOW	Amount of Surface Pipe Set and Comented at 20.1 Feet
Oil SWD SIOW MANON AND AND AND AND AND AND AND AND AND AN	Multiple Stage Cementing Collar Used?  If yes, show depth set Feet  If Alternate II completion, cement circulated from sx,cmt.
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
f Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	
Vell Name:	
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perl Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used Empty & Fill
Commingled Docket No.	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name: License No.:
6-20-05-6-21-05-6-22-55 Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Reached 1D Completion Date or Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, worko information of side two of this form will be held confidential for a period of	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. If 12 months if requested in writing and submitted with the form (see rule 82-3-12) and geologist well report shall be attached with this form. ALL CEMENTING Is. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promutgated to regulations promutgated to regulations promutgated to regulations promutgated to regulations.	plate the oil and gas industry have been fully complied with and the statements
Signature: Brull Subuf	KCC Office Use ONLY
Tillo: Duner Dato: 9-21-05	Letter of Confidentiality Attached
Subscribed and sworn to before me the Alexander of Assertation	# Danlod, Yes Date:
MARGARDI A. PATTER	If I Wireline Log Received 1
February 2, 2008	Geologist Report Received
Notary Public: Megant A. Stilles	UIC Distribution
Date Commission Expires: 2/2/2008	

perator Name: DBub ec. 20 Twp. 31					Name: Labe	L. (	Cook	Well #:5	:		
STRUCTIONS: Show sted, time tool open ar mperature, fluid recove ectric Wireline Logs su	Important tops and closed, flowing ery, and flow rates	d base of fo and shut-in if gas to su	ormations pe pressures, v rface test, ale	netrated. whether st	Dotail all c	ores. Report ure reached :	static level, hydrost	atic pressure	es, bottom	hole	
rill Stem Tests Taken Yes (Attach Additional Sheets)			[]No		[]Log Formation (Yop), Dep		on (Top), Depth and	th and Datum		Sample	
Samples Sent to Geological Survey		☐ Yes ☐ Yos ☐ Yes	s Tho		Namo			Тор		Datum	
t All E. Logs Run:						•					
•											
		Panost	CASING		Now	Used	tion etc			•	
Purpose of String	Size Hole Drilled	Size	Casing	We	ight Ift.	Setting Depth	Type of Cement	# Sacļs Used		nd Percent ditives	
Surface Drill Well	11 ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (	20'	61/4''				Portland	5			
longstrin	g 5·5/8	2	3/8			300	11	35	<u> </u>		
	<u> </u>	<del></del>	ADDITIONAL	CEMENT	ING / SQUE	EZE RECORI	<u>                                     </u>		<u> </u>	•	
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom		of Cement	Ţ	s Used			ercont Addilives	5		
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth							
TUBING RECORD	Size	Set Al		Packe	r At	Liner Run	О. О.				
Date of First, Resumerd	238 Production, SWD or	Enhr.	Producing Me	301	Flowing	Pum	Yes No	t	her (Explain)	)	
Estimated Production Per 24 Hours	Oit	Bbls.	Gas	Mcf	Wate			Gas-Oll Ratio		Gravity	
Disposition of Gas	METHOD OF COMPLETION				L	Production Interval					
Vented Sold	Used on Lease		Other (Spe	_	orf, D	ually Comp.	Commingled _				



## Flyer Feed & Tire

P. O. Box 216 501 N. Galveston Thayer, KS 66776-0216 (620) 839-5400



CUSTOM	DATE 5-24-05								
NAME	Double 7 a	11/	1.	. •	· · · · · · · · · · · · · · · · · · ·				
ADDRES	S		· · · · · · · · · · · · · · · · · · ·	75.7 1994					
SOLD BY	CASH C.O.D.	CHARGE	ON ACCT.	MDSE. RET'D.	PAID OUT				
QUAN.		DESCRIPTION	ON		PRICE	AMOU	NT		
450	Por Hand				5.85	2632	50		
		And the second		<b>**</b> -~					
			n						
	· 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1				• .				
	A STATE OF THE STA								
	<del>.</del>					:			
Lo I	*								
	<del>-</del>		. =			-, -	-		
-		-							
				K.E.T.	×				
			S	Sales Tax		192/	2		
				TOTAL		82.14 <sup>5</sup>	<i>5</i> 2		

KCCRECLIVED
SEP 23 2005
WICHITA

15-099-23747-00-00