## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO:1 September 1999 Form Must Be Typed

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License #32756	API No. 15 - 099-23748-0000
Name: Double 7 Oil & Gas	County: Labette
Address: 21003 Wallace Rd.	NW SE NEec 20 Twp. 31 s. R. 21 East West
City/State/Zip: Parsons Ks. 67357	3630 feet from ©1 N (circle one) Line of Section
Purchaser:	
Operator Contact Person: Bruce Schulz	Foolages Calculated from Nearest Outside Section Corner:
Phone: () 316-423-0951	(circle one) NE (SE) NW SW
Contractor: Name:	Lease Name: E. Smith Well #: 1'
License:	Field Name:
Wellsite Geologist:	Producing Formation: B和我就是我们的
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 495 Plug Back Total Depth: 488
New Well Re-Entry Workover RECEIVED Oil SIOW Tem ROGO.	Amount of Surface Pipe Sct and Cemented at 20!
GasENHRSIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc.) 2 3 2005	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator: WICHITA, KS	foot doubt to
Well Name:	AHL-D/C. 5114/04
Original Total Depth:	Drilling Fluid Management Plan
DeepeningRe-perfConv. to Enhr./SWD	(Data must be collected from the Reserve Pit)
Plug BackPlug Back Total Depth	Chloride content ppm Fluid volume bbls
Commingled Docket No.	Dewalering method used Empty & Fill
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No.	Operator Name:
<sup>*</sup>	Lease Name: License No.:
7-12-05 7-13-05 7-14-05	Quarter SecTwpS. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
Reported the second	Docket No.
. **	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs a	r or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply.  2 months if requested in writing and submitted with the form (see rule 82-3-
TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulat bereil are complete and correct to the best of my knowledge.	e the oil and gas industry have been fully complied with and the statements
RAMINE DE LA	
Signature: Dull Schuf	KCC Office Use ONLY
Tille: Owner Date: 9-21-05	Letter of Confidentiality Attached
Subscribed and sworn to before me this 21thay of Listundin	If Denied, Yes Date:
2005	Wireline Log Received
OFFICIAL MAY COMMISSION	A PATTERSON Geologist Report Received
Natary Dublice of Workload // ' " " Wood College Colle	y 2, 2008. UIC Distribution
Date Commission Expires: 2/2/2008	

影像也 经人

perator Name: DBub	le 7 Oil	& Gas	<u></u>	Leas	e Name:	E Smit	h	Well #:		
ec. 20 Twp. 31	_s. R. <u>21</u>	K East	☐ West	Coun	ty: _ <b>LaB</b>	ette		•		
NSTRUCTIONS: Show ested, time tool open an emperature, fluid recove lectric Wireline Logs su	d closed, flowing ry, and flow rates	and shut-l If gas to s	In pressures, surface test, a	whether : long with	shut-in pres	sure reached	static level, hydros	tatic pressure	es, bottom hole	
Drill Stem Tests Taken Yes No (Attach Additional Sheets)  Samples Sent to Geological Survey Yes No		[]L		og Formation (Top), Depth		d Datum	Sample			
		s Mo	☑No				Тор	Datum		
ores Taken	•	☐ Ye								
ectric Log Run (Submit Copy)		Ye	s No							
st All E. Logs Run:						·				
		Report	CASING all strings set-			√ Used mediate, produc	lion, etc.			
Purpose of String	Size Hole Drilled		Casing (in O.D.)		eight s. / Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives	
Surface Drill Well	8880°//"	20'	61/4''				Portland	5		
lomgstrin	g 5 5/8	2 3	/8			488	11	40		
			ADDITIONAL	CEMEN	TING / SQUI	EEZE RECORE	)		;	
Purpose:  —— Perforate  —— Protect Casing  —— Plug Back TD  —— Plug Off Zone	Depth Top Bottom	Type of Cement		#Sac	ks Used		Type and Pe	Percent Additives		
Shots Per Foot PERFORATION RECORD - Bridge Plugs Specify Footage of Each Interval Perfo				9.0	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)					
				,						
TUBING RECORD	Size	Set At		Packe		Liner Run	Yes No			
Date of First, Resumerd P	roduction, SWD or E	Enhr.	Producing Me	thod	Flowing	Pump	Ing Gas Liff	Oth	er (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	r E		as-Oll Ratio	Gravity	
Disposition of Gas	METHOD OF COMPLETION Production Inte						rval , , , }	<del></del>		
Vented Sold (	Used on Lease (ACO-18.)		Open Hole	-	orf. D	ually Comp.	Commingled			



## Flyer Feed & Tire

P. O. Box 216 501 N. Galveston Thayer, KS 66776-0216 (620) 839-5400



CUSTOM	IER'S NO.	· • · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		DATE 5	-24-0	5	
NAME	Doub!	e 7 0	<i>i</i> /	<u> </u>		· · · · · · · · · · · · · · · · · · ·		
ADDRES	S			· · · · · · · · · · · · · · · · · · ·				
SOLD BY	CASH	C.O.D.	CHARGE	ON ACCT.	MDSE. RET'D.	PAID OUT		
QUAN.		.D	ESCRIPTI	ON		PRICE	AMOU	NT
450	Porti	land	egiles e e e e e e e e e e e e e e e e e e e			5.85	2632	50
			y ay	-	<b>&amp;</b>			-
	· ke · · ·	· · · · · · · · · · · · · · · · · · ·						
		A STATE OF THE STA				·		
							.:	:
	- 3							
	:							
	* .		at the same of the	*	K.E.T.			
等.				S	Sales Tax		192/	2
					TOTAL		20.14	12

15-099-23748-00-co

KCC RECLIVED

SEP 2 3 2005

WICHITA, KS