KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1 September 1999 Form Must Be Typed

ORIGINAL

perator: License #32756	API No. 15 - 9999 099-23742-0000
ame: Double 7 Oil & Gas	County: Labette
ddross: 21003 Wallace Rd.	NSENWNE_sec21_Twp.33_s. R19_X East West
tty/Stato/Zip: Parsons Ks. 67357	4320 feet from (S) N (circle one) Line of Section
	1865 feet from (E) W (circle one) Line of Section
perator Contact Person: Bruce Schulz	Footages Calculated from Nearest Outside Section Corner:
hono: () 316-423-0951	(circle one) NE SE NW SW
contractor: Name:	Lease Name: MCkinzie Well #: 1
lcense:	Field Name:
Vellsite Geologist:	Producing Formation: Bartlesville
resignate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 775 Plug Back Total Depth:
OilSWDStOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 201 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐Yes ☑No
Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set Feet
f Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth to w/ SA - Dia - 5/14/09 sx cmt.
Nell Name:	Drilling-Eluid-Management-Plan
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume SEA
Plug Back Plug Back Total Depth	Dewatering method used Empty & Fill 23
Commingled Docket No.	Location of fluid disposal if hauled offsite: WICHITA,
Dual Completion Docket No	
Other (SWD or Enhr.?) Docket No.	Operator Name:
7 05 05 5 00 05 0 0 05	Lease Name: License No.:
7-25-05 7-28-05 8-12-05 Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, work information of side two of this form will be held confidential for a period	with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, kover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. of 12 months if requested in writing and submitted with the form (see rule 82-3-logs and geologist well report shall be attached with this form. ALL CEMENTING rells. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to re	gulate the oil and gas industry have been fully complied with and the statements
herein are complete and correct to the best of my knowledge.	
Signaturo: Brull Schuff	KCC Office Use ONLY
Tillo: Owner Dato: 9-2/-03	Letter of Confidentiality Attached
Subscribed and sworn to before me this Alarday of Liplimle	If Donlod, Yes Date:
2005	Wireline Log Received
	Geologiet Report Received
Notary Public: Nayant a. Tatturan Forfice	MARGARET A. PATTERSONIC DISTRIBUTION ALL MY COMMISSION EXPIRES
NE∠SEAL دی د	we are committee to the second

perator Name: Doub	le 7 Oil	& Gas		Lease	Name:	Mo	<u>kinzie</u> ,	Well #:	1		
oc. 21 Twp. 33	_s. R. 19	🔭 East	☐ West	County	:La	bette			: 		
STRUCTIONS: Show sted, time toot open an imperature, fluid recove ectric Wireline Logs su	d closed, flowing ry, and flow rates	and shut-in	i pressures, i irface test, al	whether sh long with fi	iut-In pross	ure reached :	static level, hydrost	allo pressu	ires, bottom hole		
Drill Stem Tests Taken ☐ Yes (Attach Additional Sheets) Samples Sent to Geological Survey ☐ Yes			[] No		Log		on (Top), Depth and	d Datum	Sample		
			No		Name			Тор	Datum		
•		PN0									
ectric Log Run (Submit Copy)			Mo			•					
st All E. Logs Run:											
				RECORD	Now						
	Size Hole	·	all strings set-c	· T	urface, Interi Ight	nediate, produc Selling	tion, etc. Type of	# Sac s	Type and Percent		
Surface	Drilled	Set (In O.D.)			ΪFι.	Depth	Cement	Used	Additives		
Drill Well	11'' (BBD)	20'	64''				Portland	<u> </u>			
4						· · · · · · · · · · · · · · · · · ·					
				<u></u>							
, 10, 11		·	ADDITIONAL	CEMENT	ING / SQUE	EZE RECORI	D				
Purpose: Perforate	Depth Top Bottom	Type of Cement		#Sacks Used		Type and Percent Additives					
Protect Casing Plug Back TD Plug OT ZONG	0	port	land	110)						
Shots Per Foot	PERFORATION RECORD - Bridge Plug Specify Footage of Each Interval Perf										
TUBING RECORD	Size	Set At		Packer	At	Liner Run					
Date of First, Resumerd I	Production, SWD or	Enhr.	Producing Mo	ethod	Пе	П-		. —	Oth - 4 (5 m-1c)-1		
Estimated Production Per 24 Hours	Oil	Obis.	Gas	Mcf	☐ FlowIng Wate			as-Oll Ratio	Other (Explain) Gravity		
Disposition of Gas	METHOD OF	COMPLETIO	l on		L	Production Int	erval	•			
Vented Sold	Used on Lease		Open Hole	_	orf. [] C	ually Comp.	Commingled _				



Flyer Feed & Tire

P. O. Box 216 501 N. Galveston Thayer, KS 66776-0216 (620) 839-5400



CUSTOMER'S NO.	P'S NODATE 5-24-05					
NAME Double 7 01/	<i>J</i> .		,			
ADDRESS		tv.				
SOLD BY CASH C.O.D. CHARGE	ON ACCT. MDSE. RET'D.	PAID OUT	· ·	=		
	,					
QUAN. DESCRIPTIO	N	PRICE	AMOL	JNT		
450 Por Hand		5.85	2632	50		
	. 1. - \$ ¹					
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	·		ŕ			
				H		
	K.E.T.			\prod		
	Sales Tax		10 - 1	12		
		,	1922			
	TOTAL	- A	32.24	12		

SEP 23 2005

15-099-23742-00-00