
KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE



perator: License #32.756	API No. 15 - 099-23598-0000
ame:Double 7 Oil & Gas	CountyLabette
ddress: 21003 Wallace Rd.	NW-NW SW Sec. 27 Twp. 34 S. R. 19 Reast West
lty/State/Zip: Parsons Ks. 67357	
urchasor:	
perator Contact Person: Bruce Schulz	Footages Calculated from Nearest Outside Section Corner:
hone: () 316-423-0951	(circle one) NE SE IIW (SW)
ontractor: Name:	Lease Name: Nehbrass Well #:_]
	Field Name:
lcense:	Producing Formation: Bartlesville
	•
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth 760 Plug Back Total Depth:
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Comented atFeet
ENHRSIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
f Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tosx cmt.
Vell Name:	Drilling Fluid Management Plan A I TI MVR
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) 5-14-09
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used Empty & Fill
Commingled Docket No.	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No.	Operator Name:
0 0 0 4 0 15 0 4 0 17 0 4	RECEIMED License No.:
Spud Date or Date Reached TD Completion Date or	Ec 2u312004 Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Docket No.:
KO	CC WICHITA
Kansas 67202, within 120 days of the spud date, recompletion, worked information of side two of this form will be held confidential for a period of	rith the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, over or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. of 12 months if requested in writing and submitted with the form (see rule 82-3-gs and geologist well report shall be attached with this form. ALL CEMENTING ells. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to reg herein are complete and correct to the best of my knowledge.	rulate the oil and gas industry have been fully complied with and the statements
	Was 2500 11 2000 V
Signature: Dille Schuf	KCC Office Use ONLY
Tillo: Owner palo:	Letter of Confidentiality Attached
Subscribed and sworn to before me this day of Dicimber	If Denied, Yes Date:
000000000000000000000000000000000000000	Wireline Log Received
0004.	Geologiet Report Received
Notary Public: Jandra K. Marne	SANDRA K. MANNERS
Date Commission Expires: 3-16-06	SANDRA K. MANNERS NY COMMISSION EXPIRES

March 16, 2006

perator Name: DBub	10 7 Oil 8 R 19						rass,	Well #: <u>l</u>	:	
STRUCTIONS: Show sted, time tool open an mperature, fluid recove ectric Wireline Logs su	Important tops and closed, flowing ry, and flow rates	nd base of t and shut-in if gas to su	ormations per prossures, w irface test, ak	netrated. hether sl	Detail all c	ores. Report	static level, hydrost	atlc pressur	es, bottom	hole
ill Stem Tests Taken	atsl	Yos	[P]No		Log	Formatic	on (Top), Depth and	d Datum	∏ Sa	ımple
(Attach Additional Sheets) Samples Sent to Geological Survey Cores Taken Clectric Log Run (Submit Copy)		₽No		Namo		Тор		Datum		
st All E. Logs Run:							·			
		Panort	CASING F		New	Used	lion atc			
Purpose of String	Size Hole Drilled	Size	Casing	We	light . / Ft.	Setting Depth	Type of Cement	# Sacjs		nd Percent
Surface Drill Well	SEED 11"	20'	6 ¹ 4 ' '	Lus	.770	Depm	Portland	Used 5	Adi	ditives
Longstring	6 3/4	4 1	/2		9	750	1 1			
,			ADDITIONAL	CEMENT	ING / SOUI	EZE RECORI	<u> </u>			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Тура с	of Cement		s Used				s	
Shots Per Foot	Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/ Specify Footage of Each Interval Perforated					pe Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)				Depth
TUBING RECORD	Size	Set At		Packe	r At	Liner Run	Yos No			
Date of First, Resumerd F	Production, SWD or	750 Enhr.	Producing Me	thod		·				
Estimated Production	Oil	Bbls.	Gas	Mcf	Flowing			t O	ther (Explain)	Gravity
Per 24 Hours Disposition of Gas	METHOD OF COMPLETION Produc						oduction interval			
	Used on Lease		Open Hole	-	orf, 🔲 C	ually Comp.	Commingled _			

AUTHORIZTION_____

FOREMAN Steve Johnson

TREATMENT REPORT & FIELD TICKET

CEMENT

DATE CUSTOMER WELL NAME & NUMBER 978 CY 8522 ALABORES 2 ANABLING ADDRESS MAILING ADDRESS CITY STATE ZIP CODE TRUCK* DRIVER TRUCK* 269 Jick 202 Grace CITY STATE ZIP CODE TRUCK* DRIVER TRUCK* 269 Jick 260 CASING SIZE & WEIGHT 1/2 DOB TYPE COASSECIOS ACASING DEPTH 100 DRILL PIPE TUBING OTHER OT					CEMEN		TOWN 101 HO	RANGE	COUNTY
ACCOUNT OUANITY OF UNITS ACCOUNT OUANITY OF	DATE (CUSTOMER#	WELL N	NAME & NUMB	ER	SECTION	TOWNSHIP		f. [J]
USTOMER ACCOUNT CODE ACCOUNT	290-04	2522	Nichbr	ass 1		_ 27_	ا ۲۷ ا		LAMETE
ACCOUNT CODE OUANITY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE SHOP TO SERVICES OF		1.1.1.	7 (1)			TRUCK#	DRIVER	TRUCK#	DRIVER
STATE ZIP CODE STATE ZIP CODE STATE ZIP CODE STATE ZIP CODE STATE STATE STATE STATE ZIP CODE STATE STATE STATE STATE STATE STATE ZIP CODE STATE ST	ING ADDRESS	Jankor -					tick		
STATE ZIPCODE WAS BONDY ASSING DEPTH 12.5 ASSING DEPTH 13.5 SURRY VOL BISPLACEMENT 13.5 DISPLACEMENT PSI (CO) MIX PSI RATE 4.3 RATE 4.3 RATE 4.3 REMARKS: Lan 25x fel with halls. fallowed by 110 x 60 400 MIX PSI BENDARY SURLA-A behind pluy pumped plus primary Description of Services or Product UNIT PRICE SYO1 SYO1 SYO1 SYO2 TOOM SY HALLS SYO7 WAS SURRY VOL BENDARY DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE SYO7 SYO2 FOR SERVICES OF PRODUCT UNIT PRICE SYO7 FOR SERVICES OF PRODUCT UNIT PRICE RECEIVED 1105 SX FLOSE 1116 4 SX FLOSE 1118 4 SX FLOSE 1118 1123 4000 Cal City Light DEC 23 2004 SSOIC 4 bc. TCANSPORT CASING SIZE & WEIGHT V/2 TOBRO TOBR		•					Bruce		
OB TYPE CORGISTING OB TYPE CORGISTING OB TYPE CORGISTING ASING DEPTH 760 DRILL PIPE TUBING TUBING TUBING OTHER TUBING CEMENT LEFT IN CASING O RATE 4.3 LEMARKS: LAN 25X L	,		STATE	ZIP CODE	1	41.5	Bobby		
ACCOUNT QUANTITY OF UNITS ACCOUNT QUANTITY OF UNITS CODE SYON SYON ACCOUNT QUANTITY OF UNITS ACCOUNT CODE SYON S									
ASING DEPTH 760 DRILL PIPE TUBING OTHER LURRY WEIGHT 13.5 SLURRY VOL WATER gallak CEMENT LEFT IN CASING OTHER LURRY WEIGHT 13.5 SLURRY VOL WATER gallak CEMENT LEFT IN CASING OF RATE 4.3 SEPLACEMENT 12. DISPLACEMENT PSI 400 MIX PSI OR RATE 4.3 LEMARKS: Lan 25x Lel with halls. followed by 110 st 60/40. MARE 1/12 PLANE WITH HALLS. Followed by 110 st 60/40. MARE 1/12 PLANE WITH HALLS. Followed by 110 st 60/40. MARE 1/12 PLANE WITH HALLS. Followed by 110 st 60/40. MARE 1/12 PLANE WITH HALLS. Followed by 110 st 60/40. MICHAEL PROPERTY OF WATER WITH HALLS. FOLLOWED BY 110 st 10 s	TYPE PON	cstrins	HOLE SIZE 6	3/4	HOLE DEPTH	800	CASING SIZE & W	EIGHT\$/	
ACCOUNT OUANITY OF UNITS ACCOUNT OUANITY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT SYOL SS MILEAGE SYO	_	J	_		TUBING_:_			OTHER	<u> </u>
DISPLACEMENT 12. DISPLACEMENT PSI 400 MIX PSI D. RATE 4.3. DEMARKS: for 25x cel with hulls followed by 10 cx 60/40. Miss Vitt Plusted with hulls wisched behind plus pumped pl bottern 5xt chax shut in DESCRIPTION of SERVICES or PRODUCT UNIT PRICE SYOL PUMP CHARGE langstring 1/40b 55 MILEAGE SYO7 Min Bulk Truck 5407 Footing 1105 Sx Hulls 1118 4 5x GEL 1123 4000 gal city with 110 x GEL 1123 4000 gal city with SSOIC 4 hr. Transport SSOIC 4 hr. Transport SSOIC 4 hr. Transport SSOIC 4 hr. Transport SCO WICHITA					WATER gal/s	ık	CEMENT LEFT in	CASING	<u> </u>
ACCOUNT GUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT SYOL SY SYOL SYOL SY SYOL SY SY SY SY SY SY SY SY SY S		12	DISPLACEMENT	PSI_400	MIX PSI	<u> </u>	RATE	3	
ACCOUNT OUNTS DESCRIPTION of SERVICES or PRODUCT UNIT PRICE SYOL STANDARD PUMP CHARGE LANGSTRING SYOL MILEAGE WILLEAGE WIL		Pan 2	5x 10/	with	hulls.	followed	by 110	cx 60/4	O POL
ACCOUNT QUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT SHOLL PUMP CHARGE LANGSFring SHOLL PUMP CHARGE SHOLL SHOLL PUMP CHARGE SHOLL PUMP CHARGE SHOLL PUMP CHARGE SHOLL		E Flo Sea	1 with	ulls.	Marked	behind	plue pe	impal p	plus to
ACCOUNT QUANITY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE SYOL SYOL	otton	set 1	shor s	that ir			/ 		
Syol / PUMP CHARGE LANGSFring 1406 55 MILEAGE SYO7 MIN BUILK Truck 5402 760' Footerge 1105 Sx Flosea 1118 4 Sx GEL 1123 4000 Gal City Water RECEIVED 1124 110 x GO/40 Poz cement SSOIC 4 br. Transport KCC WICHITA	047-2113		<u> </u>						
Syol Pump Charge Bug String Syol SS MILEAGE Syol Thorage Sy Flore Syol Sx Flore Syol Sx Flore Syol Sx GEL Syol Gal Clty water RECEIVED Syol Gal Gal Gal Syol Gal Gal Ga									
Syol Pump Charge Bug String Syol SS MILEAGE Syo7 Min Bulk I ruck Syo2 760' Footage Ilos Sx Flosea Ilis 4 sx GEL Ilis 4 sx Gel Ilis 1000 gal City water RECEIVED Ilay Ilos Column Poz cement SSOIC 4 br. Transport KCC WICHITA									<u></u> -
Syol Pump Charge Bug String Syol SS MILEAGE Syo7 Min Bulk Truck Syo2 760' Footage 1105 Sx Flosea 1118 4 sx GEL 1123 4000 ga/ (thy water RECEIVED 1124 110 x Go/40 Poz cement SSOIC 4 bc. Transport KCC WICHITA									
Syol Pump Charge Bug String Syol SS MILEAGE Syo7 Min Bulk I ruck Syo2 760' Footage Ilos Sx Flosea Ilis 4 sx GEL Ilis 4 sx Gel Ilis 1000 gal City water RECEIVED Ilay Ilos Column Poz cement SSOIC 4 br. Transport KCC WICHITA									
Syol Pump Charge Bug String Syol SS MILEAGE Syo7 Min Bulk I ruck Syo2 760' Footage Ilos Sx Flosea Ilis 4 sx GEL Ilis 4 sx Gel Ilis 1000 gal City water RECEIVED Ilay Ilos Column Poz cement SSOIC 4 br. Transport KCC WICHITA									
Syol Pump Charge Bug String Syol SS MILEAGE Syol Thorage Sy Flore Syol Sx Flore Syol Sx Flore Syol Sx GEL Syol Gal Clty water RECEIVED Syol Gal Gal Gal Syol Gal Gal Ga									
Syol Pump Charge Bug String Syol SS MILEAGE Syo7 Min Bulk I ruck Syo2 760' Footage Ilos Sx Flosea Ilis 4 sx GEL Ilis 4 sx Gel Ilis 1000 gal City water RECEIVED Ilay Ilos Column Poz cement SSOIC 4 br. Transport KCC WICHITA									1
SYOL SS MILEAGE BAGSTring SYOL SS MILEAGE SYO7 MIN BULK Truck SYO2 760' FOOTEST JIOS SX HUIS ITOT LEX FLOSED 1/18 4 SX GEL 1/123 4000 Gal City Water RECEIVED 1/124 110 x 60/40 Poz cement SSOIC 4 br. Transport KCC WICHITA		QUANIT	Y or UNITS	D	ESCRIPTION	of SERVICES or P	RODUCT	UNIT PRICE	TOTAL
SYOT Min Bulk Truck SYOT Min Bulk Truck SYOT TOO' FOOTUSE 1105 SX Hulls 1107 EX Floreal 1118 4 SX GEL 1123 4000 Gal city water RECEIVED 1124 110 x GO/UD POZ CEMENT SSOIL 4 bc. Transport KCC WICHITA				PLIMP CHARC	SE / Ru	1 a String			710.00
SY07 m/n Bulk Truck 5402 760' Footage 1105 Sx Hulls 1107 Gx Flosea 1118 4 5x GEL 1123 4000 Gal city water RECEIVED 1124 110 x Golup Poz cement DEC 23 2004 SSOIC 4 bc. Transport KCC WICHITA									129.25
105				V	7. (K. 1	Truck			225.00
1105 sx Hulls. 1107 sx Floseal 1118		71	0/	•	Zanti	C. 🛩			114,00
1107 SX Floseal 1118 4 SX GEL 1123 4000 Gal City Water RECEIVED 1124 110 JX GO/40 POZ CEMENT DEC 23 2004 5501C 4 br. Transport KCC WICHITA	7462	/_	20			7			a .
1107 sx floseal 1118	110 6	i	644	N	.116				13.60
1118 4 sx laft 1123 4000 cal city water RECEIVED 1124 110 x laptor Poz cement SSOIC 4 br. Transport KCC WICHITA				-	o cro				40.00
1123 4000 gal city water RECEIVED 1124 110 x 60/40 Paz cement DEC 23 2004 SSOIC 4 br. Transport KCC WICHITA	**************************************			125	-/				49.6
1124 110 x 60/40 Poz cement DEC 23 2004 SSOIC 4 br. Transport KCC WICHITA				ICR F	L . 10	he -	PECE	VED.	14.
SSOIL 4 bc. Transport KCC WICHITA		<u> </u>	DUGAL		(100	2			759,0
SSOIC 4 hr. Transport KCC WICHITA	1124		<u> </u>	60/	40. 1	oz cerier	DEC 2 3	2004	1000
350/C 4 hr. Iransport		<u>.</u>	<u> </u>	 		***		1	
	1100		1 -				KCC W	CHITA	336.00
	5501C	4	hr.	 	Cansp	or 1	· · ·		COMIN
					:		,	1	
1 4 SAIFS TAX									
1 47 SAIFS TAX						· · · · · · · · · · · · · · · · · · ·			
1 42 SALES TAX							2-1		
\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \				 	:	The state of the s	_/	SALES TAX	59.40
LA CESTIMATED		L					70	ESTIMATED	2481.9