

P&A

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 30420  
Name: V.J.I. Natural Resource Inc.  
Address: 30-38 48th St.  
City/State/Zip: Astoria, New York 11103  
Purchaser: \_\_\_\_\_  
Operator Contact Person: Jason Dinges  
Phone: (785) 625-8360  
Contractor: Name: Vonfeldt Drilling Inc.  
License: 9431

Wellsite Geologist: Jerry Green  
Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Dual Completion \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) \_\_\_\_\_ Docket No. \_\_\_\_\_

1-20-03 1-26-03 1-27-03  
Spud Date or Date Reached TD Completion Date or Recompletion Date

API No. 15 065-22873-0000  
County: Graham  
100E NW NW NW Sec. 5 Twp. 9 S. R. 24  East  West  
4950 feet from  S / N (circle one) Line of Section  
4850 feet from  E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE  SW  NW  SE  
Lease Name: Holley Well #: 14-A  
Field Name: Holley  
Producing Formation: LKC  
Elevation: Ground: 2470 Kelly Bushing: 2475  
Total Depth: 4065 Plug Back Total Depth: \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at 208 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

RECEIVED  
5-27-03  
MAY 27 2003  
KCC WICHITA

Drilling Fluid Management Plan AKA P&A 5/28/03  
(Data must be collected from the Reserve Pit)  
Chloride content 1500 ppm Fluid volume 180 bbls  
Dewatering method used natural settling  
Location of fluid disposal if hauled offsite:  
Operator Name: Challenger Exploration  
Lease Name: Dechant License No.: 03919  
Quarter \_\_\_\_\_ Sec. 17 Twp. 14 S. R. 18  East  West  
County: Ellis Docket No.: 24904

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: Agent Date: 5-12-03  
Subscribed and sworn to before me this 12 day of May,  
2003  
Notary Public: [Signature]  
Date Commission Expires: Jan 21, 2004

**KCC Office Use ONLY**

Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received

UIC Distribution  
RITA A. ANDE  
Graham County, Kansas  
My Appt. Exp. 1-31-04



**ORIGINAL**

Operator Name: V.J.J. Natural Resources Inc. Lease Name: Holley Well #: 14-A  
 Sec. 5 Twp. 9 S. R. 24  East  West County: Graham

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
*(Attach Additional Sheets)*

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run  Yes  No  
*(Submit Copy)*

List All E. Logs Run:  
 Dual Induction Log  
 Compensated Density/Neutron Log  
 Micro Log  
 Sonic Log

Name	Top	Datum
Anhydrite	2164-98	+306
Heebner	3750	-1275
Toronto	3774	-1299
Lansing-KC	3790	-1315
BKC	4008	-1533
Marmaton	4032	-1557
RTD	4067	-1592

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives
Surface	12 1/4	8 5/8	20#	208	60/40 POZ MIX	150	3% CC 2% GEL

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing				
___ Plug Back TD				
___ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumerd Production, SWD or Enhr.		Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)					
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity		

Disposition of Gas  Vented  Sold  Used on Lease *(If vented, Sumit ACO-18.)*

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

# ALLIED CEMENTING CO., INC. 10884

TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley

DATE <u>1-20-03</u>	SEC <u>5</u>	TWP <u>9S</u>	RANGE <u>24W</u>	CALLED OUT	ON LOCATION <u>5:00 PM</u>	JOB START <u>6:15 PM</u>	JOB FINISH <u>6:30 PM</u>
LEASE <u>Holley</u>		WELL# <u>14-A</u>		LOCATION <u>Morland 2 1/2 - 2E-34N</u>		COUNTY <u>Graham</u>	STATE <u>Kan</u>
OLD OR <u>NEW</u> (Circle one)				<u>ES</u>			

CONTRACTOR Van Feldt Drils #1

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 208'

CASING SIZE 8 5/8 DEPTH 208'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. 15'

PERFS. \_\_\_\_\_

DISPLACEMENT 12 1/2

OWNER Same

CEMENT AMOUNT ORDERED 150 SKS 60% per  
3% CC - 2% Gel

COMMON	<u>90 SKS</u>	@	<u>6.65</u>	<u>598.50</u>
POZMIX	<u>60 SKS</u>	@	<u>3.55</u>	<u>213.00</u>
GEL	<u>3 SKS</u>	@	<u>10.00</u>	<u>30.00</u>
CHLORIDE	<u>5 SKS</u>	@	<u>30.00</u>	<u>150.00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>158 SKS</u>	@	<u>1.10</u>	<u>173.80</u>
MILEAGE	<u>44 per SK/mile</u>			<u>410.00</u>

TOTAL 1,576.10

REMARKS:

SERVICE

Cement Did Circ

DEPTH OF JOB _____	
PUMP TRUCK CHARGE _____	<u>520.00</u>
EXTRA FOOTAGE _____ @ _____	
MILEAGE <u>65-miles</u> @ <u>3.00</u>	<u>195.00</u>
PLUG <u>8 5/8 Surface</u> @ _____	<u>45.00</u>
	@ _____
	@ _____

TOTAL 760.00

CHARGE TO: VJI natural Resources

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

FLOAT EQUIPMENT

_____	@ _____
_____	@ _____
_____	@ _____
_____	@ _____
_____	@ _____

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Doug Budig

Doug Budig  
PRINTED NAME

# ALLIED CEMENTING CO., INC. 4872

P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
OKIA, KS

DATE <u>1-27-03</u>	SEC. <u>S</u>	TWP <u>9</u>	RANGE <u>24</u>	CALLED OUT <u>4:00 pm</u>	ON LOCATION <u>7:30 pm</u>	JOB START <u>9:00 pm</u>	JOB FINISH <u>12:15 am</u>
LEASE <u>Holley</u>	WELL# <u>14-A</u>	LOCATION <u>Marland 35.2E-112N</u>			COUNTY <u>Graham</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one) <u>o</u>							

CONTRACTOR Von Fold  
 TYPE OF JOB PTA  
 HOLE SIZE 7 7/8 T.D. 4065  
 CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE 4" 2 DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT \_\_\_\_\_

OWNER same  
 CEMENT  
 AMOUNT ORDERED 200 60/40 pos  
690 gal 14# Flo-sol

COMMON	<u>120</u>	@ <u>7.85</u>	<u>942.00</u>
POZMIX	<u>80</u>	@ <u>3.55</u>	<u>284.00</u>
GEL	<u>10 sks</u>	@ <u>10.00</u>	<u>100.00</u>
CHLORIDE		@ <u>1.40</u>	<u>70.00</u>
<del>690 gal</del> <u>14# Flo-sol</u>		@ <u>1.10</u>	<u>233.20</u>
HANDLING	<u>212</u>	@ <u>1.10</u>	<u>233.20</u>
MILEAGE	<u>212 x 75 x .04</u>		<u>636.00</u>

**EQUIPMENT**

PUMP TRUCK CEMENTER Fuzzy  
 # 300 HELPER WAYNE  
 BULK TRUCK  
 # 303 DRIVER Lonnie  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

TOTAL 2265.20

**REMARKS:**

**SERVICE**

Mix 200 sks 60/40 pos 690 gal 14# celloflake  
25 sk @ 2200'  
100 sk @ 1325'  
40 sk @ 260'  
10 sk @ 40' w/plug  
15 sk in RH  
10 sk in MH  
Job complete @ 12:15 pm

DEPTH OF JOB	<u>2200'</u>		
PUMP TRUCK CHARGE			<u>630.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>75</u>	@ <u>3.00</u>	<u>225.00</u>
PLUG <u>Dry Mule</u>		@ <u>23.00</u>	<u>23.00</u>

TOTAL 878.00

CHARGE TO: V J I  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**FLOAT EQUIPMENT**

	@		
	@		
	@		
	@		
	@		

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE 3143.20  
 DISCOUNT 314.32 IF PAID IN 30 DAYS

SIGNATURE Doug Budig

2828.88  
Doug Budig  
 PRINTED NAME