

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 32710
 Name: Laymon Oil II, LLC.
 Address: 1998 Squirrel RD
 City/State/Zip: Neosho Falls, KS 66758
 Purchaser: Coffeyville Resources
 Operator Contact Person: Michael Laymon
 Phone: (620) 963-2495
 Contractor: Name: Company Tools LAYMON OIL II, LLC
 License: 32710
 Wellsite Geologist: none
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

<u>10-20-2008</u>	<u>10-25-2008</u>	<u>12-4-2008</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 207-27449 - 0000
 County: Woodson
E2 NE NE SE Sec. 10 Twp. 24 S. R. 16 East West
2310 feet from S N (circle one) Line of Section
165 feet from E W (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW SW
 Lease Name: Cantrell Well #: 9-08
 Field Name: Vernon
 Producing Formation: Squirrel
 Elevation: Ground: 1067 Kelly Bushing: _____
 Total Depth: 1120 Plug Back Total Depth: 1115
 Amount of Surface Pipe Set and Cemented at 40 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set _____ Feet
 If Alternate II completion, cement circulated from 40
 feet depth to surface w/ 10 sx cmt.

Drilling Fluid Management Plan Alt II NR 3-5-09
 (Data must be collected from the Reserve Pit)
 Chloride content _____ ppm Fluid volume _____ bbls
 Dewatering method used _____
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Michael Laymon
 Title: _____ Date: 1 26 09
 Subscribed and sworn to before me this 26th day of January
20 09
 Notary Public: Rachelle Laymon
 Date Commission Expires: 7-11-12

KCC Office Use ONLY

Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
 KANSAS CORPORATION COMMISSION

NOTARY PUBLIC - State of Kansas
 RACHELLE LAYMON
 My Appt. Expires 7-11-12

JAN 29 2009
 CONSERVATION DIVISION
 WICHITA, KS

Operator Name: Laymon Oil II, LLC. Lease Name: Cantrell Well #: 9-08
 Sec. 10 Twp. 24 S. R. 16 East West County: Woodson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy)

Log Formation (Top), Depth and Datum Sample
 Name Top Datum

List All E. Logs Run: *rock w/ log:
 GA/NEUTRON/CEL*

X

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10 1/4"	8 5/8"	24#	40'	common	10	
Production	6 1/8"	2 7/8"	6.5#	1115'	portland	160	
Tubing		1"	1.8#	1045'			

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	1053 - 1060	100 gal HCL acid; frac with 50 sacks sand	1053-1060

RECEIVED
 KANSAS CORPORATION CO.
 JAN 29 2009

TUBING RECORD		Size	Set At	Packer At	Liner Run
					<input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr. 12-5-2008		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls. 1.5	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

CONSERVATION DIVISION
 WICHITA KS

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)
 METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled
 Other (Specify) _____
 Production Interval _____

**Laymon Oil II, LLC
1998 Squirrel Road
Neosho Falls, KS. 66758**

620-963-2495

fax 620-963-2921

Laymon Oil II, LLC
1998 Squirrel Road
Neosho Falls, KS. 66758

Cantrell #9-08
API: 15-207-27449
Spud Date: 10-20-2008
Comp. Date: 10-25-2008
10-24-16 WO CO

Formation	From	To
Soil & Clay	0	14
Shale	14	150
Lime	150	390
Sandy Lime	390	448
Shale	448	490
Lime	490	660
Shale	660	780
Lime	780	820
Shale & Lime	820	960
Shale	960	983
Black Shale	983	986
Lime	986	992
Black Shale	992	999
Lime	999	1003
Shale	1003	1043
Lime	1049	1050
Sand Lower	1050	1060
Shale	1060	1120
Total Depth		1120

Set 40' of 8 5/8" surface, cemented with 10 sks.
Ran 1115' of 2 7/8" pipe
Seating nipple @ 1045

RECEIVED
KANSAS CORPORATION COMMISSION

JAN 29 2009

CONSERVATION DIVISION
WICHITA, KS

802 N. Industrial Rd.
 P.O. Box 664
 Iola, Kansas 66749
 Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS
 Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER
 Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA005
 LAYMON OIL, L.L.C.
 1998 SQUIRREL RD.

LA1/23
 LAYMON OIL
 54 W TO WILLOW N TO 200TH RD
 W 4 MI TO SQUIRREL RD S 3 MI
 TO 170TH
 NEOSHO FALLS, KS

NEOSHO FALLS KS
 66751

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	PLANT/TRANSACTION #
03:38:00p	WELL	8.00 yd	16.00 yd	0.00	BT 34	
DATE	To Date	LOAD #	YARDS DEL	BATCH#	WATER TRIM	TICKET NUMBER
11-05-08	Today	1	8.00 yd	7339		22362
		1	8.00 yd		4.00 in	

WARNING
IRRITATING TO THE SKIN AND EYES
 Contains Portland Cement. Wear Rubber Boots and Gloves. Prolonged Contact May Cause Burns. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY AND BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
 (TO BE SIGNED IF DELIVERED TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility for any damage that may occur to the premises and/or adjacent property, such as curbs, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED _____

X _____

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By

_____ GAL X

WEIGHMASTER _____

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY: *Scotty Smith*

X _____

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.00	WELL	WELL (10 SACKS PER UNIT)	69.00	552.00
2.00	TRUCKING	TRUCKING CHARGE	50.00	100.00

(DATE 11-9-08)

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION / DRIVER TEST TAKEN	TIME ALLOWED	SubTotal \$
		4:53	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER		652.00
					Tax % 6.300 41.00
					Total \$ 693.00
					Order \$ 693.00
					ADDITIONAL CHARGE 1 _____
					ADDITIONAL CHARGE 2 _____
					GRAND TOTAL ▶

See my 2/04/09

RECEIVED
 KANSAS CORPORATION COMMISSION
 JAN 29 2009
 CONSERVATION DIVISION
 WICHITA, KS

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA005
LAYMON OIL, L.L.C.
1998 SQUIRREL RD.

LA1/23
LAYMON OIL
5 1/2 W TO WILLOW N TO 200TH RD
W 4 MI TO SQUIRREL RD S 3 MI
TO IOLA
NEOSHO FALLS, KS

NEOSHO FALLS KS
66758

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
03:54:41p	WELL	8.00 yd	16.00 yd	0.00	BT 34	0.00	
DATE	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
11-05-08	2	16.00 yd	7340		4.00 in	22363	

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.
CONCRETE IS A PERISHABLE COMMODITY AND BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.
The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.
All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.
Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.
A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.
Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer: The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can but in order to do this the driver is requesting that you sign this RELEASE relieving him and his supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the base of his vehicle so that he will not titer the public creek. Further, in addition consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
SIGNED: _____
X

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By _____
GAL X _____
WEIGHMASTER _____
NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.
LOAD RECEIVED BY: _____
X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.00	WELL	WELL (10 SACKS PER UNIT)	16.00	69.00
				552.00

CANTRELL 7-08

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION / CYLINDER TEST TAKEN	TIME ALLOWED	SubTotal \$
		4:53	1. JOB NOT READY 2. SLOW POUR OR SLUMP 3. TRUCK AHEAD OF JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER		552.00
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER		Tax % 6.300 34.78
				TIME DUE	Total \$ 586.78
				DELAY TIME	Order \$ 1279.86
					ADDITIONAL CHARGE 1 _____
					ADDITIONAL CHARGE 2 _____
					GRAND TOTAL ▶

*Ken
11/20/09*

RECEIVED
KANSAS CORPORATION COMMISSION
JAN 29 2009
CONSERVATION DIVISION
WICHITA KS