

KECEIVED APR 2 5 2006

City/State/Zip: Wichita, KS 67278-3188

Operator Contact Person: John Niemberger

___ SWD _____ SIOW _____Temp. Abd.

...... Original Total Depth:

Conv. to Enhr./SWD

_____ Other (Core, WSW, Expl., Cathodic, etc)

___ ENHR ____ SIGW

Re-perf.

If Workover/Re-entry: Old Well Info as follows:

Contractor: Name: Murfin Drilling, Inc.

Wellsite Geologist: Roger Fisher Designate Type of Completion: ____ New Well ____ Re-Entry

Operator: License # 4767 Name: _Ritchie Exploration, Inc. Address: P.O. Box 783188

Phone: (316) 691-9500

Purchaser: NCRA

License: 30606

✓_ Oil

__ Gas

___ Dry

Original Comp. Date: ____

_ Deepening

Date Commission Expires:

Operator: _ Well Name: __

KCC WICHITA

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

ORIGINAL **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Form ACO-1 September 1999 Form Must Be Typed

feet from S / N (circle one) Line of Section 1040 feet from E W (circle one) Line of Section Footages Calculated from Nearest Outside Section Corner: (circle one) NE SE NW SW Lease Name: Evans Cattle Well #: 1 Field Name: Producing Formation: Lansing/KC Elevation: Ground: 2541 Kelly Bushing: 2546 Total Depth: 4275 Plug Back Total Depth: 4240 Amount of Surface Pipe Set and Cemented at 193.96 Feet Multiple Stage Cementing Collar Used? Yes N If yes, show depth set 1946 Feet If Alternate II completion, cement circulated from 1946 feet depth to surface W/ 375 sx cm Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)		County: Gove
feet from		воргохE/2 _ W/2 _ W/2 _ Sec. 34 _ Twp. 14 _ S. R. 28 East 7 Wes
feet from E		2580 feet from S / N (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner: (circle one) NE SE NW SW Lease Name: Evans Cattle Well #: 1 Field Name: Producing Formation: Lansing/KC Elevation: Ground: 2541 Kelly Bushing: 2546 Total Depth: 4275 Plug Back Total Depth: 4240 Amount of Surface Pipe Set and Cemented at 193.96 Fee Multiple Stage Cementing Collar Used? Yes N If yes, show depth set 1946 Fee If Alternate II completion, cement circulated from 1946 feet depth to surface W/ 375 sx cm Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Chloride content 9000 ppm Fluid volume 480 bbl. Dewatering method used evaporation Location of fluid disposal if hauled offsite: Operator Name: Lease Name: License No.: Quarter Sec. Twp. S. R. East West County: Docket No.: e Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, for conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-108 depologist well report shall be attached with this form. ALL CEMENTING		
Lease Name: Evans Cattle Well #: 1 Field Name: Producing Formation: Lansing/KC Elevation: Ground: 2541 Kelly Bushing: 2546 Total Depth: 4275 Plug Back Total Depth: 4240 Amount of Surface Pipe Set and Cemented at 193.96 Fee Multiple Stage Cementing Collar Used? Yes N If yes, show depth set 1946 Fee If Alternate II completion, cement circulated from 1946 feet depth to surface W/ 375 sx cm Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) ALT		
Field Name: Producing Formation: Lansing/KC Elevation: Ground: 2541 Kelly Bushing: 2546 Total Depth: 4275 Plug Back Total Depth: 4240 Amount of Surface Pipe Set and Cemented at 193.96 Fee Multiple Stage Cementing Collar Used? Yes New depth set 1946 Fee If Alternate II completion, cement circulated from 1946 feet depth to surface W/ 375 sx cmi Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Chloride content 9000 ppm Fluid volume 480 bbl. Dewatering method used evaporation Location of fluid disposal if hauled offsite: Operator Name: Lease Name: License No.: Quarter Sec. Twp. S. R. East Wes County: Docket No.: e Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, or conversion of a well. Rule 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-d geologist well report shall be attached with this form. ALL CEMENTING		(circle one) NE SE NW SW
Producing Formation: Lansing/KC Elevation: Ground: 2541 Kelly Bushing: 2546 Total Depth: 4275 Plug Back Total Depth: 4240 Amount of Surface Pipe Set and Cemented at 193.96 Fee Multiple Stage Cementing Collar Used? Yes New Jest Stage Cementing Collar Used? Fee Multiple Stage Cementing Collar Used? Fee Multiple Stage Cementing Collar Used? Set Surface New Jest Stage Set Surface		Lease Name: Evans Cattle Well #: 1
Elevation: Ground: 2541 Kelly Bushing: 2546 Total Depth: 4275 Plug Back Total Depth: 4240 Amount of Surface Pipe Set and Cemented at 193.96 Fee Multiple Stage Cementing Collar Used? Yes New Multiple Stage Cementing Collar Used? Yes New Multiple Stage Cementing Collar Used? Fee Multiple Stage Cementing Collar Used? Yes New Multiple Stage Cementing Collar Used? Fee Multiple Stage Cementing No. Stage Cement Stage Cement Collar Used? Fee Multiple Stage Cementing No. Stage Cementing No. Stage Cementing No. Stage Cementing No. Stage Cementing Collar Used? Fee Multiple Stage Cementing No. Sta		
Elevation: Ground: 2541 Kelly Bushing: 2546 Total Depth: 4275 Plug Back Total Depth: 4240 Amount of Surface Pipe Set and Cemented at 193.96 Fee Multiple Stage Cementing Collar Used? Yes New Multiple Stage Cementing Collar Used? Yes New Multiple Stage Cementing Collar Used? Fee Multiple Stage Cementing Collar Used? Yes New Multiple Stage Cementing Collar Used? Fee Multiple Stage Cementing No. Stage Cement Stage Cement Collar Used? Fee Multiple Stage Cementing No. Stage Cementing No. Stage Cementing No. Stage Cementing No. Stage Cementing Collar Used? Fee Multiple Stage Cementing No. Sta		Producing Formation: Lansing/KC
Amount of Surface Pipe Set and Cemented at 193.96 Fee Multiple Stage Cementing Collar Used? Yes N If yes, show depth set 1946 Fee If Alternate II completion, cement circulated from 1946 feet depth to surface W/ 375 sx cm Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) ATT W State		Elevation: Ground: 2541 Kelly Bushing: 2546
Multiple Stage Cementing Collar Used? If yes, show depth set 1946 Fee If Alternate II completion, cement circulated from 1946 feet depth to surface W/ 375 sx cmi Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Chloride content 9000 ppm Fluid volume 480 bbl. Dewatering method used evaporation Location of fluid disposal if hauled offsite: Operator Name: Lease Name: License No.: Quarter Sec. Twp. S. R. East Wes County: Docket No.: e Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-d geologist well report shall be attached with this form. ALL CEMENTING		Total Depth: 4275 Plug Back Total Depth: 4240
If yes, show depth set		Amount of Surface Pipe Set and Cemented at 193.96 Fee
If Alternate II completion, cement circulated from 1946 feet depth to surface		Multiple Stage Cementing Collar Used? ✓ Yes □ No
Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Chloride content 9000 ppm Fluid volume 480 bbl. Dewatering method used evaporation Location of fluid disposal if hauled offsite: Operator Name: Lease Name: Lease Name: Lease Name: Sec. Twp. S. R. East West County: Docket No.: e Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-d geologist well report shall be attached with this form. ALL CEMENTING		If yes, show depth set 1946 Fee
Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Chloride content 9000 ppm Fluid volume 480 bbl. Dewatering method used evaporation Location of fluid disposal if hauled offsite: Operator Name: License No.: Quarter Sec. Twp. S. R. East West County: Docket No.: e Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-d geologist well report shall be attached with this form. ALL CEMENTING		If Alternate II completion, cement circulated from 1946
Chloride content 9000 ppm Fluid volume 480 bbl. Dewatering method used evaporation Location of fluid disposal if hauled offsite: Operator Name: License No.: Quarter Sec. Twp. S. R. East West County: Docket No.: e Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. The solution of the second secon		feet depth to_surfacew/_375sx cmt
Dewatering method usedevaporation Location of fluid disposal if hauled offsite: Operator Name:		Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) AUTAH 650
Location of fluid disposal if hauled offsite: Operator Name: Lease Name: Quarter Sec. Twp. S. R. East West County: Docket No.: e Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-d geologist well report shall be attached with this form. ALL CEMENTING		Chloride content 9000 ppm Fluid volume 480 bbls
Operator Name: Lease Name: Quarter Sec. Twp. S. R. East Wes County: Docket No.: E Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-d geologist well report shall be attached with this form. ALL CEMENTING		Dewatering method used evaporation
Lease Name: License No.: Quarter Sec. Twp. S. R. East Wes County: Docket No.: e Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-d geologist well report shall be attached with this form. ALL CEMENTING		Location of fluid disposal if hauled offsite:
Lease Name: License No.: Quarter Sec. Twp. S. R. East Wes County: Docket No.: e Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-d geologist well report shall be attached with this form. ALL CEMENTING		Operator Name:
Quarter Sec. Twp. S. R. East West County: Docket No.: Be Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-d geologist well report shall be attached with this form. ALL CEMENTING		
e Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-d geologist well report shall be attached with this form. ALL CEMENTING		
e Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. nonths if requested in writing and submitted with the form (see rule 82-3-d geologist well report shall be attached with this form. ALL CEMENTING		,
or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-d geologist well report shall be attached with this form. ALL CEMENTING		Docket No.
or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-d geologist well report shall be attached with this form. ALL CEMENTING	-	
months if requested in writing and submitted with the form (see rule 82-3-d geologist well report shall be attached with this form. ALL CEMENTING		
	7	onths if requested in writing and submitted with the form (see rule 82-3-
		abilit of -111 form with all temporarily abandoned wells.

__ Plug Back Plug Back Total Depth Commingled Docket No. _ Dual Completion Docket No._ __ Other (SWD or Enhr.?) Docket No. 12/26/05 1/4/06 1/4/06 Spud Date or **Date Reached TD** Completion Date or Recompletion Date Recompletion Date INSTRUCTIONS: An original and two copies of this form shall be filed wi Kansas 67202, within 120 days of the spud date, recompletion, worko Information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline log TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged well dies and regulations promulgated to regu mplete and correct to the best of my knowledge. **KCC Office Use ONLY** Signature: Date: 4/24/06 **Production Manager** Letter of Confidentiality Received Subscribed and sworn to before me this 24 If Denied, Yes Date:_ Wireline Log Received 2006 DEBRA K. PHILLIPS **Geologist Report Received** Notary Public - State of Kansas **UIC Distribution** My Appt. Expires

Side Two

								111. 563
		Side	Two				j 200	
ı							13630 1969:N	
Operator Name: Ritchie Exploration,				ans Cattle		. Well #: 1		
Sec. 34 Twp. 14 S. R. 28	_ East 🗸 West	County:	Gove					
NSTRUCTIONS: Show important tops ested, time tool open and closed, flowir emperature, fluid recovery, and flow rate Electric Wireline Logs surveyed. Attach	ng and shut-in pressures, es if gas to surface test, a	whether shu along with fir	ut-in pres	sure reached s	static level, hydros	static pressu	res, botton	n hole
orill Stem Tests Taken (Attach Additional Sheets)	✓ Yes ☐ No		Lo	g Formatio	on (Top), Depth ar	nd Datum	✓s	ample
Samples Sent to Geological Survey	✓ Yes		Name			Тор	D	atum
Cores Taken Electric Log Run (Submit Copy)	Yes No			SEE A	TTACHED		A	22 8:::>
ist All E. Logs Run:						KE	CEIVE	ED
Dual Induction Log						APR	2 5 20	06
Compensated Density/Neu	itron Log					KCC	WICH	ATTA
	CASING Report all strings set-	RECORD	New		ion etc			
Purpose of String Size Hole Drilled	Size Casing Set (In O.D.)	Weigl	ht	Setting Depth	Type of Cement	# Sacks Used		nd Percent
Surface 12-1/4	8-5/8	23		203	common	160		2% gel
Production 7-7/8	4-1/2	10.5	-	1274	60/40 pozmix	150	6% gel,	1/4# flocele
	ADDITIONAL	CEMENTIN	G / SQUE	EZE RECORD				
Purpose: Depth Top Bottom Perforate Top Bottom	Type of Cement	#Sacks Used		Type and Percent Additives				
Plug Back TD Plug Off Zone								
	FION RECORD - Bridge Plugy Footage of Each Interval Pe				sture, Shot, Cement		ord	Depth
4 3932' - 3937' (1		1000 gals 15% NE				onar Oseu)		Бери
7 0002 - 0007 (1	710/00/				770 IAE			
								
TUBING RECORD Size 2-3/8	Set At 4204	Packer At		Liner Run	Yes 🗸 No			
Date of First, Resumerd Production, SWD or 1/26/06	Enhr. Producing Met	thod] Flowing	√ Pumpin	g Gas Lift	Oth	ier (Explain)	5 cc 14/14
Estimated Production Oil Per 24 Hours 22.57	Bbls. Gas	Mcf	Water 0.47	Bl	ols. Ga	as-Oil Ratio	3	Gravity 8.7
	COMPLETION			Production Inter	/al			
Vented Sold Used on Lease	Open Hole	Perf.	[] D '	ally Comp.	Commingled			

ALLIED CEME	NTING, CO., INC. 22193
Federal Tax I REMIT TO P.O. BOX 31	
RUSSELL, KANSAS 67665	SERVICE POINT: CONTROLLING CARLEY OAKLEY
DATE 1/4/06 SEC. TWP. RANGE 26 W	CALLED OUT ON LOCATION JOB START JOB FINISH
Evans Cattle Well# / LOCATION GOVE	COUNTY STATE
OLD OR NEW (Circle one)	13 26 13 26 25 173 000 € 173
	OND Co.
CONTRACTOR MUYFIN # 24 TYPE OF JOB CM+ 42 Prod. C59	OWNER Same
HOLE SIZE 74/ T.D. 42.75	CEMENT
CASING SIZE 44 10.5 T DEPTH 4280	AMOUNT ORDERED
TUBING SIZE DEPTH	1755Kg 60/40 + 10709a 1+ 2709-1 490CM
DRILL PIPE DEPTH	Socgal WFR-Z
TOOL Part Collar DEPTH 1948	Je 9 a / /
PRES. MAX 1400 MINIMUM 100	COMMON 105 5Ks @ 10,00 1050,00
MEAS. LINE SHOE JOINT 22.8	POZMIX 70 5Ks @ 4,70 329,0
CEMENT LEFT IN CSG. 2.2, 8	GEL 3 5Ks @ 14,00 42,00
PERFS. RECEIVED	CHLORIDE@
DISPLACEMENT 67 14 APR 25 2006	ASC@
FOLIPMENT	Salt 178Ks @ 15,75 267,75
KCCWICHIT	ACD-3/ 113 @ 6.25 706.25
PUMPTRUCK CEMENTER Max	WFR-2 500gal@ 1.00 500, a-
# 102 HELPER Walt	
BULK TRUCK	
# 218 DRIVER JR	
BULK TRUCK	
# DRIVER	WANDLING 167 @ 1 / 6 7/5 7
	HANDLING 197 @ 1,60 315,20 MILEAGE 6\$ 15x 1m; 531.90
REMARKS:	
REMARKS:	TOTAL 3/92.16

Pumy 500 gal WFB-Z Plug Kathole With 15ets Plug Mouse Hole with	SERVICE			
105kg Cmt Csq with 150gkscmi Drop 1/49 Washup Pump & Lines Displace 67 by hel Land Plag Float Hald Float Hald	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE/ 5 m /	—	75 FF 1370,00 225,00	
CHARGE TO: Ritchie Exploration Inc		@	1575,00	

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was

CITY_____STATE ____ZIP___

1-42 Rupber Plug	@	48,00
1-4/2 CuidesHore	@	125,00
1-42 AFUINSEXY	@	210,00
6-45 Turbolizers	@ 55,00	330,00
7-4's Cement Basker 1-4's Port Coller	@ 116,00	232,0
1-42 Port Coller	•	1600,00
	TOTAL.	2545,00

PLUG & FLOAT EQUIPMENT

done to satisfaction and supervision of owner agent or		TOTAL 2545,0
contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.	TAX	
	TOTAL CHARGE	
SIGNATURE GA Rome	DISCOUNT	IF PAID IN 30 DAYS
SIGNATURE () 6-1 / OWE	DDT	NITED NAME

ALLIED CEMENTING CO., INC. 22231 Federal Tax I.D. 22231

REMIT TO P.O. BOX 31

133	43	6.3636	SERVICE POINT:
4 12 1 1		Cana	DERVICE I OHIL.

	•	NSAS 6/66	00	(26)	1.50	CaKI	e V
1-9-06 DATE	SEC. 34	TWP.	RANGE 2618	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
Fugus cattle		1	_	10 0 - 1 1		COUNTY	STATE
OLD OR NEW (Cir			LOCATION GOVE	100 25157	15 MG	Gove-	KS
			1 Service	OWNER	Same	2	
TYPE OF JOB	Port	CO114	<u> </u>	-			
HOLE SIZE	11/1	T.D.	WITH I	CEMENT	DEDED		
CASING SIZE TUBING SIZE	7/3	DEP DEP	7	_ AMOUNT OR	DERED <u> </u>	10/11/	# El. C 1
DRILL PIPE	~ ~ ~	DEP		115eJ 3	195KS	1/ (401 /	110 300
TOOL		DEP					
PRES. MAX		MIN	IIMUM	COMMON	225KS	_@ <i>_10,00</i>	2250,00
MEAS. LINE		SHC	DE JOINT	POZMIX	1505KS	_@ <u>4.70</u>	205,00
CEMENT LEFT IN	CSG.		RECEIVE	D GEL _	195Ks		266,00
PERFS.		7 Bb1	1 (12)	_ CHLORIDE _	T COMMON TO THE	@	
DISPLACEMENT			S APR 2 5 20	OB ASC	941		1,000
	EQU	IPMENT	KCC WICH	IITA () ET)	771	_@ <i>[.\7()</i> 	15980
				_		_ @	
	CEMENT		7111		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
# 373 - 25-1 I BULK TRUCK	HELPER	Andre	eu .	-			
	DRIVER	Mike	2.				
BULK TRUCK	DIGVER	2111				@	
	DRIVER				(2) = 40	- @ - /	871115
				- HANDLING_	526 5KG	@ <u>7.60</u>	10-20-20
	PEN	MARKS:		MILEAGE _Z	747 5/2 / 3/1		42020
Di aani						TOTAL	584260
Tool pump	2 had	Blow	Mix 375.5		SERV	ICE	
Then Cal	cular losed		Pit. Disp		_	1000	
1200 4 0K.		Tool	Pressure up			1946	70000
reverse Tu	1		3611116 C.J.	EXTRA FOOT	CHARGE		785,00
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	·			45 Miles	- @ <u>- 5.00</u>	225.60
				- MANIFOLD _		@_ 	3050.77C
				WITH THE OBB =			
•						@	
CHARGE TO: R	Tchie_	Explore	Tion Inc	_			
STREET						TOTAL	1010,00
				-			
CITY	STA	ATE	ZIP		PLUG & FLOA	T EQUIPMEN	ΙΤ
						@	
To Allied Cement							
			enting equipment			_ @	
and furnish cemer		_					
			e above work was			тотат	
done to satisfaction			or owner agent or the "TERMS AND			IOIAL	
CONDITIONS" 1						-	
CONDITIONS I	isicu on u	iie ieveise	side.	TOTAL CHAR	RGE		
,	\bigcirc	\bigcirc		DISCOUNT -		——— IF PAL	אלן אנד אוד ח
SIGNATURE (T/1-	Ka.	•				
SIGNALUKE	J 47	11000			DID I'S YEE	TOTAL ATT	
					PRINT	ED NAME	

ALLIED CEMENTING CO., INC.

Federal Tax I.D

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

	11/3 FX
Į()	109 : 9

SERVICE POINT:

TOD I OHVI.	_
احا ا	سر دا
Ontley	をう

		<i>\$</i> ,	- Code		
17-26-05 SEC. TWP.	RANGE C	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
CLANSCAHO WELL#	LOCATION Gove	105- 6	26-15-26	COUNTY	STATE
OLD OR NEW (Circle one)	1125 6.				
CONTENT OFFICE 1/4	A 2 4			_	
CONTRACTOR MONTON TYPE OF JOB SUSSE	~~~	OWNER	54me		-,
		CEMENT		•	
	<u> ス03'</u> PTH ス0 1		ORDERED 160	2	9
				· PIN) 10 CC
	PTH PTH		o çol		
	PTH			- 67	00
	NIMUM	COMMON	160	@1000	1600
	OE JOINT	POZMIX	VUU	@ <u></u>	
CEMENT LEFT IN CSG. \ \	7	GEL	2	_ @ 14 	47
PERFS.		CHLORIDE	3	@ 38-00	190=
	BBLS	ASC		_	
EQUIPMENT	- ,	RE	CEIVED		,
EQUITMENT		4.00	0 5 0000	_	
DIN OF THE LOCAL COLUMN AND ADDRESS OF THE LOCAL COLUMN AND AD	~\\\\	APR	2 5 2006	_	
	214	VCC	WICHITA		
	prod	noc	70101111		,
BULK TRUCK # 3 7 DRIVER 5	>			@	
	<u> </u>				
BULK TRUCK				_ @ _ <i>bo</i> _	
# DRIVER		HANDLING		_@ <u>l</u>	268-10
		MILEAGE .	.0695K	x mile	453
REMARKS:				TOTAL	255°C
sement did	cinculate				
•			SERVI	(CE	
Plus down Ca 17	130 Am				
		DEPTH OF	JOB	マク	73'
		PUMP TRU	CK CHARGE		670
Thanks Fuzzl	?	EXTRA FO		@	
	4 Chen	MILEAGE	45	_@_ <i>5<u>9</u>5</i>	225
		MANIFOLI)	@	
			**************************************	@	
D. A. 13	. i _			@	
CHARGE TO: Ritchie	Eypl. Fre	•			09-00
CTREET	•			TOTAL	<u> 912</u>
STREET					
CITYSTATE	ZIP			TO ELONGERA	TOP
			PLUG & FLOA	I EQUIPMEN	NI.
		1 2 6	: 7=		
		1-83	18 plus	@	
		-		@	
To Allied Cementing Co., Inc.				@	
You are hereby requested to rent cer	nenting equipment				
and furnish cementer and helper to a	~			@	
contractor to do work as is listed. T					
done to satisfaction and supervision	of owner agent or			TOTAL	
contractor. I have read & understand	•				
CONDITIONS" listed on the reverse		TAX		_	
		тотат сч	ARGE		
	1	DISCOUNT		IF PAI	ID IN 30 DAYS
3	—A.	4	1 1	,	
SIGNATURE (M/ Kane)	to the	Anti	Sanu Illan	Tin	
2 Control of the Cont		V-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	PRINT	ED NAME	
Great Job Gu	U S			· 	
/ / / / / / / / / / / / / / /					