Kansas Corporation Commission Oil & Gas Conservation Division

ORIGINAL September 1999 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| Operator: License # 5030 | API No. 15 - 065-23362-00-00 |
|--|---|
| Name: Vess Oil Corporation | County: Graham |
| Address: 1700 Waterfront Parkway, Bldg. 500 | CNW_SW_Sec12Twp10SR21 East |
| City/State/Zip: Wichita, KS 67206 | 1900 feet from / N (circle one) Line of Section |
| Purchaser: Easlwine P | 500 feet from E (W) (circle one) Line of Section |
| Operator Contact Person: W.R. Horigan | Footages Calculated from Nearest Outside Section Corner: |
| Phone: (316) 682-1537 X103 | (circle one) NE SE NW SW |
| Contractor: Name: L. D. Drilling, Inc. | Lease Name: Bass Well #: 9 |
| License: 6039 | Field Name: Cooper |
| Wellsite Geologist: Roger Martin | Producing Formation: Arbuckle |
| Designate Type of Completion: | Elevation: Ground: 2269' Kelly Bushing: 2274' |
| New Well Re-Entry Workover | Total Depth: 3885 Plug Back Total Depth: 3820 |
| ✓ Oil SWD SIOW Temp. Abd. | Amount of Surface Pipe Set and Cemented at 214 Feet |
| Gas ENHR SIGW | Multiple Stage Cementing Collar Used? |
| Dry Other (Core, WSW, Expl., Cathodic, etc) | If yes, show depth set 1662 Feet |
| If Workover/Re-entry: Old Well Info as follows: | If Alternate II completion, cement circulated from 1662 |
| Operator: | |
| Well Name: | feet depth to surface ALZ-DQ w/ 250 sx cmt. |
| Original Comp. Date: Original Total Depth: | Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) |
| Deepening Re-perf Conv. to Enhr./SWD | Chloride content 2800 ppm Fluid volume 400 bbls |
| Plug BackPlug Back Total Depth | |
| Commingled Docket No | Dewatering method used evaporation |
| Dual Completion Docket No | Location of fluid disposal if hauled offsite: |
| Other (SWD or Enhr.?) Docket No | Operator Name: |
| | Lease Name: License No.: |
| 12/11/07 12/20/07 1/15/08 Spud Date or Date Reached TD Completion Date or | Quarter Sec Twp S. R East West |
| Recompletion Date Recompletion Date Recompletion Date | County: Docket No.: |
| | |
| Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells | |
| herein are complete and principlo the best of my knowledge. | ate the oil and gas industry have been fully complied with and the statements |
| | |
| Signature: | KCC Office Use ONLY |
| Title: Operations Engineer Date: 3/12/08 | Letter of Confidentiality Attached |
| Subscribed and sworn to before me this 12th day of March | If Denied, Yes Date: |
| 20 127. | Wireline Log Received |
| Who holder Italy | Geologist Report Received RECEIVED |
| Notary Public: Musual Public Programme Program | UIC Distribution KANSAS CORPORATION ` |
| Date Commission Expires: | MAD 14 2222 |
| MICHELLE D. HENNING | INWI 1.3 TC 2.3 |
| MOTARY PUBLIC STATE OF KANSARO My Appl. Exp. 711010 | CONSERVATION CIVISIC A WICHITA, KO |

| Operator Name: Ves | ss Oil Corporation | 1 | Lease Nam | e: Bass | | Well #: _ 9 | |
|--|---|---|---------------------------------------|------------------|----------------------|------------------------|------------------|
| Sec. 12 Twp. 1 | | | County: Gr | aham | | | |
| tested, time tool ope temperature, fluid re- | n and closed, flowing covery, and flow rate | and base of formations p g and shut-in pressures, s if gas to surface test, a final geological well site | whether shut-in along with final c | pressure reached | l static level, hydr | ostatic pressur | res, bottom hole |
| Drill Stem Tests Take | | ✓ Yes No | Q. | ∕]Log Forma | tion (Top), Depth | and Datum | ✓ Sample |
| Samples Sent to Ge | ological Survey | ☑ Yes ☐ No | N | ame | | Тор | Datum |
| Cores Taken Electric Log Run (Submit Copy) | | ☐ Yes ✓ No ✓ Yes ☐ No | s | ee attached | | | |
| List All E. Logs Run: | | | | | | | |
| Dual Induction Micro Log, Cn | n, Dual Comp. nt Bond Log | Porosity Log, | | | | | |
| | | | | New Used | -41 | | |
| Purpose of String | Size Hole | Report all strings set- | Weight | Setting | Type of | # Sacjs | Type and Percent |
| | Drilled | Set (In O.D.) | Lbs./Ft. | Depth | Cement | Used | Additives |
| surface | 12-1/4" | 8-5/8" | 24 | 217 | | 160 | 2% gel, 3% cc |
| production | 7-7/8 | 5-1/2" | 15.5 | 3884 | ASC | 200 | 10% salt,2% gel |
| | | | | | | | 1/4#/flo-seal |
| | <u> </u> | ADDITIONAL | CEMENTING / S | SQUEEZE RECOR | ID | | |
| Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone | Depth Top Bottom | Type of Cement | #Sacks Used | | Type and | Percent Additive: | s |
| Shots Per Foot | | ION RECORD - Bridge Plu Footage of Each Interval Pe | | | acture, Shot, Cemer | | ord Depth |
| | 3812-16 | | | 200 gal | | | |
| | CIBP - 3820' | | | 200 gai | | | |
| | | | | | | | |
| | 3823-26' | | | | | | |
| TUBING RECORD | Size | Set At | Packer At | Liner Run | | | |
| ŀ | 2-7/8 | 3805 | | | Yes N | 0 | |
| Date of First, Resumer 1/14/08 | rd Production, SWD or I | Enhr. Producing Me | thod Flo | owing 🔽 Pum | ping 🔲 Gas L | .ift Oth | ner (Explain) |
| Estimated Production Per 24 Hours | 0il 58 | Bbls. Gas 0 | Mcf 17 | Water 7 | Bbts. | Gas-Oil Ratio | Gravity |
| Disposition of Gas | | COMPLETION | [7] p4 | Production Int | | KANSAS | RECEIVEL |
| Vented Sold | Used on Lease ubmit ACO-18.) | Open Hole Other (Spec | Perf. [| Dually Comp. | Commingled . | | |
| | | (-) | | | | | MAR 142 |

CONSERVATION U: WICHITA, KS

ATTACHMENT TO ACO-1

Bass #9

178'SW C NW SW

Sec. 12-10S-21W

Graham County, KS

DST #1

3513-3615'

Zone: LKC - A - F zones

Times:

30-45-45-60

1st open:

Fair blow, BB - 20 min

2nd open: Rec:

Fair blow, built to 9"

IFP:

15' Mud, 60' Oil Speck. Mud (<1% oil); 60' Oil Specked Watery Mud (50% W, 50% M)

52-88

FFP: 87-117

ISIP:

285

FSIP: 252

Hyd:

1744 - 1690

TEMP: 98 F

DST #2

3700-22

Zone: LKC - K zone

Times:

30-45-45-60

1st open: 2nd open: Weak Blow built to 1-1/8"

Rec:

Weak surf blow 1' Mud w/oil stain

IFP:

16-17

FFP: 17-19

29

FSIP: 24

ISIP: Hyd:

1795 - 1710

TEMP: 100 F

DST #3

3762-3815'

Zone: Top Arbuckle

Times:

30-45-45-60

1st open: 2nd open: Strong blow, BOB - 3 min. Strong blow, BOB - 6 min

Rec:

869' TF. 63' HOCM (40% oil, 60% mud); 62' MCO (70% oil, 30% mud); 465'

MWCGO (20% gas, 50% oil, 20% wtr, 10% mud); 279' VSOCMW (2% oil, 93% wtr,

5% mud).

IFP:

65-250

FFP:

ISIP:

874

FSIP: 876

254-405

Hyd:

1864 - 1766

TEMP: 112 F

DST #4

3815-3821'

Times:

Zone: Arbuckle 30-45-60-60

1st open:

Tool slid 1' on open. 1' after on bottom. Blow built rapidly to 2", then died.

2nd open:

Weak Surf blow. Died. Flush.after 8 min. BOB in 14 min after flush.

Rec:

25' SOCWM (5% oil, 35% Wtr, 60% mud); 62' SOCMW (5% oil, 75% wtr, 20% mud);

186' VSOCMW (2% oil, 93% wtr, 5% mud).

IFP:

29-1008

FFP: 38-141

897

FSIP: 896

ISIP: Hyd:

1846 - 1766

TEMP: 112 F

RECEIVED KANSAS CORPORATION COMMISSION

MAR 14 2008

CONSERVATION DIVIS WICHITA, KS

DST #5

3825-3835'

Zone: Lwr Arbuckle

Times:

30-45-45-60

1st open: 2nd open:

Tool slid 3' to bottom. BB - 30 sec, built to 1"

Strong blow, BB - 1.5 min

Rec:

72' FO; 558' OCMW (15% oil, 70% wtr, 15% mud); 1426' MW (99% wtr, 1% mud). TF

-2056'. Rw -.426 @ 41F = Cl -30,000. Oil -31 grav at 60F

IFP:

269-651

ISIP:

FFP: 665-917

1002

FSIP: 950

1844-1785

Hyd:

TEMP: 115F

SAMPLE TOPS LOG TOPS

| T/Anhy | 1746 | (+528) | | |
|------------|--|--|---|--|
| B/Anh | 1782 | (+492) | 1783 | (+491) |
| Topeka | 3280 | (-1006) | 3283 | (-1009) |
| Heebner | 3482 | (-1208) | 3484 | (-1210) |
| Toronto | 3505 | (-1231) | 3507 | (-1233) |
| Lansing | 3522 | (-1248) | 3524 | (-1250) |
| Muncie Crk | 3647 | (-1373) | 3645 | (-1371) |
| BKC | 3745 | (-1471) | 3748' | (-1474) |
| Arbuckle | 3807 | (-1533) | 3811 | (-1537) |
| RTD | 3885 | (-1611) | 3886 | (-1612) |
| | B/Anh Topeka Heebner Toronto Lansing Muncie Crk BKC Arbuckle | B/Anh 1782 Topeka 3280 Heebner 3482 Toronto 3505 Lansing 3522 Muncie Crk 3647 BKC 3745 Arbuckle 3807 | B/Anh 1782 (+492) Topeka 3280 (-1006) Heebner 3482 (-1208) Toronto 3505 (-1231) Lansing 3522 (-1248) Muncie Crk 3647 (-1373) BKC 3745 (-1471) Arbuckle 3807 (-1533) | B/Anh 1782 (+492) 1783 Topeka 3280 (-1006) 3283 Heebner 3482 (-1208) 3484 Toronto 3505 (-1231) 3507 Lansing 3522 (-1248) 3524 Muncie Crk 3647 (-1373) 3645 BKC 3745 (-1471) 3748' Arbuckle 3807 (-1533) 3811 |

RECEIVED KANSAS CORPORATION COMMISSIO

MAR 1 4 2008

CONSERVATION DIVISION WICHITA, KS

ALLIEL CEMENTING CO., INC.

29675

SERVICE POINT: REMIT TO P.O. BOX 31 **RUSSELL, KANSAS 67665** RANGE CALLED OUT ON LOCATION JOB START JOB FINISH SEC. 10:30 AL 10 COUNTY Palco + Radline 3 W LEASE 13445 OLD OR NEW (Circle one) CONTRACTOR $\angle D$ **OWNER** TYPE OF JOB Juntace **CEMENT** HOLE SIZE 12 1/4 T.D. AMOUNT ORDERED 160 Con 39.00 CASING SIZE SS DEPTH 2/ **TUBING SIZE DEPTH** DRILL PIPE **DEPTH** TOOL DEPTH PRES. MAX 1100 _@_11.10__ 1776 2º COMMON_ **MINIMUM** @ ___ **POZMIX** MEAS. LINE @ jlv.lv5-CEMENT LEFT IN CSG. /5 GEL @ 46 des 233 cx PERFS. CHLORIDE DISPLACEMENT 12 3/4 65/ @ @ **EQUIPMENT** @ @ CEMENTER Stane **PUMP TRUCK** RECEIVED HELPER Adrian KANSAS CORPORATION COMMISSION # 409 **BULK TRUCK** JUN 0 4 2008 378 DRIVER **BULK TRUCK** HANDMOHINGKS 168 DRIVER . @ **REMARKS:** TOTAL _3235; 35 **SERVICE** DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE _______ @ 1.00 MANIFOLD __ @ @ @ CHARGE TO: Vess Oil TOTAL 1125 _____ STATE _____ ZIP___ PLUG & FLOAT EQUIPMENT @ To Allied Cementing Co., Inc. @ You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was TOTAL done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND TAX_ CONDITIONS" listed on the reverse side. TOTAL CHARGE ___ DISCOUNT -— IF PAID IN 30 DAYS SIGNATURE PRINTED NAME

LIED-CEMENTING C.J., INC. 29687

| J P.O. BOX 31 | | SERV | ICE POINT: | .// |
|---|-----------------------------------|------------------|--|---------------------|
| RUSSELL, KANSAS 67665 | | 1 | IOD CTAPT | JOB FINISH |
| DATE 12-20-07 SEC. 2 TWP. RANGE 21 | LLED OUT | ON LOCATION | JOB START | 3:05 pm |
| 9 // | Redline | 3 W | COUNTY Graha ~ | STATE |
| LEASE DAG WELL# | into | | | |
| OLIVON VEW (Choice one) | | | _ | |
| CONTRACTOR C & D Drilling Right | OWNER | | | |
| TYPE OF JOB Production Strike | CEMENT | | 4 | <i>p</i> |
| HOLE SIZE | AMOUNT OR | DERED 200 | ASC J | 7. Gel |
| Crion to date | 10% 50 | H /4 #F | 10 500 | Gil WFR-2 |
| TUBING SIZE DEPTH DRILL PIPE DEPTH | | | | |
| TOOL AC Blue DEPTH 1750 | COMMON | | @ | _ |
| DDES MAY MINIMUM | COMMON POZMIX | | | |
| MEAS. LINE SHOE JOINT Q1 | GEL | 4 | @ 16,65 | - 66,60 |
| CEMENT LEFT TO SECOND | CHLORIDE_ | | @ | = 1200 0 |
| PERFS. DISPLACEMENT 92 66/ | ASC2 | 00 | @_ <i>/3,75</i> | - 2)50.00 345.60 |
| EQUIPMENT | 501/ | 18,80 1 50# | @_ <u> 9,2 </u> | |
| 2402 | WFR-2 | 500 G-41 | | 500.00_ |
| PUMP TRUCK CEMENTER Shave | WPR-Z | 30007 | | |
| # 366 HELPER Matt Davis | | | @ | |
| | MSGION | | @ | |
| BULK TRUCK # 345 DRIVER DOWN MIK SECENED BULK TRUCK # DRIVER ** DRIVER ** DRIVER ** DRIVER | OWithing | | @ | |
| BULK TRUCK # DRIVER KANSAS CORPORD IN 12 | 008 | 243 | @_ <u></u> | 461.70 |
| # DRIVER KANSIN O. I. | HANDLING | 09/sk/m/e | | 1312.20 |
| REMARKS: CONSERVATION CONSERVATION | HANDLING NONTEREAGE LA A.KS | | TOTA | AL SOIL |
| | Harris Harris | 39 | | 5536,10 |
| Rad He 15 ses | | SER | VICE | |
| Aixed 65 sks 123/4 Mixed 120 der 14.8 | | | | |
| Insut @ 386) | DEPTH OF J | ОВ | · | |
| Landed Play @ 1200 gs. | PUMP TRUC | CK CHARGE | | 1610.00 |
| | EXTRA FOO | TAGE | @ | 360.08 |
| Float Held | | 60 | | |
| | MANIFOLD | | | |
| | | | @ | |
| CHARGE TO: Vess Dil Corp. | | , | | |
| • | | | TOT | AL 1970.00 |
| STREET | | | | |
| CITY STATE ZIP | | PLUG & FLO | AT EOUIPM | IENT |
| CII I | | | | |
| | 3-6 | Controllzer Shoe | | 170,00 |
| | AFU- | | | |
| | Blue 1 | Port Collar | @ | 1750.00 |
| To Allied Cementing Co., Inc. | @ 30'R | tating Scraw | | 750.00 |
| You are hereby requested to rent cementing equipment | | ber Plus | @ | 33000 |
| and furnish cementer and helper to assist owner or | 2-60 | asket | • - | |
| contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or | | | , TO | TAL 3425,00 |
| contractor. I have read & understand the "TERMS AND | | , | | |
| CONDITIONS" listed on the reverse side. | TAX | | | |
| COMPITIONS TRIOGON ON THE LEGISLES | | | | |
| h 1 . (| TOTAL CH | ARGE | | |
| Aranks' | | | | PAID IN 30 DAY |
| thanks. | | | | PAID IN 30 DAY |
| thanks, | | | | PAID IN 30 DAY |

ALLIE CEMENTING CO., INC. 29689

| REMIT TO P.O. B RUSS | | NSAS 676 | 665 | SERVICE POINT: | | | |
|--|------------|-------------|-------------------|--|-----------------|-----------------|--------------|
| | | | | | | 100 | <i>c-17</i> |
| DATE 1-4-08 | SEC. | TWP. | RANGE 2/ | CALLED OUT | ON LOCATION | JOB START | JOB FINISH |
| LEASE BASS | WELL# | 9 | LOCATION Pa | 100 Pellin | Zw | COUNTY | STATE |
| OLD OR NEW (Cir | | | | 5 | | 0 1 2 1 2 2 2 | |
| | | | • | | | _ | |
| CONTRACTOR | | | | OWNER | | | |
| | ircula | | enest. | CIENTENIO | Used 25 | 0 5ks | |
| HOLE SIZE | 1/2 | T.D | | CEMENT | DEDED (/ 7. | - 69 | 201 |
| CASING SIZE 5 | | | PTH PTH | AMOUNT OR | DERED 47 | 140 6 | 1. Oct |
| DRILL PIPE | | | PTH | | | | |
| TOOL P.C. | | | PTH 166 F | | | | |
| PRES. MAX /oc | 0 051 | | NIMUM | COMMON | 150 | @ /2./5 | 1822.50 |
| MEAS. LINE | | | OE JOINT | POZMIX | 100 | | 680,00 |
| CEMENT LEFT IN | CSG. | | | GEL | 13 | | 23724 |
| PERFS. | | | | CHLORIDE | | | |
| DISPLACEMENT | \$ /2 | 66 | | ASC | | @ | |
| | EOU | JIPMENT | • | _F/2 S | ed 62 # | @ 2,20 | 136.40 |
| | | | | | | _ @ | |
| PUMP TRUCK (| TEMENIT | ER_S/ | · | | | _ @ | |
| | | | Davis | | | | |
| BULK TRUCK | ILLILI | 111611 | Nau/ | RECEIVED COMMISSION | Ŋ | _ @ | |
| and the second s | ORIVER | Trav | KAN | RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED | | _ @ | |
| BULK TRUCK | <u> </u> | <u> </u> | <i>i</i> 3 | JUN 8 4 2008 | | _ @ | |
| | ORIVER | | | JOIN THE THE PROPERTY OF THE P | | @ | 0-2- |
| | | | | CONSERVATION THE CONSERVATION C | 502 | _@_ <i>1,90</i> | 953.80 |
| | | | | WNICEAGE | 09/sk/m.le | | 2620,44 |
| 0 | | MARKS: | | | | TOTAI | \$6450.2 |
| P.C. 1668 | Test | trols | to lover | <u>s i</u> | | | 39 |
| Opened tol | Sot | <u> </u> | latisa | <u>-</u> | SERVI | CE | |
| Mixed 25 | 0 5k. | 1 h | Circulate | <u> </u> | | | |
| Conest + | Sur | tace. | Displaced | DEPTH OF JO |)B | | |
| 8/2 bbl. | | sed f | , C. TESTER. | PUMP TRUCK | CHARGE | | 1045.00 |
| to 1000 ps | , | <u>l.d.</u> | Kan 5 st. | EXTRA FOOT | `AGE | _ @ | |
| washed C | Par v | Came | art of | MILEAGE | 55 | @ 7.00 | 406.00 |
| Hole | | | | — MANIFOLD _ | | @ | |
| | | | | | | | |
| . 1 | | | | | | _@ | |
| CHARGE TO: $\sqrt{2}$ | 5 O. | . (| | G:29 800 2 | 9 | | |
| STREET | | | | \$ 1 | >/cattle | TOTAL | 1451.00 |
| | | | | | | | |
| CITY | ST. | ATE | ZIP | | N VIG A FILO II | | |
| | | | | 1 | PLUG & FLOAT | EQUIPMEN | NT |
| | | | | | | | |
| | | | | | | _@ | |
| | | | | | | _@ | |
| To Allied Cementi | ng Co., I | nc. | | | | _ @ | |
| You are hereby red | _ | | nenting equipmer | nt | | | |
| and furnish cemen | | | | | | _@ | |
| contractor to do w | | | | as | | | |
| done to satisfaction | n and sur | pervision | of owner agent of | r | | TOTAL | |
| contractor. I have | | | | ND | | | |
| CONDITIONS" li | sted on tl | he reverse | e side. | TAX | | - | |
| | 11 | 1 | | ፐርፐል፤ ሮክልው | GE | | |
| .1 | banks | , | | | | | |
| 7 | fanks | , | | DISCOUNT — | | —— IF PAI | D IN 30 DAYS |
| | | | _ | | | | |
| SIGNATURE | | M / | | | | | |
| | (7 | | | | PRINTE | ED NAME | |

5.O. Box 31 Russell, KS 67665-2906

(785) 483-3887 (7,85) 483-5566 Fax: `

Wichita, KS 67226

Bill To: Vess Oil Corp. 1700 Waterfront Parkway Bldg. #500

| | | Payment 1 | erms |
|--------------|------------------------------|--------------|----------|
| | Well Name/# or Customer'P.O. | Net 30 D | |
| Customer ID | Bass #9 | | Due Date |
| Vess | Camp Location | Service Date | 1/26/08 |
| Sales Rep ID | Russell | Dec 27, 2007 | |
| | | Unit Price | Amount |

| | | | Unit Price | Amount |
|--|--------------|---|--|--|
| | | Description | 16.65 | 66.60 |
| Quantity | Item | | 13.75 | 2,750.00 |
| 4.00 | MAT | Gel ASC Class A | 19.20 | 345.60 |
| 50.00 500.00 243.00 60.00 1.00 60.0 | MAT MAT | Salt Flo Seal WFR-2 Handling Mileage 243 sx @ 09 per sk per mi Production String Mileage Pump Truck Centralizers Guide Shoe | 2.00 1.00 1.90 21.87 1,610.00 6.00 50.00 170.00 260.00 | 100.00 500.00 461.70 1,312.20 1,610.00 360.00 400.00 170.00 260.00 1,750.00 |
| 1.0 1.0 6.0 1.1 | 0 EQP | AFU Insert Port Collar Rotating Scratchers Rubber Plug Basket | 1,750.00 75.00 65.00 165.00 | 450.00 65.00 |
| | | RECEIVE! | 5011 | |
| | | JUN 0 4 2 | | 10,931.10 |
| | | AVABLE Subtotal CONSERVATION | DIVISION | 398.89 |
| ALL PRICE | S ARE NET, P | AYABLE Subtotal CONSERVATION, | //2 | 11 329.99 |

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF

\$ 1093.11

ONLY IF PAID ON OR BEFORE

Jan 26, 2008

| | JUN 0 7 2009 | 10,931.10 |
|---|--------------------------------|-----------|
| 1 | Subtotal CONSERVATION DIVISION | 398.89 |
| ı | Sales Tax WICHITA, KS | 11,329.99 |
| | Total Invoice Amount | |
| | Payment/Credit Applied | 11,329.99 |
| | TOTAL | -1093.1 |

Page: Į

-/093.11 10,234.8

contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

| | 1,000, 1,100 | |
|-----|--------------|--|
| 2 - | Basket | |

TOTAL 3425,00

TAX -

TOTAL CHARGE -

TE PAID IN 30 DAYS