

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 5120 *C. FIDE*
 Name: Range Oil Company, Inc.
 Address: 125 N. Market, Suite 1120
 City/State/Zip: Wichita, KS 67202
 Purchaser: American Energies Pipeline LLC
 Operator Contact Person: John Washburn
 Phone: (316) 265-6231
 Contractor: Name: Summit Drilling Company
 License: 30141
 Wellsite Geologist: Tom Blair
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: KCC
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr/SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

<u>10-24-05</u>	<u>10-31-05</u>	<u>1-16-06</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

RECEIVED
JAN 30 2006
KCC WICHITA

API No. 15 - 113-21,299 - 00-00
 County: McPherson
 _____ NE SE Sec. 33 Twp. 19 S. R. 1 East West
1980 feet from S (circle one) Line of Section
660 feet from E (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW SW
 Lease Name: Ratzlaff A Well #: 1
 Field Name: unnamed new pool
 Producing Formation: Mississippian
 Elevation: Ground: 1566 Kelly Bushing: 1576
 Total Depth: 2996 Plug Back Total Depth: _____
 Amount of Surface Pipe Set and Cemented at 314 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set _____ Feet
 If Alternate II completion, cement circulated from _____
 feet depth to _____ w/ _____ sx cmt.
 Drilling Fluid Management Plan AHINH 6-12-08
 (Data must be collected from the Reserve Pit)
 Chloride content 1200 ppm Fluid volume 250 bbls
 Dewatering method used hauling away
 Location of fluid disposal if hauled offsite:
 Operator Name: American Energies Corp.
 Lease Name: Tri - B License No.: 5399
 Quarter NW Sec. 34 Twp. 19 S. R. 1 East West
 County: McPherson Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: John M. Washburn
 Title: Vice President Date: 1-27-06
 Subscribed and sworn to before me this 27th day of January
2006
 Notary Public: Peggy L. Sailor
 Date Commission Expires: _____



KCC Office Use ONLY

YES Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name: Range Oil Company, Inc. Lease Name: Ratzlaff A Well #: 1
 Sec. 33 Twp. 19 S. R. 1 East West County: Marion

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Heebner	2107'	-531
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Lansing	2354'	-778
List All E. Logs Run: <u>Dual Porosity, Dual Induction</u>		BKC	2716'	-1140
DST (1) 2903' to 2973' 30-30-60-60 Ga: 51 mcfpd Rec: 120' mud IFP 65-59 ISIP 524 FFP 217-256 FSIP 507		Mississippian	2943'	-1367
DST (2) 2976' to 2996' 30-30-60-60 Rec: 1450' GIP + 217' OCWM IFP 22-59 ISIP 484 FFP 64-108 FSIP 508		RTD	2996'	-1420

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8	24	314'	common	180	3% CaCl
Production	7 7/8	4 1/2	10.5	2995'	Thick-Set	185	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
4	2952' to 2955' and 2960' to 2969'	250 gallons (15% MCA)	2952' to 2969'
		KCC JAN 27 2006 CONFIDENTIAL	
		RECEIVED JAN 30 2006	

TUBING RECORD	Size 2 3/8"	Set At 2960'	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No	KCC WICHITA
Date of First, Resumerd Production, SWD or Enhr. 1-16-06	Producing Method <input checked="" type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)				
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf 45	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas **METHOD OF COMPLETION** Production Interval

Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
(If vented, Submit ACO-18.) Other (Specify) _____



CONSOLIDATED
OIL WELL
SERVICES, INC.
AN INFINITY COMPANY

REMIT TO
Consolidated Oil Well Services, Inc.
Dept. 1228
Denver, CO 80256

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
FAX 620/431-0012

INVOICE

Invoice # 200453

Invoice Date: 10/26/2005 Terms:

Page 1

RANGE OIL CO. INC.
125 N. MARKET, SUITE 1120
WICHITA KS 67202
() -

RATZIAFF A-1
7724
10-25-05

CONFIDENTIAL

RECEIVED
JAN 30 2006
KCC WICHITA

Part Number	Description	Qty	Unit Price	Total
1104	CLASS "A" CEMENT	180.00	9.7500	1755.00
1102	CALCIUM CHLORIDE (50#)	10.00	30.5000	305.00
1118A	S-5 GEL/ BENTONITE (50#)	7.00	6.6300	46.41
4132	CENTRALIZER 8 5/8"	2.00	43.0000	86.00
4432	8 5/8" WOODEN PLUG	1.00	54.0000	54.00
1107	FLO-SEAL (25#)	2.00	42.7500	85.50

Description	Hours	Unit Price	Total
439 TON MILEAGE DELIVERY	465.30	1.00	465.30
445 CEMENT PUMP (SURFACE)	1.00	590.00	590.00
445 EQUIPMENT MILEAGE (ONE WAY)	55.00	3.00	165.00

CONFIDENTIAL

Parts:	2331.91	Freight:	.00	Tax:	146.92	AR	3699.13
Labor:	.00	Misc:	.00	Total:	3699.13		
Sublt:	.00	Supplies:	.00	Change:	.00		

Signed _____ Date _____

BARTLESVILLE, OK
P.O. Box 1453 74005
918/338-0808

EUREKA, KS
820 E. 7th 67045
620/583-7664

OTTAWA, KS
2631 So. Eisenhower Ave. 66067
785/242-4044

GILLETTE, WY
300 Enterprise Avenue 82716
307/686-4914

THAYER, KS
8655 Dorn Road 66776
620/839-5269



CONSOLIDATED
OIL WELL
SERVICES, INC.
 AN INFINITY COMPANY

REMIT TO
 Consolidated Oil Well Services, Inc.
 Dept. 1228
 Denver, CO 80256

MAIN OFFICE
 P.O. Box 884
 Chanute, KS 66720
 620/431-9210 • 1-800/467-8676
 FAX 620/431-0012

INVOICE

Invoice # 200634

Invoice Date: 10/31/2005 Terms:

Page 1

RANGE OIL CO. INC.
 125 N. MARKET, SUITE 1120
 WICHITA KS 67202
 () -

RATZIAFF A-1
 7798
 10-31-05

COPY

CONFIDENTIAL

Part Number	Description	Qty	Unit Price	Total
1131	60/40 POZ MIX	110.00	8.0000	880.00
1118A	S-5 GEL/ BENTONITE (50#)	8.00	6.6300	53.04
1102	CALCIUM CHLORIDE (50#)	2.00	30.5000	61.00
1110A	KOL SEAL (50# BAG)	9.00	16.9000	152.10
1126A	THICK SET CEMENT	75.00	13.0000	975.00
1110A	KOL SEAL (50# BAG)	6.00	16.9000	101.40
1123	CITY WATER	3000.00	.0122	36.60
4404	4 1/2" RUBBER PLUG	1.00	38.0000	38.00
4226	INSERT FLOAT VALVE W/ AF	1.00	117.0000	117.00
4129	CENTRALIZER 4 1/2"	4.00	28.0000	112.00
4310	MISC. EQUIPMENT	6.00	42.0000	252.00

Description	Hours	Unit Price	Total
434 80 BBL VACUUM TRUCK (CEMENT)	6.00	87.00	522.00
439 TON MILEAGE DELIVERY	243.38	1.00	243.38
441 TON MILEAGE DELIVERY	243.37	1.00	243.37
463 CEMENT PUMP	1.00	765.00	765.00
463 EQUIPMENT MILEAGE (ONE WAY)	55.00	3.00	165.00

RECEIVED
 JAN 30 2006
 KCC WICHITA

Parts:	2778.14	Freight:	.00	Tax:	175.03	AR	4891.92
Labor:	.00	Misc:	.00	Total:	4891.92		
Sublt:	.00	Supplies:	.00	Change:	.00		

signed _____ Date _____

BARTLESVILLE, OK EUREKA, Ks OTTAWA, Ks GILLETTE, WY THAYER, Ks
 P.O. Box 1453 74005 820 E. 7th 67045 2631 So. Eisenhower Ave. 66067 300 Enterprise Avenue 82716 8655 Dorn Road 66776
 918/338-0808 620/583-7664 785/242-4044 307/686-4914 620/839-5269