API NO. 15-

STATE CORPORATION COMMISSION OF KANSAS OIL & EAS CONSERVATION DIVISION

WELL COMPLETION FORM	county   Sheridan
ACD-1 WELL HISTORY DESCRIPTION OF WELL AND LEASE	NE - NE - SE - Sec. 11 Two. 9S Rge.28W
Operator: License # 4767	2970 Feet from S/N Deirele one) Line of Section
Name: Ritchie Exploration, Inc.	330 Feet from (E)W (circle one) Line of Section
Address 125 N. Market, Suite 1000	Footages Calculated from Nearest Outside Section Corner:    NE SE, NW or SW (circle one)
city/State/Zip Wichita, KS 67202	tease Name Welch vett # 1
Purchaser: Farmland	Field Name
Operator Contact Person: Lisa Thimmesch	Producing Formation L/KC, Toronto
•	Elevation: Ground <u>2709</u> KB <u>2714</u>
Phone ( <u>316</u> 267-4375	Total Depth 4101 C PBTD 4040
Contractor: Name:	
License:	Multiple Stage Cementing Collar Used? Yes No
Vollsite Goologist: None	If yes, show depth set Feet
Designate Type of Completion	
New Well Re-Entry X Workover	If Alternate II completion, cement circulated from
GAR FMMR SIGW	feet depth to sx cmt.
Dry Other (Core, WSW, Expl., Cathodic, etc)	Orilling Fluid Management Plan REWORK JH 88-95
If Workover/Re-Entry: old well info as follows:	
Operator: Champlin Petro. Co.	Chloride contentbbls
Well Name: #1 Helen Welch	Dewatering method used
Comp. Date $7-68$ Old Total Depth $4101$	   Location of fluid disposal if hauled offsite:
Deepening Re-perf, Conv. to Inj/SWD Plug Back PBTD Commingled Docket No.	Operator Name
- Dual Completion Docket No.	Lease NameLicense No
X Squeeze JoB	Quarter Sec Twp. UN 1 54 1996 E/W
4-19-95  OF WORKOVER  4-26-95  Completion Date OF WORKOVER	FROM CONFIDENTIAL
Derby Building, Wichita, Kansas 67202, within 120 days o Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on 12 sonths if requested in writing and submitted with the	l be filed with the Kansas Corporation Commission, 200 Colorado f the spud date, recompletion, workover or conversion of a well, side two of this form will be held confidential for a period of e firm (see rule 82-3-107 for confidentiality in excess of 12 report shall be attached with this form. ALL CEMENTING TICKETS lls. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promule with and the statements herein are complete and correct to the statements herein are complete and correct to the statements herein are complete and correct to the statements herein are complete.	gated to regulate the oil and gas industry have been fully complied the best of my knowledge.
Signature Atthuck	K.C.C. OFFICE USE ONLY  Letter of Confidentiality Attached
President Oate S	Geologist Report Received ( 2 24 2
Subscribed and sworn to before se this 35 day of Mo.	Distribution
Notary Public Sum I Tanna Colon	KCC SWO/Rap MGPA
7 ,0000	KGS Plug "A Other (Specify)
LISA THIMMESCH	
ROTARY PUBLIC ETETE OF KANSAS - My Aupt. Exp.	Form ACO-1 (7-91)

			SIDE TWO	A MAR	3100			
Operator Name Ri				Welch	< クリグッペク	Well #	1	
Sec. 11 Twp. 9	. Rge. <u>28</u> W	C East	CountyS	Sheridan				
INSTRUCTIONS: Show interval tested, time hydrostatic pressures if more space is need	e tool open a , bottom hole	nd closed, flowing temperature, fluid r	and shut-in pres	ssures, whet	her shut-in pro	ssure rea	ched static level	
Orili Stem Tests Take (Attach Additional		□ <sub>Y•s</sub> ⊠ <sub>X•</sub>	Log	Formatio	n (Top), Depth	and Datums	Sample	
Samples Sent to Geolo	gical Survey	Tes X No	) на ме		Тор		Datum	
Cores Taken		□ Yes 🗷 No						
Electric Log Run (Submit Copy.)		C Yes X No						
List All E.Logs Run:								
						·		
		CASING RECORD				**		
	Report a	ll strings set-condu	U . New Cor, Surface, I		production, et	c.		
Purpose of String	Size Hole	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent	
							!	
			<del> </del>				<del> </del>	
		AMOITIDDA	L CEMENTING/SQUE	EZE RECORD				
Purpose:     Perforate	i i	Type of Cement	#Sacks Used	Type and Percent Additives				
X Protect Casing Plug Back TD		35 Common 347' Common	10 160	3% CC 3% CC	-			
· — -	1936'-20	30' Common	100	3% CC				
Shots Per Foot		# RECORD - Bridge Pla ge of Each Interval :			Fracture, Shot, d Kind of Mater		Depth	
. I	L/KC 3964	<u>'-70', 4008'</u>	-16' &		-u			
	4032	-36'						
				ļ				
TUBING RECORD	\$ize 3/8"	Set At 3997 '	Packer At N/A	Liner Run	□ y•• \	No		
Date of First, Resum 4-26-95		SWO or Inj.   Produ	ucing Method	lowing XPum	aping Gas L	ift 🗆 oti	ner (Explain)	
Estimated Production Per 24 Hours	i	861s.   Gas • 00   . (	Mcf Water		Gas-Oil	Ratio	Gravity	
Disposition of Gas:			THOS OF COMPLETE		_		roduction Interval	
Vented Sold (If vented, sub		Open	Hale X Perf.	Dually	Comp. Comm	ingled 3	964'- 4036' O	

Phone 913-483-2627, Russell, KS
Phone 913-625-5516, Hays, KS
Phone 913-672-3471, Oakley, KS

15-179-20114-0001

Phone 316-886-5926, Medicine Lodge, KS Phone 913-798-3843, Ness City, KS

ALLIED CEMENTING CO., INC. 7415
Home Office P. O. Box 31
Russell, Kansas 67665
Russell, Kansas 67665

old	/ n	ome office P. O	. DOX 3 I		Kussell, Kansas 0/003	OVIQUA	AL
Date 4-19.	95 Sec.	20	Range	Called Out	On Location	Job Start	Finish 22pm
Lease Le lord INTE	olch Well No.	1	Location O Co	15/1	02N2E	5/County	State
Contractor Day	<del></del>	rvice	2000.00.00.00	Owner	12N N4		! <del>-/&gt;</del>
		UCE		To Allied	Cementing Co., Inc.		
Type Job 5	ueez	<u> </u>		You are be	ereby requested to rent of and helper to assist own	cementing equipment an	d furnish vork as listed.
Hole Size	1	T.D.		_	0		· ••••
Csg.	52	Depth		Charge To	Itabise Exa	beotion I	ne
Tbg. Size	24	Depth			25 N Mark		
Drill Pipe		Depth			ichita	4.4	
Tool Expe	t	Depth		The above v	was done to satisfaction	and supervision of owner	7202
Cement Left in Csg.		Shoe Joint		contractor	1		
Press Max.		Minimum		Furthase Or	roter No.		
Meas Line		Displace		- X			
	· · · · · · · · · · · · · · · · · · ·	Displace		$- \mathcal{V} $	C	EMENT	
Perf.				- Amount Ordered	200 Page 29	6 CC	
	EQUIPME	ent			0		
No.	Cementer	<i>-</i>	` ^	Consisting Common	185	720	133200
Pumptrk 153	Helper		me.	Poz. Mix			1 3 3 300
No.	Cementer		/// O.C.	Gel. Chloride		5 1 40	11 -1 - 12
Pumptrk	Helper		α · 1	Quickset	6	28.00	168.00
Dr. Dil No	Driver		Seil				
Bulktrk 2/6 Ca	Driver					Sales Tax	
				- Handling	सिहा प्रहारा	115	210,00
DEPTH of Job				Mileage _	37 IIN 8 0	.000	296.00
Reference:	NIMP FIEC	hy,	1030.0			····	476.00
- Y	235 Par	mile 37.		l l	FROM CON	FIDENTISHE Total	2006.00
		421.5			• -		
		Sub Tota	11169	Floating E	quipment	Total	<u> </u>
		Tax					
Remarks:		Tota	1				
Spo	D 105k	2 t19	the feat	23009	11-35		
_ Hour	I middle	le Nolle	5 <del>- 23</del> 1	5-45	Pulled to	2195 mixe	W
- 160 SK	& stage	l + 50	veral a	2 4200s	1 wash ?	万亿	
oul	led to.	3005	Spot 1	5kk o	willed 3 of	's waish ar	onef
1001	pulled	Jt 51	hus in	ADD BU	1,		
		· <del>-</del>		Var Tzi			<del></del>

## GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "Allied" shall mean Allied Cementing Co., Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies

used sold, or fur hished under the requirements of this contract.

"TERMS: Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "ALLIED" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwith-standing the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "ALLIED," refunded directly to "CUSTOMER." For purposes of this paragraph, ALLIED and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

—ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited

to, a reasonable sum as and for attorney's fees:

—PRICES AND TAXES: All merchandise listed in "ALLIED'S" current price schedule are F.O.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.

-TOWING CHARGES: ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by ALLIED, will be charged to and paid by CUSTOMER.

-PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.

—DEADHAUL CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

- —SÉRVICE CONDITIONS AND LIABILITIES: 1. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:
- (A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:
- (B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of ALLIED or its employees.
- 2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.

3. ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES: 1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and work-manship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and ALLIED shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

(A) Nothing in this contract shall be construed as a warranty by ALLIED of the success or the effectiveness of the result of any work

done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by ALLIED or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by ALLIED, unless the inaccuracy or incorrectness is caused by the wilful misconduct or gross negligence of ALLIED or its employees in the preparation or furnishing of such facts, information or data.

(C) Work done by ALLIED shall be under the direct supervision and control of the CUSTOMER or his agent and ALLIED will accom-

plish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

## ALLIED CEMENTING CO., INC.

0	2	3	6

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	ORIGIA	A	SERV	ICE POINT	r. akloy
DATE 4-24-95 11 9 RANGE CA	LLED OUT	ON LO	CATION	JOB START	JOB FINISHM
Hellon				COUNTY	STATE
LEASE WELL# LOCATION HOXIE	South to Rec	O Line -	E-16N	Sherio	lan Kan
OLD OR NEW (Circle one)				<b>~</b>	•
CONTRACTOR Pauls Vell Service	OWNER			Same	
TYPE OF JOB Squeeze				CEMEN	$\mathbf{T}$
HOLE SIZE T.D.	AMOUNT OR	DEDED	150	5/5/5	34.00
CASING SIZE 4/2 DEPTH TUBING SIZE DEPTH	USed	1 83		), )()	COMPOSE
DRILL PIPE DEPTH					:
TOOL Paker DEPTH 1842		-4		6.3	0 00
PRES. MAX MINIMUM	COMMON	85	SK_5_	_@ <u>· ? <del>2</del></u>	<u>612.00</u>
MEAS. LINE SHOE JOINT CEMENT LEFT IN CSG.	POZMIX	· · · · · · · · · · · · · · · · · · ·	•	_@	
PERFS. Hole 1986-2030'	CHLORIDE _	3	SK'S		0 84.00
				@	
EQUIPMENT			:	_@	<u> </u>
	•			_@ @	
PUMPTRUCK CEMENTER Jerry Walt	***************************************			-	
# 191 HELPER Wayne	HANDLING_	150	5Ks	@ 105	15750
BULK TRUCK # 218 DRIVER  DRIVER	MILEAGE	44	728-	sk/mil	<del></del>
BULK TRUCK	released				50
# DRIVER	21 D 1 MUL	na		TOT	AL 1, 075 50
REMARKS:	OM CONFID	21010	_ DLICVI		1
Took in ection Rate on too Hole	DEPTH OF JO	)B			1842
	PUMP TRUC	K CHAR	GE		1842 40 <b>3</b> 0 - 00
Took injection Rate on top Hole. 1 BPM D 400 ps, Mixed approx 85 sks Coment, Scueezel hole D 600 ps.1.	PUMP TRUCE EXTRA FOOT	K CHAR		@	1,030
Took in ection Rate in top Hole.  1 BPM D 400 psi, Mixed approx 85 sks  Convert Screened hole D 600 psi,  Cleared Tubin Ck Screene Held, from	PUMP TRUC EXTRA FOO MILEAGE	K CHAR TAGE	miles		1,030
Took injection Rate on top Hole. 1 BPM D 400 ps, Mixed approx 85 sks Coment, Scueezel hole D 600 ps.1.	PUMP TRUCE EXTRA FOO	K CHAR TAGE	mile s	@ @	1,030
Took in ection Rate in top Hole.  1 BPM D 400 psi, Mixed approx 85 sks  Coment, Screened hole D 600 psi,  Cleared Tubin Ck Screene Held, sun  2 Its Cleared Casing, Pulled	PUMP TRUC EXTRA FOO MILEAGE	K CHAR TAGE	mile s	_@ _@	1,030
Took in ection Rate in top Hole.  1 BPM D 400 psi, Mixed approx 85 sks  Coment, Screened hole D 600 psi,  Cleared Tubin Ck Screene Held, sun  2 Its Cleared Casing, Pulled  3 Its, pressured to 600 psi, Shutin  Charge To: Ritchise Explorations	PUMP TRUC EXTRA FOO MILEAGE	K CHAR TAGE	mile s	@	1,030
Took in ection Rate in top Hole.  1 BPM D 400 psi, Mixed approx 85 sks  Coment, Screened hole D 600 psi,  Cleared Tubin Ck Screene Held, sun  2 Its Cleared Casing, Pulled  3 Its, pressured to 600 psi, Shutin  Charge To: Ritchise Explorations	PUMP TRUCE EXTRA FOO MILEAGE	K CHAR TAGE	mile s	_@	1,030 cc 86 95
Took in ection Rate in top Hole  1 BPM D 400 ps, Mixed approx 85 sks  Coment Screened hole D 600 ps,  Cleared Tubin Ck Screene Hell, from  2 Jts Cleared Casins, Pulled  3 Jts, pressured to 600 ps, Shutin  CHARGE TO: Ritchie Explorations  STREET 125 N Market # 1000	PUMP TRUCE EXTRA FOO MILEAGE	K CHAR TAGE	mile s	@	1,030 cc 86 95
Took in ection Rate in top tole  1 BPM D 400 psi, Mixed approx 85 sks  Coment, Screened hole D 600 psi,  Cleared Tubin Ck Squeeze Held, scin  2 Its Cleared Casing, Pulled  3 Its, pressured to 600 psi, Shutin  CHARGE TO: Ritchise Explorations  STREET 125 N Market # 1000  CITY Wichita STATE Kan ZIP 67202	PUMP TRUCE EXTRA FOO MILEAGE	K CHAR TAGE	mile s	_@	1,030 cc 86 95
Took in ection Rate in top Hole  1 BPM D 400 ps, Mixed approx 85 sks  Coment Screened hole D 600 ps,  Cleared Tubin Ck Screene Hell, from  2 Jts Cleared Casins, Pulled  3 Jts, pressured to 600 ps, Shutin  CHARGE TO: Ritchie Explorations  STREET 125 N Market # 1000	PUMP TRUCE EXTRA FOO MILEAGE	K CHAR TAGE	mile s	@	1,030 cc 86 95
Took in ection Rate in top tole  1 BPM D 400 psi, Mixed approx 85 sks  Coment, Screened hole D 600 psi,  Cleared Tubin Ck Squeeze Held, scin  2 Its Cleared Casing, Pulled  3 Its, pressured to 600 psi, Shutin  CHARGE TO: Ritchise Explorations  STREET 125 N Market # 1000  CITY Wichita STATE Kan ZIP 67202	PUMP TRUCE EXTRA FOO MILEAGE	K CHAR TAGE	mile s	@	1,030 cc 86 95
Took in ection Rate in top Hole  1 BPM D 400 psi, Mixed approx 85 sks  Coment Screened hole D 600 psi,  Cleared Tubin Ck Screene Hell, run  2 Jts Cleared Casins, Pulled  3 Jts, pressured to 600 psi, Shutin  Charge To: Ritchise Explorations  STREET 125 N Market # 1000  CITY Wichita STATE Kan ZIP 67202	PUMP TRUCE EXTRA FOO MILEAGE	K CHAR TAGE	mile s	@	1,030 cc 86 95
Took in section Rate in top Hole  1 BPM D 400 psi, Mixed approx 85 sks  Coment, Screened hole D 600 psi,  Cleared Tubin Ck Screene Hell, scin  2 Its Cleared Caring, Pulled  3 Its, pressured to 600 psi, Shutin  CHARGE TO: Ritchise Explorations  STREET 125 N Market 1000  CITY Wichita STATE Kan ZIP 67202	PUMP TRUCE EXTRA FOO MILEAGE	K CHAR TAGE	mile s	######################################	1,030 cc 86 95
Took in ection Rate in top Hole  1 BPM D 400 psi, Mixed approx 85 sks  Coment Screened hole D 600 psi,  Cleared Tubin Ck Screene Hell, run  2 Jts Cleared Casins, Pulled  3 Jts, pressured to 600 psi, Shutin  Charge To: Ritchise Explorations  STREET 125 N Market # 1000  CITY Wichita STATE Kan ZIP 67202	PUMP TRUCE EXTRA FOO MILEAGE	K CHAR TAGE	mile s	######################################	1,030 = 86 = 95 AL 1,116 = 95
Took in section Rate in top Hole  1 BPM D 400 psi, Mixed approx 85 sks  Coment, Screened hole D 600 psi,  Cleared Tubin Ck Screene Hell, scin  2 Its Cleared Caring, Pulled  3 Its, pressured to 600 psi, Shutin  CHARGE TO: Ritchise Explorations  STREET 125 N Market 1000  CITY Wichita STATE Kan ZIP 67202	PUMP TRUCE EXTRA FOO MILEAGE	K CHAR TAGE	mile s	### ##################################	1,030 = 86 = 95 AL 1,116 = 95
Took in section Rate in top Hole  1 BPM D 400 psi, Mixed approx 85 sks  Coment, Screened hole D 600 psi,  Cleared Tubin Ck Screene Hell, scin  2 Its Cleared Caring, Pulled  3 Its, pressured to 600 psi, Shutin  CHARGE TO: Ritchise Explorations  STREET 125 N Market 1000  CITY Wichita STATE Kan ZIP 67202	PUMP TRUCE EXTRA FOO MILEAGE	K CHAR TAGE	mile s	### ##################################	1,030 = 86 = 95 AL 1,116 = 95
Took injection Rate in top tole.  1 BPM D 400 ps1, Mixed approx 85 sts.  Coment, Several hole D 600 ps1,  Cleared Tubin Ct Severa Held, sain  2 Jts Cleared Casing, Pulled  3 Jts, pressured to 600 ps1, Shafin  CHARGE TO: Ritchie Explorations  STREET 125 N Market # 1000  CITY Wich, Ta STATE Kan ZIP 67202	PUMP TRUCE EXTRA FOOT MILEAGE PLUG  TAX	K CHAR TAGE	AT EQU	### ##################################	1,030 = 86 = 95 AL 1,116 = 95
Took in ection Rate on top Hole  1 BPM D 400 ps1, Mixed approx 85 sts  Consect, Squeezed hole D 600 ps1,  Cleared Tubin of Squeeze Held, scin  2 Its Cleared Casing, Pulled  3 Its, pressured to 600 ps1, Shatin  CHARGE TO: Ritchise Explorations  STREET 125 N Market 1000  CITY Wich, Ta STATE Kan ZIP 67202  To Allied Cementing Co., Inc.  You are hereby requested to rent cementing equipment	PUMP TRUCE EXTRA FOOT MILEAGE PLUG  TAX TOTAL CHA	FLO	AT EQU	@	AL 1,116 95
Took in ection Rate on top Hole  1 BPM D 400 ps1, Mixed approx 85 sks  Consent Several hole D 600 ps1  Cleared Tubin ck Severa Held, run  2 Ft3 Cleared Casus, Pulled  3 Jt3, pressured to 600 ps1, Shafin  CHARGE TO: Ritchise Explorations  STREET 125 N Market 1000  CITY Wich, Ta STATE Kan ZIP 67202  To Allied Cementing Co., Inc.  You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or	PUMP TRUCE EXTRA FOOT MILEAGE PLUG  TAX TOTAL CHA	FLO	AT EQU	@	1,030 = 86 = 95 AL 1,116 = 95
To Allied Cementing Co., Inc.  You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was	PUMP TRUCE EXTRA FOOT MILEAGE PLUG  TAX TOTAL CHA	FLO	AT EQU	@	AL 1,116 95
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or	PUMP TRUCE EXTRA FOOT MILEAGE PLUG  TAX TOTAL CHA	FLO	AT EQU	@	AL 1,116 95
To Allied Cementing Co., Inc.  You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was	PUMP TRUCE EXTRA FOOT MILEAGE PLUG  TAX TOTAL CHA	FLO	AT EQU	@	AL 1,116 95