

RECEIVED

KANSAS CORPORATION COMMISSION

MAY 22 2007

CONSERVATION DIVISION  
WICHITA, KS

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

Operator: License # 30537  
Name: Venture Resources, Inc.  
Address: P.O. Box 101234  
City/State/Zip: Denver, CO 80250  
Purchaser: NA Coffeyville Resources, LLC  
Operator Contact Person: Ron Mackey  
Phone: (303) 722-2899  
Contractor: Name: American Eagle Drilling, LLC  
License: 33493  
Wellsite Geologist: Ron Mackey/ Greg Mackey

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: NA

Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_

Spud Date or \_\_\_\_\_ Date Reached TD \_\_\_\_\_ Completion Date or \_\_\_\_\_  
Recompletion Date \_\_\_\_\_ Recompletion Date \_\_\_\_\_

10/05/06 10/10/06 11/21/06

API No. 15 - 051-25564-0000  
County: Ellis  
SE NE NW Sec. 12 Twp. 11 S. R. 18  East  West  
1006 FNL feet from S / (N) (circle one) Line of Section  
2413 FWL feet from E / (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE (NW) SW  
Lease Name: KEMPE SO. Well #: B-11

Field Name: BEMIS-SHUTTS  
Producing Formation: ARBUCKLE

Elevation: Ground: 1861.6' Kelly Bushing: 1866.6'  
Total Depth: 3500' Plug Back Total Depth: NA  
Amount of Surface Pipe Set and Cemented at 221' @ 228' Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set 1743' Feet  
If Alternate II completion, cement circulated from 1743  
feet depth to Surface w/ 500 sx cmt.


Drilling Fluid Management Plan AK II NH 7-808  
(Data must be collected from the Reserve Pit)  
Chloride content 8500 ppm Fluid volume 600 bbls  
Dewatering method used Pulled free water and haul to SWD

Location of fluid disposal if hauled offsite:  
Operator Name: Venture Resources, Inc.  
Lease Name: Ridler A-W SWD License No.: 30537  
Quarter NW Sec. 12 Twp. 11S S. R. 18  East  West  
County: Ellis Docket No.: 34,293-C

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: VP/CEO Date: 5-18-07  
Subscribed and sworn to before me this 18th day of May  
2007  
Notary Public: [Signature]  
Date Commission Expires: 5-19-2010



**KCC Office Use ONLY**  
 Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

Operator Name: Venture Resources, Inc. Lease Name: KEMPE SO. Well #: B-11  
 Sec. 12 Twp. 11 S. R. 18  East  West County: Ellis

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run  Yes  No  
 (Submit Copy)

List All E. Logs Run:

**DIL/CNL/CDL**

Log Formation (Top), Depth and Datum  Sample

Name	Top	Datum
Anhydrite	1122'	+745'
Topeka	2814'	-947'
Heebner	3039'	-1172'
Toronto	3062'	-1195'
Lansing	3082'	-1215'
BKC	3312'	-1445'
Simpson Dol.	3352'	-1485'
Arbuckle	3371'	-1504'

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	24 #	216'	Common	160	3% CC, 2% Gel
Production	7 7/8"	5 1/2"	14#	3465'	ASC	175	2% gel/500 gal.wfr2

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	1743	60/40	500	6% gel, 1/4# flo-seal/sk

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4/ft	3372'-3382' <b>RECEIVED</b> KANSAS CORPORATION COMMISSION	NA	
	<b>MAY 22 2007</b>		
	CONSERVATION DIVISION WICHITA, KS		

TUBING RECORD	Size	Set At	Packer At	Liner Run
	2 7/8"	3300	NA	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Date of First, Resumerd Production, SWD or Enhr.	Producing Method
Nov. 21, 2006	<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	38		1190		30

Disposition of Gas  Vented  Sold  Used on Lease  Open Hole  Perf.  Dually Comp.  Commingled \_\_\_\_\_  
 (If vented, Submit ACO-18.)  Other (Specify) \_\_\_\_\_

# ALLIED CEMENTING CO., INC.

26054

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: R

DATE <u>6/11/2007</u>	SEC. <u>1</u>	TWP. <u>11S</u>	RANGE <u>18 W</u>	CALLED OUT	ON LOCATION <u>12:20 P.M.</u>	JOB START	JOB FINISH <u>1:15 P.M.</u>
LEASE <u>REMPDE</u>		WELL# <u>B-11</u>	LOCATION <u>HAYS W. to RUS P.D</u>			COUNTY <u>ELLIS</u>	STATE <u>KS</u>
OLD OR NEW (Circle one)			<u>25 3/4" TWC</u>				

CONTRACTOR AMERICAN FACILE

TYPE OF JOB LOCATING

HOLE SIZE 2 3/4" T.D. 3-000'

CASING SIZE 5 1/2" DEPTH 3460'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL PORT COLLAR #41 DEPTH 1243'

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT 20.15'

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT 84 Bbl

EQUIPMENT

OWNER

CEMENT

AMOUNT ORDERED 175 ASC 292 GAL  
500 GAL WER-2

PUMP TRUCK CEMENTER PAUL

# 398 HELPER ALLEN

BULK TRUCK

# 328 DRIVER BRANDON

BULK TRUCK

# DRIVER

COMMON @

POZMIX @

GEL @

CHLORIDE @

ASC @

RECEIVED @

KANSAS CORPORATION COMMISSION @

MAY 22 2007 @

CONSERVATION DIVISION @

WICHITA, KS @

HANDLING @

MILEAGE @

REMARKS:

2nd 500 GAL WER-2 FOLLOWED BY  
1100 GAL DROPPED PLUG / SUBN  
1100 PLUG LAID. FLOAT HELD

REWORK 15 SY

CHARGE TO: VENTURE RES

STREET

CITY STATE ZIP

TOTAL

SERVICE

DEPTH OF JOB

PUMP TRUCK CHARGE

EXTRA FOOTAGE @

MILEAGE @

MANIFOLD @

TOTAL

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

PLUG & FLOAT EQUIPMENT

5/2 RIBBED PLUG

CURE SLIDE @

NEW TUBING @

CEMT 10 @

BASKET 2 @

PORT COLLAR @

TOTAL

SIGNATURE [Signature]

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

PRINTED NAME

# ALLIED CEMENTING CO., INC.

21328

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
*Russell*

DATE <i>11/15/07</i>	SEC. <i>1</i>	TWP. <i>11</i>	RANGE <i>18</i>	CALLED OUT	ON LOCATION	JOB START <i>11:00am</i>	JOB FINISH <i>11:15am</i>
LEASER <i>Russell</i>	WELL # <i>C-11</i>	LOCATION <i>Maple N River Rd 3E</i>		COUNTY <i>Ellis</i>	STATE <i>Kans</i>		
OLD OR NEW (Circle one)		<i>Winto</i>					

CONTRACTOR *American Eagle*

TYPE OF JOB *Surface*

HOLE SIZE *14* T.D. *230*

CASING SIZE *5 7/8* DEPTH *220*

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. *15*

PERFS.

DISPLACEMENT *13 Bl*

OWNER

CEMENT

AMOUNT ORDERED *160 Com 3000 2661*

COMMON @

POZMIX @

GEL @

CHLORIDE @

ASC @

EQUIPMENT

PUMP TRUCK CEMENTER *Steve*

# *409* HELPER *Craig*

BULK TRUCK

# DRIVER *Paul*

BULK TRUCK

# DRIVER

RECEIVED

KANSAS CORPORATION COMMISSION

MAY 22 2007

CONSERVATION DIVISION  
WICHITA, KS

HANDLING @

MILEAGE @

REMARKS:

*Ground del Circubole*

*Handwritten signature*

CHARGE TO: *Vander*

STREET

CITY STATE ZIP

TOTAL

SERVICE

DEPTH OF JOB

PUMP TRUCK CHARGE

EXTRA FOOTAGE @

MILEAGE @

MANIFOLD @

TOTAL

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

PLUG & FLOAT EQUIPMENT

*8 1/2 inch Hy* @

TOTAL

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

SIGNATURE *[Signature]*

*Bob Wagoner*  
PRINTED NAME

# ALLIED CEMENTING CO., INC.

33403

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Russell

DATE <u>10-20-06</u>	SEC.	TWP.	RANGE	CALLED OUT <u>6:00 AM</u>	ON LOCATION <u>8:30 AM</u>	JOB START <u>9:00 AM</u>	JOB FINISH <u>10:45 AM</u>
<u>LEASE</u> <u>Sc. B-11</u>	WELL# <u>B-11</u>	LOCATION <u>HAY'S NORTH</u>		<u>RIDGE RD, 2 1/2 E</u>		COUNTY <u>ELLIS</u>	STATE <u>KANSAS</u>
OLD OR <u>NEW</u> (Circle one)				<u>1 N INTO</u>			

CONTRACTOR CHITTO'S Well Service

TYPE OF JOB PORT COLLAR

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_

CASING SIZE 5 1/2 DEPTH \_\_\_\_\_

TUBING SIZE 2 7/8 DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL PORT COLLAR DEPTH 1743'

PRES. MAX 800# MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT 9 BBL

EQUIPMENT

PUMP TRUCK CEMENTER GARY

# 398 HELPER GARY

BULK TRUCK \_\_\_\_\_

# \_\_\_\_\_ DRIVER WALT OARLEY

BULK TRUCK \_\_\_\_\_

# \_\_\_\_\_ DRIVER Kelly

OWNER \_\_\_\_\_

CEMENT

AMOUNT ORDERED 500 SK 60/40 62 GEL

1/4 # F10-SEAL

Per SK

COMMON \_\_\_\_\_ @ \_\_\_\_\_

POZMIX \_\_\_\_\_ @ \_\_\_\_\_

GEL \_\_\_\_\_ @ \_\_\_\_\_

CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_

ASC \_\_\_\_\_ @ \_\_\_\_\_

RECEIVED  
KANSAS CORPORATION COMMISSION

MAY 22 2007

CONSERVATION DIVISION  
WICHITA, KS

HANDLING \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

REMARKS:

PORT COLLAR TO 1743' - TEST TO 800# (HELD), OPEN PORT COLLAR & RECEIVED GOOD CIRCULATION MIXED 490# CEMENT, & CEMENT CIRC. AROUND ANNULARS, DISPLACED 9 BBL & CLOSED PORT COLLAR. TEST TO 800# (HELD) RAN 5 ITS, & WASHED CLEAN. CAME OUT OF HOLE

THANK'S

CHARGE TO: VENTURE RESOURCES

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

STATE REP. ON LOCATION (KCC)  
RICH WILLIAMS, (CEMENT DID CIRCULATE)

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

TOTAL \_\_\_\_\_

SERVICE

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_