## For KCC Use: Effective Date:

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007

## **NOTICE OF INTENT TO DRILL**

Must be approved by KCC five (5) days prior to commencing well

Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date: June 9, 2009	Spot Description:	
month day year	NW - SE - SW - NW Sec. 14 Twp. 14	_S. R. 22   XE   W
31002	(0/0/0/0)	N / X S Line of Section
OPERATOR: License#	leet not it	E / W Line of Section
Name: New Company, EC  Address 1: 9746 Pflumm Road	is SECTION: Regular Irregular?	L / Line of Section
	<del></del>	
Address 2:	(Note: Locate well on the Section Plat or	n reverse side)
Contact Person: Jim O. Guinotte	County: Johnson	VAI 1
Phone: (620) 432-4545	Lease Name: Knabe-D	Well #: KAI-1
	Field Name: Gardner	
CONTRACTOR: License#_5989	Is this a Prorated / Spaced Field?	Yes No
Name: _Kurt Finney dba Finney Drilling Company	Target Formation(s): Bartlesville	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 430	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 1,000 est.	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes No /
Disposal Wildcat Cable	Public water supply well within one mile:	Yes X No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 200+	
Other:	Depth to bottom of usable water:	
	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 900 ft.	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Bartlesville	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well X Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWF	
KCC DKT #:	Will Cores be taken?	X Yes ☐ No
KCC DKT #:	Will Cores be taken?  If Yes, proposed zone:  Bartlesville	∑Yes
KCC DKT #:	If Yes, proposed zone:	
	If Yes, proposed zone:	SAS CORPORATION COMMISSION
AFF	If Yes, proposed zone: Bartlesville /	SAS CORPORATION COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: Bartlesville /	SAS CORPORATION COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: Bartlesville /	SAS CORPORATION COMMISSION
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:    DAVIT   KAN	SAS CORPORATION COMMISSION
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone:    DAVIT   KAN	SAS CORPORATION COMMISSION  JUN 0 4 2009  RECEIVED
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:    DAVIT   KAN	SAS CORPORATION COMMISSION  JUN 0 4 2009  RECEIVED  De shall be set
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr	If Yes, proposed zone:    DAVIT	SAS CORPORATION COMMISSION  JUN 0 4 2009  RECEIVED  De shall be set
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugger.	If Yes, proposed zone:    DAVIT   Gamma   Bartlesville   Bartlesvi	JUN 0 4 2009  RECEIVED  De shall be set  rior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone:  Bartlesville  ANDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipunderlying formation.  In to office on plug length and placement is necessary proposed or production casing is cemented in;  If yes, proposed zone:  Bartlesville  ANDA  ANDA  Bartlesville  ANDA  ANDA  Bartlesville  B	JUN 0 4 2009  RECEIVED  be shall be set  rior to plugging;  AYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone:  Bartlesville  ANDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipunderlying formation.  Ict office on plug length and placement is necessary presented or production casing is cemented in;  If yes, proposed zone:  Bartlesville  ANDA  Bartlesville  Bartlesville  ANDA  Bartlesville  Bartlesville  ANDA  Bartlesville  ANDA  Bartlesville  ANDA  Bartlesville  ANDA  Bartlesville  Ba	JUN 0 4 2009  RECEIVED  be shall be set  rior to plugging;  AYS of spud date.  ernate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  Bartlesville  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipunderlying formation.  Ict office on plug length and placement is necessary production casing is cemented in;  from below any usable water to surface within 120 DA  13,891-C, which applies to the KCC District 3 area, altoplugged. In all cases, NOTIFY district office prior to	JUN 0 4 2009  RECEIVED  be shall be set  rior to plugging;  AYS of spud date.  ernate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best contraction of the spud date or the well shall be a surface casing order #13 must be corrected within 30 days of the spud date or the well shall be a surface casing order #13 must be corrected within 30 days of the spud date or the well shall be a surface casing order #13 must be corrected within 30 days of the spud date or the well shall be a surface casing order #13 must be corrected within 30 days of the spud date or the well shall be a surface casing order #13 must be corrected within 30 days of the spud date or the well shall be a surface casing order #13 must be corrected within 30 days of the spud date or the well shall be a surface casing order #13 must be corrected within 30 days of the spud date or the well shall be a surface casing order #13 must be corrected within 30 days of the spud date or the well shall be a surface casing order #13 must be corrected within 30 days of the spud date or the well shall be surface casing order #13 must be corrected within 30 days of the spud date or the well shall be surface as a specific or spud date or the well shall be surface as a spud date or the well shall be surface as a spud date o	If Yes, proposed zone:  Bartlesville  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipunderlying formation.  In to office on plug length and placement is necessary proposed or production casing is cemented in;  If from below any usable water to surface within 120 DA  13,891-C, which applies to the KCC District 3 area, altoplugged. In all cases, NOTIFY district office prior to lest of my knowledge and belief.	JUN 0 4 2009  RECEIVED  be shall be set  rior to plugging;  AYS of spud date.  ernate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best contraction of the spud date or the well shall be a surface casing order #13 must be corrected within 30 days of the spud date or the well shall be a surface casing order #13 must be corrected within 30 days of the spud date or the well shall be a surface casing order #13 must be corrected within 30 days of the spud date or the well shall be a surface casing order #13 must be corrected within 30 days of the spud date or the well shall be a surface casing order #13 must be corrected within 30 days of the spud date or the well shall be a surface casing order #13 must be corrected within 30 days of the spud date or the well shall be a surface casing order #13 must be corrected within 30 days of the spud date or the well shall be a surface casing order #13 must be corrected within 30 days of the spud date or the well shall be a surface casing order #13 must be corrected within 30 days of the spud date or the well shall be surface casing order #13 must be corrected within 30 days of the spud date or the well shall be surface as a specific or spud date or the well shall be surface as a spud date or the well shall be surface as a spud date o	If Yes, proposed zone:  Bartlesville  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipunderlying formation.  In to office on plug length and placement is necessary proposed or production casing is cemented in;  If from below any usable water to surface within 120 DA  13,891-C, which applies to the KCC District 3 area, altoplugged. In all cases, NOTIFY district office prior to lest of my knowledge and belief.	JUN 0 4 2009  RECEIVED  be shall be set  rior to plugging;  AYS of spud date.  ernate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  Bartlesville  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipunderlying formation.  In the complete of the c	JUN 0 4 2009  RECEIVED  be shall be set  rior to plugging;  AYS of spud date.  ernate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the statements of the spud date or the well shall be set the statements of the spud date or the well shall be set to the spud date or the well shall be set to the spud date or the well shall be set to the spud date or the well shall be set to the spud date or the well shall be set to the spud date or the well shall be set to the spud date or the well shall be set to the spud date or the well shall be set to the spud date or the well shall be set to the spud date or the well shall be set to the spud date or the well shall be set to the spud date or the well shall be set to the spud date or the well shall be set to the spud date or the well shall be set to the spud date or the well shall be set to the spud date or the well shall be set to the spud date or the well shall be set to the spud date or the well shall be set to the spud date or the well shall be set to the spud date or the spud date or the well shall be set to the spud date or the spud date	If Yes, proposed zone:  Bartlesville  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Y circulating cement to the top; in all cases surface pipunderlying formation.  In to office on plug length and placement is necessary production casing is cemented in;  If rom below any usable water to surface within 120 Dr.  In all cases, NOTIFY district office prior to the set of my knowledge and belief.  In the Remember to:  Agent	JUN 0 4 2009  RECEIVED  be shall be set  rior to plugging;  AYS of spud date.  ernate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date:    June 4, 2009   Signature of Operator or Agent:   June 4, 2009   Signa	If Yes, proposed zone:    DAVIT   Gamma   Bartlesville	JUN 0 4 2009  PLOCED 2009  Per shall be set prior to plugging;  AYS of spud date. Pernate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be signature of Operator or Agent:    June 4, 2009	If Yes, proposed zone:  Bartlesville  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipunderlying formation.  In office on plug length and placement is necessary plug or production casing is cemented in;  If rom below any usable water to surface within 120 Delay, and any usable water to surface within 120 Delay, and the cases, NOTIFY district office prior to lest of my knowledge and belief.  It is a Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of specific prior in the completion form ACO-1 wit	JUN 0 4 2009  RECEIVED  De shall be set  Frior to plugging;  AYS of spud date.  Frante II cementing  any cementing.  Drill;  ud date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete that the statements of Operator or Agent:    Date: June 4, 2009	If Yes, proposed zone:  Bartlesville  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipunderlying formation.  Ict office on plug length and placement is necessary part or production casing is cemented in;  If rom below any usable water to surface within 120 DA  IST ASSASSI-C, which applies to the KCC District 3 area, altoplugged. In all cases, NOTIFY district office prior to lest of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spice.  File acreage attribution plat according to field proration.	JUN 0 4 2009  RECEIVED  be shall be set  rior to plugging;  AYS of spud date.  ernate II cementing any cementing.  Drill; ud date; tion orders;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the because of the specific of the speci	If Yes, proposed zone:  Bartlesville  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipunderlying formation.  Ict office on plug length and placement is necessary plated or production casing is cemented in;  from below any usable water to surface within 120 DA  IST. September 10.  If It is a plugged. In all cases, NOTIFY district office prior to lest of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to in File Completion Form ACO-1 within 120 days of spipulation in the prior in the plugged. In all cases in the plugged in the prior in the plugged in	JUN 0 4 2009  Richard (Within 60 days):  SAS CORPORATION COMMISSION  JUN 0 4 2009  Richard (Within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best place.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	If Yes, proposed zone:  Bartlesville  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipunderlying formation.  Ict office on plug length and placement is necessary part or production casing is cemented in;  If rom below any usable water to surface within 120 DA  IST ASSASSI-C, which applies to the KCC District 3 area, altoplugged. In all cases, NOTIFY district office prior to lest of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spice.  File acreage attribution plat according to field proration.	JUN 0 4 2009  RECEIVED  De shall be set  rior to plugging;  AYS of spud date.  ernate II cementing any cementing.  Drill;  ud date; tion orders; brkover or re-entry; inpleted (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the between the complete of	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipeunderlying formation.  Ict office on plug length and placement is necessary plus or production casing is cemented in;  from below any usable water to surface within 120 Divided plugged. In all cases, NOTIFY district office prior to get of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spipe in all careage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to we Submit plugging report (CP-4) after plugging is com	JUN 0 4 2009  RECEIVED  be shall be set  rior to plugging;  AYS of spud date.  ernate II cementing any cementing.  Drill;  ud date; tion orders; brkover or re-entry; heleted (within 60 days); g salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be.  I hereby certify that the statements made herein are true and correct to the becomes.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipunderlying formation.  Ict office on plug length and placement is necessary part of production casing is cemented in;  If rom below any usable water to surface within 120 Days, 891-C, which applies to the KCC District 3 area, alto plugged. In all cases, NOTIFY district office prior to est of my knowledge and belief.  Ittle:  Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spin Notify appropriate district office 48 hours prior to we Submit plugging report (CP-4) after plugging is com-	JUN 0 4 2009  RECEIVED  be shall be set  rior to plugging;  AYS of spud date.  ernate II cementing  any cementing.  Drill;  ud date; tion orders; orkover or re-entry; spletted (within 60 days); g salt water. In date) please
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the between the complete of	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipunderlying formation.  Ict office on plug length and placement is necessary plunderlying formation.  Ict office on plug length and placement is necessary plunderlying is cemented in;  If rom below any usable water to surface within 120 Divided in all cases, NOTIFY district 3 area, altoplugged. In all cases, NOTIFY district office prior to est of my knowledge and belief.  Ittle:  Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spin in a careage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to work in the properties of	JUN 0 4 2009  RECEIVED  De shall be set  Frior to plugging;  AYS of spud date.  Frante II cementing  any cementing.  Drill;  ud date;  tion orders;  prkover or re-entry;  pleted (within 60 days);  g salt water.  In date) please
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be.  I hereby certify that the statements made herein are true and correct to the becomes.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	If Yes, proposed zone:  Bartlesville  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipunderlying formation.  Ict office on plug length and placement is necessary plug or production casing is cemented in;  from below any usable water to surface within 120 DA  IST. Seq. NOTIFY district office prior to be set of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spipulation.  Notify appropriate district office 48 hours prior to work to be submit plugging report (CP-4) after plugging is completed.  If this permit has expired (See: authorized expiration check the box below and return to the address below the set of the sequence of the completion of the compl	JUN 0 4 2009  RECEIVED  De shall be set  rior to plugging;  AYS of spud date.  Bernate II cementing  any cementing.  Drill;  ud date;  tion orders;  prokover or re-entry;  riopleted (within 60 days);  g salt water.  n date) please  w.

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 091-23360-00-00	
Operator: Kelly Company, LC	Location of Well: County: Johnson
Lease: Knabe-D	3,070 feet from N / X S Line of Section
Well Number: KAI-1	4,605 feet from N / X S Line of Section
Field: Gardner	Sec. 14 Twp. 14 S. R. 22 X E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: NW - SE - SW - NW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

							.
							•
1 .						•	•
1 .	•	•	•			•	
	•						
		:					•
					•	•	•
1 -		-	.				•
ì							
1							-
		: .					•
					•	•	-
			•	•		•	•
	•					•	
	•	•				•	
	•	-					
1							
1		-				•	
	•		•		•	-	:
1 .	•	•				:	
1		:				:	•
4						•	•
1		:			•		•
1			•		•	•	•
	•		•		•	•	•
1							
			• • • • • • • •		• • • • • • • •	******	
l .							
l .	_						
							•
1					•	•	•
1	. 🔻		•		•	•	•
1	. 1		•		•	•	•
1	. 1	•	•		•	•	
	·	•	•			:	:
	: 1	•				Ξ	
i i		•	-			-	
				-2			
1 .	. *	•	•			•	
1		:				:	
	Ť						
	Ť						
	,						
				l			



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Kelly Company, LC			License Number: 31002			
Operator Address: 9746 Pflumm Road			Lenexa KS 66215			
Contact Person: Jim O. Guinotte			Phone Number: (620) 432-4545			
Lease Name & Well No.: Knabe-D KAI-1			Pit Location (QQQQ):			
Type of Pit:	Pit is:		NW _ SE _ SW _ NW			
Emergency Pit Burn Pit	Proposed Existing		Sec. 14 Twp. 14 R. 22 East West			
Settling Pit Drilling Pit	If Existing, date constructed:		3,070 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		4,605 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	120	(bbis)	Johnson County			
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration:mg/l			
	<b></b>	<b>-</b>	(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
M tes   Ind			native clay			
Pit dimensions (all but working pits):1	Length (fe	eet)10	Width (feet) N/A: Steel Pits			
Depth from ground level to deepest point:5 (feet) No Pit						
If the pit is lined give a brief description of the	liner	•	edures for periodic maintenance and determining			
material, thickness and installation procedure	<b>3.</b>	imer integrity, i	ncluding any special monitoring.			
			20			
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of info	west fresh water30feet.			
n/a /feet		uredwell owner electric logKDWR				
		over and Haul-Off Pits ONLY:				
		al utilized in drilling/workover: drilling mud				
<b>!</b>		rking pits to be utilized:2				
Barrels of fluid produced daily: Abandonment		procedure: Let air dry and backfill				
Does the slope from the tank battery allow all spilled fluids to						
flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of			t of my knowledge and belief. KANSAS CORPORATION COMMISSION			
			√ JUN 0 4 2009			
June 4, 2009	No	nna	I handa			
Date		``	Signature of Applicant or Agent			
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS			
Date Received: 4/09 Permit Num	nber:	Pern	nit Date: 6/4/09 Lease Inspection: Yes No			



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

## NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.