For KCC Use: 6-9-2009 Effective Date: 3 SGA? Ves INO

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

lung 0, 2000	
Expected Spud Date:	Spot Description:
	NW - SE - SW - NW Sec. 14 Twp. 14 S. R. 22 XE W
OPERATOR: License#	teet from N / X S Line of Section
Name: Kelly Company, LC	leer from ME / W Line of Section
Address 1: 9746 Pflumm Road	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Lenexa State: KS Zip: 66215 + Contact Person: Jim O. Guinotte	County: Johnson
Phone:(620) 432-4545	Lease Name: Knabe-D Well #: KA-3
	Field Name: Gardner
CONTRACTOR: License#5989	Is this a Prorated / Spaced Field?
Name: Kurt Finney dba Finney Drilling Company	Target Formation(s): Bartlesville
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 620'
XOI Enh Rec XInfield X Mud Rotary	Ground Surface Elevation: 1,000 est. feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 200+
Other:	Depth to bottom of usable water:
The country and the life marking on follows:	Surface Pipe by Alternate: 1 XII / 201
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 900 ft.
Original Completion Date: Original Total Depth:	Formation at Total Depth: Bartlesville
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	Well Farm Pond Other:
If Yes, true vertical depth: Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR 1)
Bolloiti Hole Location.	(Note: Apply for Pertill With DVA (*1)
KCC DKT #·	
KCC DKT #:	Will Cores be taken?
KCC DKT #:	
	Will Cores be taken? If Yes, proposed zone: Bartlesville KANSAS CORPORATION COMMISSION
AFFI	Will Cores be taken? If Yes, proposed zone: Bartlesville KANSAS CORPORATION COMMISSION DAVIT
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug.	Will Cores be taken? If Yes, proposed zone: Bartlesville KANSAS CORPORATION COMMISSION DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUN 0 4 2009
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: Bartlesville KANSAS CORPORATION COMMISSION DAVIT
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: Bartlesville KANSAS CORPORATION COMMISSION DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUN 0 4 2009 RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken? If Yes, proposed zone: Bartlesville KANSAS CORPORATION COMMISSION DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUN 0 4 2009 crilling rig; y circulating cement to the top; in all cases surface pipe shall be set
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: Mansas Corporation Commission
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the of the well is dry hole, an agreement between the operator and the district.	Will Cores be taken? If Yes, proposed zone: Sartiesville
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be appropriate district office will be notified before well is either plugge	Will Cores be taken? If Yes, proposed zone: Sartiesville
The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the often the unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the analytems.	Will Cores be taken? If Yes, proposed zone: Bartlesville KANSAS (ORPORATION COMMISSION CANSAS (ORPORATION COMMISSION WANSAS (ORPORATION COMMISSION LANGE CORPORATION COMMISSION WANSAS (ORPORATION COMMISSION LANGE CORPORATION COMMISSION WANSAS (ORPORATION COMMISSION LANGE COMMISSION WANSAS (ORPORATION COMMISSION LANGE COMMISSION WANSAS (ORPORATION COMMISSION LANGE COMMISSION WANSAS (ORPORATION COMMISSION WANSAS (ORPORATION COMMISSION LANGE COMMISSION WANSAS (ORPORATION COMMISSION LANGE COMMISSION WANSAS (ORPORATION COMMISSION LANGE COMMISSION WANSAS (ORPORATION COMMISSION COM
The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the often the unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the analytems.	Will Cores be taken? If Yes, proposed zone: Bartlesville KANSAS CORPORATION COMMISSION DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUN 0 4 2009 drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office that the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the state.	Will Cores be taken? If Yes, proposed zone: Sartiesville
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the summan amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the best	Will Cores be taken? If Yes, proposed zone: Bartlesville KANSAS CORPORATION COMMISSION DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUN 0 4 2009 drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office that the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the state.	Will Cores be taken? If Yes, proposed zone: Bartlesville KANSAS CORPORATION COMMISSION CANSAS CANAS
The undersigned hereby affirms that the drilling, completion and eventual plugging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the best of the statement and the statements are true and correct to the best of the statement are true and correct to the statement are true	Will Cores be taken? If Yes, proposed zone: Sartiesville
The undersigned hereby affirms that the drilling, completion and eventual plugilities agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the best place. Signature of Operator or Agent: **Discrete ONLY**	Will Cores be taken? If Yes, proposed zone: Bartlesville KANSAS (ORPORATION COMMISSION CANSAS (ORPORATION COMMISSION CA
The undersigned hereby affirms that the drilling, completion and eventual plugilities agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the best place. Signature of Operator or Agent: **Description** **Date:** Signature of Operator or Agent:** **Description** **Descript	Will Cores be taken? If Yes, proposed zone: Mansas Corporation Commission
The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the best plate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 091 - 233 58 - 00-00	Will Cores be taken? If Yes, proposed zone: Bartlesville KANSAS CORPORATION COMMISSION CANSAS CANS
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office prior as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the destrict office will be notified before well is either plugge. If the appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the best plate: June 4, 2009	Will Cores be taken? If Yes, proposed zone: Bartlesville KANSAS CORPORATION COMMISSION KANSAS CORPORATION COMMISSION Company of this well will comply with K.S.A. 55 et. seq. JUN 0 4 2009 Circulating rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugilities agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the best placed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 091 - 233 58 - 000 Conductor pipe required feet Minimum surface pipe required feet per ALT. II	Will Cores be taken? If Yes, proposed zone: Bartlesville KANSAS CORPORATION COMMISSION CANSAS
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the posted on each of the intention of the posted on each of the intention of th	Will Cores be taken? If Yes, proposed zone: Bartlesville KANSAS CORPORATION COMMISSION CANSAS CANSAS CORPORATION CANSAS CANSAS CORPORATION CANSAS CANSAS CORPORATION CANSAS CANSAS CORPORATION CANSAS CANSAS CORP
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. It hereby certify that the statements made herein are true and correct to the best placed. For KCC Use ONLY API # 15 - 091 - 233 58 - 00 - 00 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: Bartlesville
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the best placed. Signature of Operator or Agent: For KCC Use ONLY API #15 - 091 - 233 58 - 000 Conductor pipe required Norw feet Minimum surface pipe required feet Minimum surface pipe required feet per ALT. I Plice Approved by: Little 2009	Will Cores be taken? If Yes, proposed zone: Sartiesville
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. It hereby certify that the statements made herein are true and correct to the best placed. For KCC Use ONLY API # 15 - 091 - 233 58 - 00 - 00 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: Bartlesville KANSAS CORPORATION COMMISSION CANSAS CANSAS CORPORATION COMMISSION CANSAS CANSAS CORPORATION COMMISSION CANSAS

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 091-23358-00-00	
Operator: Kelly Company, LC	Location of Well: County: Johnson
Lease: Knabe-D	3,260 feet from N / X S Line of Section
Well Number: KA-3	4,360 feet from X E / W Line of Section
Field: Gardner	Sec. 14 Twp. 14 S. R. 22 X E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NW - SE - SW - NW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

 	 •••••	•••••	•••••		
 -	 			•	
				•	
 	 	•••••		: :	
 · · · · · · · · · · · · · · · · · · ·	 		: :	: :	: :
•			•	:	: : : :



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Kelly Company, LC		License Number: 31002			
Operator Address: 9746 Pflumm R	oad		Lenexa KS 66215		
Contact Person: Jim O. Guinotte			Phone Number: (620) 432-4545		
Lease Name & Well No.: Knabe-D KA-3		Pit Location (QQQQ):			
Type of Pit:	Pit is: Proposed Existing		NW SE SW NW Sec. 14 Twp. 14 R 22 East West		
Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	If Existing, date constructed: Pit capacity: 120 (bbls)		3,260 Feet from North / South Line of Section 4,360 Feet from East / West Line of Section Johnson County		
Is the pit located in a Sensitive Ground Water	Area? Yes	} ™	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? native clay		
Pit dimensions (all but working pits):	Length (fe		Width (feet) N/A: Steel Pits No Pit		
material, thickness and installation procedure			ncluding any special monitoring.		
Source of info					
n/a /feet					
		over and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling mud			
{		rking pits to be utilized: 2			
		procedure: Let air dry and backfill			
Does the slope from the tank battery allow all spilled fluids to		be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISS					
June 4, 2009 Date	(Do	nna	Inanda JUN 0 4 2009 Signature of Applicant or Agent RECEIVER		
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS		
Date Received: 6/u/o9 Permit Num	nber:	Pern	nit Date: 6/4/09 Lease Inspection: Yes VNo		