For KCC Use: Effective Date: 6-21-2009 District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: June 18, 2009	Spot Description:170' East & 170' North of
month day year	. SW _ SE _ NE Sec. 35 Twp. 15 S. R. 14 EXW
OPERATOR: License#9292 /	(Q/Q/Q/Q) 2,140 feet from N / S Line of Section
Name: Scheck Oil Operations	feet from X E / W Line of Section
Address 1: 211 Front Street	Is SECTION: Regular Irregular?
Address 2: State: KS Zip: 67665 +	(Note: Locate well on the Section Plat on reverse side)
City: Russell State: KS Zip: 67665 + Contact Person: Tim Scheck	County: Russell
Phone: 785-483-1292	Lease Name: Ochs-Batt Well #: 8
CONTRACTOR: License#34233	Field Name: Trapp
Name: Maverick Drilling LLC	Is this a Prorated / Spaced Field?
	Target Formation(s): Lansing, Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 500'
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: Approx. 1915' feet MSL Water well within one-quarter mile: Yes No.
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Public water supply well within one mile: Yes X No Yes X No No
Disposal Wildcat Cable Seismic ; # of Holes Other	Depth to bottom of fresh water: 220'
Other:	Depth to bottom of usable water: 280 4/10
	Surface Pipe by Alternate: XI III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 700' +-
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth:3450'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
If Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR (1)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu	IDAVIT
	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	RECEIVED gging of this well will comply with K.S.A. 55 et. seq. JUN 1 5 2009 KCC MICH.
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	RECEIVED gging of this well will comply with K.S.A. 55 et. seq. JUN 1 5 2009 drilling rig; KCC WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	RECEIVED gging of this well will comply with K.S.A. 55 et. seq. JUN 1 5 2009 drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugging.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in;
 The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.
 The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	drilling rig: by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1:	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugging 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be a large 15, 2009.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the Date: June 15, 2009 Signature of Operator or Agent:	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the standard through all unconsolidated materials plus a minimum of 20 feet into the standard through all unconsolidated materials plus a minimum of 20 feet into the standard through all unconsolidated materials plus a minimum of 20 feet into the standard through all unconsolidated materials plus a minimum of 20 feet into the standard materials plus a minimum of	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. Set of production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the difference of the strict office will be notified before well is either plugged. If the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be if hereby certify that the statements made herein are true and correct to the Date: Date:	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Agent Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the specific plants. Signature of Operator or Agent: For KCC Use ONLY API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. Set of production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the Date: June 15, 2009	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be in hereby certify that the statements made herein are true and correct to the potential of the potential plus in the provided of the potential plus in the provided plus in the provi	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the difference of the set of the	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Agent Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be if hereby certify that the statements made herein are true and correct to the place. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 167-235-78-00-00 Conductor pipe required 190 feet per ALT. 11 11 11 11 11 11 11 11 11 11 11 11 11	drilling rig: Well Not Prilled - Permit Evelted RECEIVED RECEIV
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the difference of the set of the	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Agent Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 167-23578-00-00	
Operator: Scheck Oil Operations	Location of Well: County: Russell
Lease: Ochs-Batt	2,140feet from X N / S Line of Section
Well Number: 8	820 feet from \times E / \times W Line of Section
Field: Trapp	Sec. <u>35</u> Twp. <u>15</u> S. R. <u>14</u> E 🔀 W
Number of Acres attributable to well: SW _ SE _ NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Scheck Oil Operations		Lieense M				
Operator Address: 211 Front Street		License Number:				
***************************************	3 l		T	Russell	KS	67665
Contact Person: Tim Scheck		Phone Number:	785-483-1292			
Lease Name & Well No.: Ochs-Batt	8		Pit Location (QQQ	Q):		
Type of Pit:	Pit is:		sw	SE NE		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 35 Two	15 _{R.} 14] ₌₌₌ , [],	10/0.4
Settling Pit	If Existing, date	constructed:	2,140			vvest
Workover Pit Haul-Off Pit				Feet from North / South Line of Secti		
(If WP Supply API No. or Year Drilled)	Pit capacity:		<u> </u>	from East /	West Line	of Section
	4,000	(bbls)	Russell			_ County
Is the pit located in a Sensitive Ground Water	Area? Yes	Nο	Chloride concentration	on:		mg/l
Is the bottom below ground level?	Artificial Liner?			ergency Pits and Settlin		
Yes No	Yes X	No		f a plastic liner is not		
			Bentonite and sol	ias from arilling o	perations.	
Pit dimensions (all but working pits):7	Length (fo	eet)			N/A: Steel P	Pits
Depth fro	om ground level to d	eepest point:	(feet)		No Pit	
If the pit is lined give a brief description of the material, thickness and installation procedure.	liner	Describe proce	dures for periodic main	ntenance and determ	ining ElVED	
		J				
					1 5 2009	
				JUN	1 5 2009	
Distance to nearest water well within one-mile	of pit	Depth to shallov	vest fresh water	JUN KCC W		
A 1/2		Depth to shallow Source of inform	vest fresh water	JUN KCC M	1 5 2009 VICHITA	4
feet Depth of water well		Depth to shallov Source of inform measur	vest fresh water nation: ed well owner	JUN KCC W feet. electric log	1 5 2009 VICHITA	4
feet Depth of water well Emergency, Settling and Burn Pits ONLY:	feet	Depth to shallow Source of inform measur Drilling, Worko	vest fresh water nation: ed well owner ver and Haul-Off Pits	JUN KCC W feet. electric log	1 5 2009 VICHITA	A DWR
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	feet	Depth to shallow Source of inform measure Drilling, Worko Type of material	vest fresh water nation: ed well owner ver and Haul-Off Pits utilized in drilling/work	JUN KCC W feet. electric log S ONLY: Kover: Fresh water gr	1 5 2009 VICHITA	A DWR
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	feet	Depth to shallow Source of inform measure Drilling, Worko Type of material Number of worki	vest fresh water nation: ed well owner ver and Haul-Off Pits utilized in drilling/work ing pits to be utilized: _	feet. feet. electric log s ONLY: Fresh water go	1 5 2009 VICHITA	DWR G
Feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	feet	Depth to shallow Source of inform measure Drilling, Worko Type of material Number of worki	vest fresh water nation: ed well owner ver and Haul-Off Pits utilized in drilling/work ing pits to be utilized: _ rocedure: Allow pits	feet. feet. electric log s ONLY: Fresh water gr 3 to dry naturally a	1 5 2009 VICHITA	DWR G
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	feet	Depth to shallow Source of inform measure Drilling, Worko Type of material Number of worki Abandonment p	vest fresh water nation: ed well owner ver and Haul-Off Pits utilized in drilling/work ing pits to be utilized: _	feet. feet. electric log s ONLY: Fresh water gr 3 to dry naturally as allow.	1 5 2009 VICHITA	DWR G
Feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No	feet fluids to	Depth to shallow Source of inform measur Drilling, Worko Type of material Number of worki Abandonment poor to be a shallow	vest fresh water nation: ed well owner ver and Haul-Off Pits utilized in drilling/work ing pits to be utilized: rocedure: Allow pits conditions	feet. feet. feet. electric log ONLY: rover: Fresh water gr 3 to dry naturally as allow.	1 5 2009 VICHITA	DWR G
feet Depth of water well	feet fluids to	Depth to shallow Source of inform measur Drilling, Worko Type of material Number of worki Abandonment poor to be a shallow	vest fresh water nation: ed well owner ver and Haul-Off Pits utilized in drilling/work ing pits to be utilized: rocedure: Allow pits conditions	feet. feet. feet. electric log ONLY: rover: Fresh water gr 3 to dry naturally as allow.	1 5 2009 VICHITA	DWR S
Feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No	feet feet	Depth to shallow Source of inform measur Drilling, Worko Type of material Number of worki Abandonment poor to be a shallow	vest fresh water nation: ed well owner ver and Haul-Off Pits utilized in drilling/work ing pits to be utilized: rocedure: Allow pits conditions	feet. feet. feet. electric log ONLY: rover: Fresh water gr 3 to dry naturally as allow.	1 5 2009 VICHITA	DWR S
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? I hereby certify that the above statements of the slope fluid produced the pit?	feet feet	Depth to shallow Source of information measure. Drilling, Worko Type of material Number of worki Abandonment properties of the best of th	vest fresh water nation: ed well owner ver and Haul-Off Pits utilized in drilling/work ing pits to be utilized: rocedure: Allow pits conditions	feet. feet. feet. electric log s ONLY: cover: Fresh water gr 3 to dry naturally as allow. s of spud date. pelief.	1 5 2009 VICHITA	DWR S
Feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No I hereby certify that the above statem June 15, 2009	pilled fluids to	Depth to shallow Source of inform measur. Drilling, Worko Type of material Number of worki Abandonment por Drill pits must be sorrect to the best of Sign	vest fresh water	feet. feet. feet. electric log s ONLY: Kover: Fresh water gr 3 to dry naturally as allow. s of spud date. pelief.	1 5 2009 VICHITA	DWR S
Feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No I hereby certify that the above statem June 15, 2009	pilled fluids to	Depth to shallow Source of information measure. Drilling, Worko Type of material Number of worki Abandonment properties of the best of th	vest fresh water	feet. feet. feet. electric log s ONLY: Kover: Fresh water gr 3 to dry naturally as allow. s of spud date. pelief.	1 5 2009 VICHITA	DWR S
Feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No I hereby certify that the above statem June 15, 2009	pilled fluids to	Depth to shallow Source of information measure. Drilling, Workon Type of material Number of working Abandonment properties of the best of Signature. Signature of the best o	vest fresh water	feet. feet. feet. electric log s ONLY: Kover: Fresh water gr 3 to dry naturally as allow. s of spud date. pelief.	1 5 2009 VICHITA	WR S