# For KCC Use: Effective Date: District # SGA? Yes No

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

Expected Spud Date:    July 20, 2009	Spot Description:  SW/4 SE/4 NE/4 Sec. 20 Twp. 29 S. R. 41 E X W  (O/GOD) 2180 feet from X N / S Line of Section  830 feet from X E / W Line of Section  Is SECTION: X Regular Irregular?  (Note: Locate well on the Section Plat on reverse side)
City: Wichita State: KS Zip: 6/206 + 6602  Contact Person: Roscoe L. Mendenhall	County: Stanton  Lease Name: Baughman Foundation Well #: 1-20
Phone: 316 / 264-8378	Lease Name: Dauguman Foundation Well #: 1-20
CONTRACTOR: License# 5142	Is this a Prorated / Spaced Field?
Name: Sterling Drilling Company	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 460'
X Oil Enh Rec Infield X Mud Rotary	Ground Surface Elevation: 3428' feet MSI.
Gas Storage X Pool Ext. Air Rotary	Water well within one-quarter mile:  Yes X No
Disposal Wildcat Cab RECEIVED	Public water supply well within one mile:  Depth to bottom of fresh water:  Yes X No  220 Ft.
Other	Depth to bottom of usable water: 640 Ft.
IUN 2 2 20°	Surface Pipe by Alternate: X I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1700 Ft.
Operator: KCC WICHI	A Length of Conductor Pipe (if any):  None  5600 Ft
Well Name:	Projected total Deptili.
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	x Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #: Not Yet Available
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
PRORATED & SPACED: HUGOTON AFF	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug	
It is agreed that the following minimum requirements will be met:	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> </ol>	alattia a ai a.
<ol> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented</li> </ol>	y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distriction.</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented.</li> </ol>	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distriction.</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed to the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements.</li> </ol>	y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ct office on plug length and placement is necessary <b>prior to plugging</b> ; of or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.  Set of my knowledge and belief.  Roscoe L. Mendenhall
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed Date:    Signature of Operator or Agent:	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 st of my knowledge and belief.  16 Roscoe L. Mendenhall  17 Vice President / Operations
3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best because of the spud date or the well shall be placed by the	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 In the completion of the completion form CDP-1) with Intent to Drill; 16 File Drill Pit Application (form CDP-1) with Intent to Drill; 17 File Completion Form ACO-1 within 120 days of spud date; 18 File acreage attribution plat according to field proration orders; 18 Notify appropriate district office 48 hours prior to workover or re-entry; 19 Submit plugging report (CP-4) after plugging is completed (within 60 days); 20 Obtain written approval before disposing or injecting salt water. 20 If this permit has expired (See: authorized expiration date) please


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 187-21149-00-00 Operator: Stelbar Oil Corporation, Inc.	Location of Well: County: Stanton		
Lease: Baughman Foundation	2180 feet from X N / S Line of Section		
Well Number: 1-20	830 feet from X E / W Line of Section		
Field:	Sec. 20 Twp. 29 S. R. 41 E X W		
Number of Acres attributable to well: 40	10 m		
QTR/QTR/QTR/QTR of acreage: SW/4 - SE/4 - NE/4 -	Is Section: x Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW		

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Stelbar Oil Corporation, Inc.		License Number: 6044	
Operator Address: 1625 N. Waterfront Parkway, Suite #200, Wichita, KS 67206-6602			
Contact Person: Roscoe L. Mendenhall		Phone Number: 316 / 264-8378	
Lease Name & Well No.: Baughman Foundation #1-20		Pit Location (QQQQ):	
Type of Pit:	Type of Pit: Pit is:		SW/4 _ SE/4 _ NE/4 _
Emergency Pit Burn Pit	x Proposed	Existing	Sec. 20 Twp. 29S R. 41 East X West
Settling Pit X Drilling Pit	If Existing, date constructed:		2180 Feet from X North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		830 Feet from x East / West Line of Section
(If WP Supply API No. or Year Drilled)	10,700	(bbls)	Stanton County
Is the pit located in a Sensitive Ground Water	Area? Yes X	No	Chloride concentration: mg/l
Is the bottom below ground level?	Artificial Liner?	***	(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?
x Yes No		No	NATIUE MUD
Pit dimensions (all but working pits): 100 F	it. Length (fe	eet) 100 Ft.	Width (feet) N/A: Steel Pits
Depth from ground level to deepest point: 6 Ft. (feet) No Pit			
If the pit is lined give a brief description of the liner Describe proce		dures for periodic maintenance and determining noluding any special monitoring.	
			JUN 2 2 2009
			KCC WICHITA
Distance to nearest water well within one-mile of pit Depth to shallo		Depth to shallo	west fresh water 80 /20 feet.
Source of information and seem to source			
Emergency, Settling and Burn Pits ONLY:	***************************************	Drilling, Work	over and Haul-Off Pits ONLY:
		Type of materia	il utilized in drilling/workover: Drilling Mud.
Number of producing wells on lease: Number of v		Number of worl	king pits to be utilized: Three (3).
Barrels of fluid produced daily: Abandonment		Abandonment	procedure: Allow pits to dry and fill with soil.
Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No Drill pits must I		pe closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.			
Stolbar Oil Corporation, Inc.			
Date Signature of Applicant or Agent (Roscoe L. Mendenhall, Vice-Pres. / Operations)			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 6/22/09 Permit Number: Permit Date: 6/22/09 Lease Inspection: Yes XNo			