

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Operator: License # 33344  
 Name: Quest Cherokee, LLC  
 Address: 211 W. 14th Street  
 City/State/Zip: Chanute, KS 66720  
 Purchaser: Bluestem Pipeline, LLC  
 Operator Contact Person: Jennifer R. Ammann  
 Phone: (620) 431-9500  
 Contractor: Name: TXD  
 License: 33837  
 Wellsite Geologist: Ken Recoy  
 Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SIOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)  
 If Workover/Re-entry: Old Well Info as follows:  
 Operator: \_\_\_\_\_  
 Well Name: \_\_\_\_\_  
 Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_  

|                                   |                 |   |
|-----------------------------------|-----------------|---|
| 6/21/07                           | 6/24/07         | 6/25/07                                 |
| Spud Date or<br>Recompletion Date | Date Reached TD | Completion Date or<br>Recompletion Date |

API No. 15 - 133-26978-0000  
 County: Neosho  
 \_\_\_\_\_ SW \_\_\_\_\_ NW Sec. 36 Twp. 29 S. R. 18  East  West  
2040 feet from S (N) (circle one) Line of Section  
550 feet from E (W) (circle one) Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 \_\_\_\_\_ (circle one) NE SE (NW) SW  
 Lease Name: Hizey, Rick A. Well #: 36-2  
 Field Name: Cherokee Basin CBM  
 Producing Formation: Multiple  
 Elevation: Ground: 986 Kelly Bushing: n/a  
 Total Depth: 1115 Plug Back Total Depth: 1104.37  
 Amount of Surface Pipe Set and Cemented at 21.5 Feet  
 Multiple Stage Cementing Collar Used?  Yes  No  
 If yes, show depth set \_\_\_\_\_ Feet  
 If Alternate II completion, cement circulated from 1104.37  
 feet depth to surface w/ 145 sx cmf.


**Drilling Fluid Management Plan** Alt II NH 7-23-08  
 (Data must be collected from the Reserve Pit)  
 Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
 Dewatering method used \_\_\_\_\_  
 Location of fluid disposal if hauled offsite: \_\_\_\_\_  
 Operator Name: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
 Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
 County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jennifer R. Ammann  
 Title: New Well Development Coordinator Date: 10/19/07  
 Subscribed and sworn to before me this 19<sup>th</sup> day of October,  
2007.  
 Notary Public: Veria Klauaman  
 Date Commission Expires: 8-4-2010

**KCC Office Use ONLY**  
 Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
**RECEIVED**  
 KANSAS CORPORATION COMMISSION  
**OCT 22 2007**



ORIGINAL

Operator Name: Quest Cherokee, LLC Lease Name: Hizey, Rick A. Well #: 36-2  
 Sec. 36 Twp. 29 S. R. 18  East  West County: Neosho

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

|   |  |
|---|--|
| Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No<br>(Attach Additional Sheets)<br><br>Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No<br><br>Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No<br><br>Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No<br>(Submit Copy)<br><br>List All E. Logs Run:<br><br>Compensated Density Neutron Log<br>Dual Induction Log<br>Gamma Ray Neutron Log | <input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample<br><br>Name <input type="checkbox"/> Datum<br>See attached <input type="checkbox"/> Top |
|---|--|

| CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used  |                   |                           |                   |               |                |              |                            |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. |                   |                           |                   |               |                |              |                            |
| Purpose of String   | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| Surface   | 12-1/4            | 8-5/8"                    | 22                | 22            | "A"            | 5            |                            |
| Production  | 6-3/4             | 4-1/2                     | 10.5              | 1104.37       | "A"            | 145          |                            |
|   |                   |                           |                   |               |                |              |                            |

| ADDITIONAL CEMENTING / SQUEEZE RECORD   |                  |                |             |                            |
|---|------------------|----------------|-------------|----------------------------|
| Purpose:                                | Depth Top Bottom | Type of Cement | #Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate      |                  |                |             |                            |
| <input type="checkbox"/> Protect Casing |                  |                |             |                            |
| <input type="checkbox"/> Plug Back TD   |                  |                |             |                            |
| <input type="checkbox"/> Plug Off Zone  |                  |                |             |                            |


| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type<br>Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record<br>(Amount and Kind of Material Used)         | Depth                                  |
|----------------|---|---|--|
| 4              | 1011-1014/956-958/950-952   | 300gal 15% HCLw/ 25 bbls 2% kcl water, 694bbls water w/ 2% KCL, Biocide, 8900# 20/40 sand | 1011-1014/956-958<br><br>950-952       |
| 4              | 798-800/729-731/691-694/667-669   | 300gal 15% HCLw/ 41 bbls 2% kcl water, 748bbls water w/ 2% KCL, Biocide, 9300# 20/40 sand | 798-800/729-731<br><br>691-694/667-669 |
| 4              | 584-588/571-575   | 300gal 15% HCLw/ 35 bbls 2% kcl water, 635bbls water w/ 2% KCL, Biocide, 5000# 20/40 sand | 584-588/571-575                        |

|  |           |         |   |               |   |
|--|-----------|---------|---|---------------|---|
| TUBING RECORD                                    |           | Size    | Set At  | Packer At     | Liner Run   |
|  |           | 2-3/8"  | 1057  | n/a           | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Date of First, Resumerd Production, SWD or Enhr. |           |         | Producing Method  |               |   |
| 8/6/07   |           |         | <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) |               |   |
| Estimated Production Per 24 Hours                | Oil Bbls. | Gas Mcf | Water Bbls.   | Gas-Oil Ratio | Gravity   |
| n/a  |           | 39.4mcf | 79.6bbls  |               |   |

Disposition of Gas  Vented  Sold  Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_



**TXD SERVICES LP**

**DRILLERS LOG**

**TXD SERVICES LP**

|                             |                            |                     |              |              |       |                |
|-----------------------------|----------------------------|---------------------|--------------|--------------|-------|----------------|
| <b>RIG #</b>                | 101                        | <b>S. 36</b>        | <b>T. 29</b> | <b>R. 18</b> |       |                |
| <b>API #</b>                | 133-26978                  | <b>County:</b>      | Neosho       |              | 343'  | 0 no blow      |
|                             | <b>Elev:</b> 986'          | <b>Location</b>     | Kansas       |              | 529'  | slight blow    |
|                             |                            |                     |              |              | 560'  | slight blow    |
| <b>Operator:</b>            | Quest Cherokee, LLC        |                     |              |              | 684'  | 2 - 1/2" 8.87  |
| <b>Address:</b>             | 9520 N. May Ave, Suite 300 |                     |              |              | 715'  | 4 - 1/2" 12.5  |
|                             | Oklahoma City, OK. 73120   |                     |              |              | 746'  | 4 - 1/2" 12.5  |
| <b>Well #</b>               | 36-2                       | <b>Lease Name</b>   | Hizey, Rick  |              | 777'  | 4 - 1/2" 12.5  |
| <b>Footage Location</b>     | 2040 ft from the           | <b>N</b>            | <b>Line</b>  |              | 808'  | 4 - 1/2" 12.5  |
|                             | 550 ft from the            | <b>W</b>            | <b>Line</b>  |              | 963'  | 5 - 1/2" 14.1  |
| <b>Drilling Contractor:</b> | <b>TXD SERVICES LP</b>     |                     |              |              | 1025' | 19- 1 1/4" 191 |
| <b>Spud Date:</b>           | 6/21/2007                  | <b>Geologist:</b>   |              |              | 1118' | 12- 1 1/4" 152 |
| <b>Date Comp:</b>           | 6/24/2007                  | <b>Total Depth:</b> | 1118'        |              |       |                |
| <b>Exact spot Location:</b> | SW NW                      |                     |              |              |       |                |
|                             |                            |                     |              |              |       |                |
|                             |                            |                     |              |              |       |                |
|                             |                            |                     |              |              |       |                |
|                             |                            |                     |              |              |       |                |
|                             |                            |                     |              |              |       |                |
|                             |                            |                     |              |              |       |                |
|                             |                            |                     |              |              |       |                |
|                             |                            |                     |              |              |       |                |
|                             |                            |                     |              |              |       |                |
|                             |                            |                     |              |              |       |                |
|                             |                            |                     |              |              |       |                |
|                             |                            |                     |              |              |       |                |
|                             |                            |                     |              |              |       |                |

| Formation  | Top | Btm. | Formation  | Top | Btm. | Formation   | Top  | Btm. |
|------------|-----|------|------------|-----|------|-------------|------|------|
| top soil   | 0   | 5    | shale      | 518 | 548  | shale       | 842  | 856  |
| shale      | 5   | 89   | coal       | 548 | 549  | sand/shale  | 856  | 918  |
| lime       | 89  | 138  | shale      | 549 | 553  | shale       | 918  | 941  |
| shale      | 138 | 167  | lime       | 553 | 593  | sand        | 941  | 947  |
| lime       | 167 | 183  | sand       | 593 | 609  | shale       | 947  | 948  |
| shale      | 183 | 203  | sand/shale | 609 | 638  | b.shale     | 948  | 949  |
| lime       | 203 | 230  | sand       | 638 | 664  | shale       | 949  | 957  |
| shale      | 230 | 263  | shale      | 664 | 674  | coal        | 957  | 958  |
| lime       | 263 | 274  | coal       | 674 | 675  | shale       | 958  | 1010 |
| shale      | 274 | 277  | shale      | 675 | 693  | coal        | 1010 | 1012 |
| sand/shale | 277 | 323  | coal       | 693 | 694  | shale       | 1012 | 1015 |
| coal       | 323 | 324  | sand/shale | 694 | 700  | coal        | 1015 | 1018 |
| lime       | 324 | 328  | sand       | 700 | 724  | shale       | 1016 | 1023 |
| shale      | 328 | 338  | shale      | 724 | 735  | mississippi | 1023 | 1118 |
| lime       | 338 | 348  | coal       | 735 | 736  |             |      |      |
| shale      | 348 | 369  | shale      | 736 | 743  |             |      |      |
| lime       | 369 | 385  | coal       | 743 | 744  |             |      |      |
| shale      | 385 | 411  | sand       | 744 | 789  |             |      |      |
| sand       | 411 | 448  | shale      | 789 | 801  |             |      |      |
| shale      | 448 | 473  | coal       | 801 | 802  |             |      |      |
| lime       | 473 | 507  | shale      | 802 | 815  |             |      |      |
| shale      | 507 | 517  | sand       | 815 | 841  |             |      |      |
| coal       | 517 | 518  | coal       | 841 | 842  |             |      |      |

138-167' water, 220' injected water, 744-789' odor, 1023-1118' odor

RECEIVED  
KANSAS CORPORATION COMMISSION

OCT 22 2007

CONSERVATION DIVISION  
WICHITA KS

# QUEST

Resource Corporation

211 W. 14TH STREET,  
CHANUTE, KS 66720  
620-431-9500

TICKET NUMBER 2265

FIELD TICKET REF #

FOREMAN Joe

622050

## TREATMENT REPORT & FIELD TICKET CEMENT

| DATE               | WELL NAME & NUMBER |          |            | SECTION | TOWNSHIP  | RANGE       | COUNTY             |
|--------------------|--------------------|----------|------------|---------|-----------|-------------|--------------------|
| 6-25-07            | Hizey Rick 36-2    |          |            | 36      | 29        | 18          | NO                 |
| FOREMAN / OPERATOR | TIME IN            | TIME OUT | LESS LUNCH | TRUCK # | TRAILER # | TRUCK HOURS | EMPLOYEE SIGNATURE |
| Joe .B             | 10:45              | 1:45     |            | 903427  |           | 3           | Joe Blanchard      |
| Maverick .D        | ↓                  | ↓        |            | 903197  |           | ↓           |                    |
| Tyler .G           | ↓                  | ↓        |            | 903103  |           | ↓           |                    |
| Paul .H            | ↓                  | ↓        |            | 903142  | 932452    | ↓           | Paul H. H.         |
| Gary .C            | ↓                  | ↓        |            | 931500  |           | ↓           | Gary C.            |

JOB TYPE homestrung HOLE SIZE 6 3/4 HOLE DEPTH 1115 CASING SIZE & WEIGHT 4 1/2 10.5  
 CASING DEPTH 1104.37 DRILL PIPE \_\_\_\_\_ TUBING \_\_\_\_\_ OTHER \_\_\_\_\_  
 SLURRY WEIGHT 14.5 SLURRY VOL \_\_\_\_\_ WATER gal/sk \_\_\_\_\_ CEMENT LEFT in CASING 0  
 DISPLACEMENT 17.61 DISPLACEMENT PSI \_\_\_\_\_ MIX PSI \_\_\_\_\_ RATE 4bpm

REMARKS:

Installed Cement head Ran 1 SK gal of 12 bbl dye of 145 SKS of Cement to get dye to surface. flush pump. Pump wiper plug to bottom of set float shoe.

| ACCOUNT CODE | QUANTITY or UNITS | DESCRIPTION OF SERVICES OR PRODUCT    | TOTAL AMOUNT |
|--------------|-------------------|---------------------------------------|--------------|
|              | 1104.37           | ft 4 1/2 Casing                       |              |
|              | 6                 | Centralizer                           |              |
|              | 1                 | 4 1/2 float shoe                      |              |
| 903427       | 3 hr              | Foreman Pickup                        |              |
| 903197       | 3 hr              | Cement Pump Truck                     |              |
| 903103       | 3 hr              | Bulk Truck                            |              |
| 1104         | 137 SK            | Portland Cement                       |              |
| 1124         |                   | 50/50 POZ Blend Cement                |              |
| 1126         | 1                 | OWC - Blend Cement - 4 1/2 wiper plug |              |
| 1110         | 15 SK             | Gilsonite                             |              |
| 1107         | 1.5 SK            | Flo-Seal                              |              |
| 1118         | 1 SK              | Premium Gel                           |              |
| 1215A        | 1 gal             | KCL                                   |              |
| 1111B        | 3 SK              | Sodium Silicate - Calchloride         |              |
| 1123         | 7000 gal          | City Water                            |              |
| 903142       | 3 hr              | Transport Truck                       |              |
| 932452       | 3 hr              | Transport Trailer                     |              |
| 931500       | 3 hr              | 80 Vac                                |              |

RECEIVED  
KANSAS CORPORATION COMMISSION

OCT 22 2007

CONSERVATION DIVISION  
WICHITA, KS