

CONFIDENTIAL
KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

RECEIVED
KANSAS CORPORATION COMMISSION

5/31/09

Form ACO-1
 September 1999
 Form Must Be Typed

JUN 05 2007

CONSERVATION DIVISION
 WICHITA, KS

ORIGINAL

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33269
 Name: Central Operating Inc
 Address: 1600 Broadway Suite #1050
 City/State/Zip: Denver, CO 80202
 Purchaser: SemCrude
 Operator Contact Person: P. A. Brew
 Phone: (303) 894-9576
 Contractor Name: Murfin Drilling CO
 License: 30606
 Wellsite Geologist: Ed Glassman
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>02/27/07</u>	<u>03/07/07</u>	<u>03/20/07</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 063-21644-0000
 County: Gove
NE SE ne Sec. 4 Twp. 15 S. R. 26 East West
1414 feet from S / N (circle one) Line of Section
371 feet from E / W (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW SW
 Lease Name: Raymond/Parsons Well #: 3
 Field Name: Duffy's
 Producing Formation: Mississippian
 Elevation: Ground: 2328 Kelly Bushing: 2310
 Total Depth: 4327 Plug Back Total Depth: 4302
 Amount of Surface Pipe Set and Cemented at 219 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set 1833' Feet
 If Alternate II completion, cement circulated from _____
 feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan AH# NH 10-28 08
 (Data must be collected from the Reserve Pit)
 Chloride content 4300 ppm Fluid volume 4000 bbls
 Dewatering method used Haul Water
 Location of fluid disposal if hauled offsite:
 Operator Name: Walker Tank Service Inc
 Lease Name: Thon License No.: 4313
 Quarter NW Sec. 10 Twp. 17 S. R. 29 East West
 County: Lane Docket No.: 24051

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: P.A. Brew
 Title: PRESIDENT Date: May 25/07
 Subscribed and sworn to before me this 25 day of May
07
 Notary Public: Jason M. Obery
 Date Commission Expires: May 28, 2007

KCC Office Use ONLY

Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name: Central Operating Inc Lease Name: Raymond/Parsons Well #: 3
 Sec. 4 Twp. 15 S. R. 26 East West County: Gove

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy)
 List All E. Logs Run:

<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
	Name	Top Datum
	ANHY	1797 +538
	B/ANHY	1834 +501
	HIEBNER	3586 -1251
	LANSING	3625 -1290
	B/KC	3918 -1583
	MARMATON	3932 -1597
	PAWNEE	4060 -1725
	FT SCOTT	4124 -1789

KCC
 MAY 31 2007
 CONFIDENTIAL

Dual Induction, Density-Neutron, Sonic, Micro

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8	20	220	Comm	160	3%CC 2% Gel
Production	7 7/8	5 1/2	14	4321	ASC	125	ASC
				1833	60/40 Poz	350	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
6	4251.5'-4258' KANSAS CORPORATION COMMISSION		
	CIBP@ 4247'		
6	4230-4233" CONSERVATION DIVISION WICHITA, KS	1000 GAL 15% MCA	

TUBING RECORD				Liner Run	
Size	Set At	Packer At			<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
2 3/8	4173	None			
Date of First, Resumerd Production, SWD or Enhr. APRIL 2, 2007		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	35	0	0		

Disposition of Gas: Vented Sold Used on Lease (If vented, Submit ACO-18.)
 METHOD OF COMPLETION: Open Hole Perf. Dually Comp. Commingled
 Production Interval: Other (Specify) _____

Name	Top	Datum
Cherokee	4151	-1816
Mississippian	4210	-1875

KCC
MAY 31 2007
CONFIDENTIAL

RECEIVED
KANSAS CORPORATION COMMISSION

JUN 05 2007

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., INC.

25836

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

DAKOTA, KS
3-07-07

DATE <u>3-6-07</u>	SEC. <u>4</u>	TWP. <u>15S</u>	RANGE <u>26W</u>	CALLED OUT	ON LOCATION	JOB START <u>2:30am</u>	JOB FINISH <u>3:30am</u>
LEASE <u>Parsons</u>	WELL # <u>#3</u>	LOCATION <u>Quarter 20s-1E-1W</u>			COUNTY <u>Gove</u>	STATE <u>KS</u>	
OLD OR <u>(NEW)</u> (Circle one)		<u>1 1/2 E in</u>					

CONTRACTOR MURCIN Dalg #16
 TYPE OF JOB 2-stage (Bottom stage)
 HOLE SIZE 5 1/2 T.D. 4325'
 CASING SIZE 14" DEPTH 4326'
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT 21 40
 CEMENT LEFT IN CSG. 21 40
 P.P.S. DU - Top 3+67 - 1833'
 DISPLACEMENT 105.03 bbls

OWNER same
 CEMENT
 AMOUNT ORDERED 125 sacks ASC
10% salt, 2% gel
500gal WFR II

KCC
MAY 31 2007
CONFIDENTIAL

EQUIPMENT

PUMP TRUCK	CEMENTER <u>Fuzzy</u>
# <u>102</u>	HELPER <u>Jarrod</u>
BULK TRUCK	
# <u>377</u>	DRIVER <u>Darvin</u>
BULK TRUCK	
# _____	DRIVER _____

COMMON	@		
POZMIX	@		
GEL	<u>2</u>	@ <u>16 05</u>	<u>33 30</u>
CHLORIDE	@		
ASC	<u>125</u>	@ <u>14 30</u>	<u>1775 00</u>
<u>Salt</u>	<u>12</u>	@ <u>19 20</u>	<u>230 40</u>
<u>WFR II 500gal</u>	@ <u>1 00</u>		<u>500 00</u>
HANDLING	<u>154</u>	@ <u>1 90</u>	<u>292 60</u>
MILEAGE	<u>.09 x 5 mile</u>		<u>790 00</u>
TOTAL			<u>3621 32</u>

REMARKS:

Mix 500gal WFR II followed by
125 sacks cement w/gashout pump & lines
Displace plus to hatchdown 700#
lift, 1200# land. float held
plus down @ 3:15am. Drop bomb
wait 10 min open DU Tool @ 500#
circ 30 min.
Thanks Fuzzy crew

SERVICE

DEPTH OF JOB	<u>4326'</u>	
PUMP TRUCK CHARGE		<u>1675 00</u>
EXTRA FOOTAGE	@	
MILEAGE	<u>57</u>	@ <u>6 00</u> <u>342 00</u>
MANIFOLD & head	@	<u>100 00</u>
RECEIVED	@	
KANSAS CORPORATION COMMISSION		

CHARGE TO: Central Operating Inc
 STREET _____
 CITY _____ STATE _____ ZIP _____

JUN 05 2007

TOTAL 2117 00

CONSERVATION DIVISION
WICHITA, KS

PLUG & FLOAT EQUIPMENT

<u>5 1/2</u> {	<u>ATU float shoe</u>		<u>263 00</u>
	<u>1- hatchdown Assy (Fley)</u>		<u>375 00</u>
	<u>2- Baskets</u>	@ <u>150 00</u>	<u>300 00</u>
	<u>8- Centralizers</u>	@ <u>50 00</u>	<u>400 00</u>
	<u>1- DU Tool</u>	@	<u>3500 00</u>
		@	
	TOTAL		<u>4838 00</u>

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE [Signature]

PRINTED NAME

ALLIED CEMENTING CO., INC.

25837

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

On site, KS

DATE <u>3-6-07</u>	SEC. <u>4</u>	TWP. <u>15S</u>	RANGE <u>26W</u>	CALLED OUT	ON LOCATION	JOB START <u>4:30am</u>	JOB FINISH <u>5:00am</u>
LEASE <u>Raymond Parsons</u>	WELL # <u>#3</u>	LOCATION <u>Quarter 20S - 1E - 1W</u>			COUNTY <u>Gove</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			<u>1" 2 E in</u>				

CONTRACTOR Monsieur #16
 TYPE OF JOB 2-stage (Top stage)
 HOLE SIZE 7 7/8 T.D.
 CASING SIZE 5 1/2 14# DEPTH 1833'
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT 44.7 BBLs

OWNER same

CEMENT
 AMOUNT ORDERED 350 60/40 69 ggal
1 1/4" 210-seal

COMMON	<u>210</u>	@ <u>12.20</u>	<u>2562.00</u>
POZMIX	<u>140</u>	@ <u>6.10</u>	<u>854.00</u>
GEL	<u>18</u>	@ <u>16.65</u>	<u>299.70</u>
CHLORIDE		@	
ASC		@	
		@	
<u>210-seal 89#</u>		@ <u>2.00</u>	<u>176.00</u>
		@	
		@	
		@	
		@	
		@	
HANDLING	<u>372</u>	@ <u>1.90</u>	<u>706.80</u>
MILEAGE	<u>.0945 kmile</u>		<u>1908.36</u>
TOTAL			<u>6506.86</u>

EQUIPMENT

PUMP TRUCK CEMENTER Fuzzy
 # 102 HELPER Jarrod
 BULK TRUCK
 # 399 DRIVER Watt
 BULK TRUCK
 # _____ DRIVER _____

REMARKS:

Cement 24 with 15 sks
mix 33 sks cement washout
pump + lines. Dig place plug to
DU Tool, hand plug @ 1800'
float used cement did
circulate approx 20 BBLs
Plug down @ 5:00am
Thanks Fuzzy & Jarrod

SERVICE

DEPTH OF JOB 1833'
 PUMP TRUCK CHARGE 955.00
 EXTRA FOOTAGE @ _____
 MILEAGE NA @ _____ NA
 MANIFOLD @ _____
 @ _____
 @ _____

RECEIVED
 KANSAS CORPORATION COMMISSION

JUN 05 2007

CONSERVATION DIVISION
 WICHITA, KS
 PLUG & FLOAT EQUIPMENT

TOTAL 955.00

CHARGE TO: Central Operating Inc
 STREET _____
 CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE

Ed Glassman

Ed Glassman

PRINTED NAME

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

TOTAL _____

ALLIED CEMENTING CO., INC. ^w25277

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley

DATE <u>2-27-07</u>	SEC. <u>4</u>	TWP. <u>15^s</u>	RANGE <u>26^w</u>	CALLED OUT	ON LOCATION <u>5:00 PM</u>	JOB START <u>8:00 PM</u>	JOB FINISH <u>8:30 PM</u>
LEASE <u>Raymond Parsons</u>	WELL # <u>3</u>	LOCATION <u>Quarter 205-1E-1N-16E</u>		COUNTY <u>Boyer</u>	STATE <u>Kan</u>		
OLD OR (NEW) (Circle one)							

CONTRACTOR Murfin Drly Co #16

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 220'

CASING SIZE 8 5/8 DEPTH 219'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT 13- BBL

EQUIPMENT

PUMP TRUCK CEMENTER Walt

102 HELPER Darin

BULK TRUCK

377 DRIVER Louise

BULK TRUCK

DRIVER

REMARKS:

Cement Did Cure

Thank You

CHARGE TO: Central operating

STREET

CITY STATE ZIP

OWNER Same

CEMENT

AMOUNT ORDERED 160-sks com

3% cc - 2% gel

COMMON	<u>160</u> sks @ <u>12.20</u>	<u>1,952.00</u>
POZMIX	@	
GEL	<u>3</u> - sks @ <u>16.65</u>	<u>49.95</u>
CHLORIDE	<u>5</u> - sks @ <u>46.60</u>	<u>233.00</u>
ASC	@	

RECEIVED
KANSAS CORPORATION COMMISSION

JUN 05 2007

CONSERVATION DIVISION
WICHITA, KS

HANDLING	<u>168</u> - sks @ <u>1.90</u>	<u>319.20</u>
MILEAGE	<u>94</u> per sk mile	<u>861.84</u>
TOTAL		<u>3,415.99</u>

SERVICE

DEPTH OF JOB		
PUMP TRUCK CHARGE		<u>815.00</u>
EXTRA FOOTAGE	@	
MILEAGE	<u>57</u> - miles @ <u>6.00</u>	<u>342.00</u>
MANIFOLD	@	
	@	
	@	

TOTAL 1,157.00

PLUG & FLOAT EQUIPMENT

8 5/8

<u>1</u> - Surface Plug	@	<u>60.00</u>
	@	
	@	
	@	
	@	
TOTAL		<u>60.00</u>

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

SIGNATURE Aly [Signature]

Audrey DiJkel
PRINTED NAME