· ORIGINAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999

WELL COMPLETION FORM

RECEIVED

Form Must Be Typed

WELL HISTORY - DESCRIPTION OF WELL & LEASESERVANDE

WICHITA, KS

Operator: License # 33306	API No. 15 - 193207010000				
Name: BLAKE EXPLORATION	County: THOMAS				
Address: BOX 150	C_NE_NW_SE_Sec. 21 Twp. 10 S. R. 34 East V West				
City/State/Zip: BOGUE KANSAS 67625	2225 feet from \$\int \(\) (circle one) Line of Section				
Purchaser:	1175 feet from (circle one) Line of Section				
Operator Contact Person: MIKE DAVIGNON	Footages Calculated from Nearest Outside Section Corner:				
Phone: (785) 421-2921	(circle one) (NE) SE SW				
Contractor: Name: Murfin Drlg.	Lease Name: FRAHM Well #: 1				
License: 30606	Field Name:				
Wellsite Geologist: MIKE DAVIGNON	Producing Formation:				
Designate Type of Completion:	Elevation: Ground: 3225 Kelly Bushing: 3235				
New Well Re-Entry Workover	Total Depth: 4748 Plug Back Total Depth: 4748				
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 318 Feet				
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? Yes VNo				
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet				
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from				
Operator:	feet depth tow/sx cmt.				
Well Name:	04 1717 11 000				
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan PA . NH 716-08 (Data must be collected from the Reserve Pit)				
Deepening Re-perf Conv. to Enhr/SWD	Chloride contentppm Fluid volumebbls				
Plug Back Plug Back Total Depth	Dewatering method used				
Commingled Docket No	·				
Dual Completion	Location of fluid disposal if hauled offsite:				
Other (SWD or Enhr.?) Docket No	Operator Name:				
3/31/05 4/7/05	Lease Name: License No.:				
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West				
Recompletion Date Recompletion Date	County: Docket No.:				
Kansas 67202, within 120 days of the spud date, recompletion, workov Information of side two of this form will be held confidential for a period of	h the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-s and geologist well report shall be attached with this form. ALL CEMENTING s. Submit CP-111 form with all temporarily abandoned wells.				
All requirements of the statutes, rules and regulations promulgated to regul herein are complete and correct to the best of my knowledge.	late the oil and gas industry have been fully complied with and the statements				
Signature: The January	KCC Office Use ONLY				
Title: V.P. Date: 8/9/07	Letter of Confidentiality Received				
Or A C. A.					
Subscribed and sworn to before me this	V Market or Positive				
20 D1. (h)	Geologist Report Received Geologist Report Received WIRE Distribution WANSAS CORPORATION COMMISSION KANSAS CORPORATION				
Notary Public: 1 Mary Lay Way	KANSAS CORPURATION				
Date Commission Expires: MARY KAY DAVIGNON	AUG 2 7 2007				
GEP CIAL MY COMMISSION EXPIRES	CONSERVATION DIVISION WICHTA, KS				

Operator Name: BLAKE EXPLORATION **FRAHM** . Well #: _1 _ Lease Name: County: THOMAS Twp. 10 S. R. 34 INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report. **Drill Stem Tests Taken** ✓ Yes **V** No / Log Formation (Top), Depth and Datum Sample (Attach Additional Sheets) Name Top Datum ☐Yes ✓ No Samples Sent to Geological Survey ANHYDRITE 2734 Cores Taken Yes No **HEEBNER** 4108 **Electric Log Run** ✓ Yes ✓ No RECEIVED LANSING 4150 (Submit Copy) KANSAS CORPORATION COMMISSION 4472 **PAWNEE** List All E. Logs Run: 4696 JOHNSON ZONE AUG 1 4 2007 DUAL INDUCTION, DUAL POROSITY, BY CONSERVATION DIVISION LOG-TECH WICHITA, KS CASING RECORD ✓ New Used Report all strings set-conductor, surface, intermediate, production, etc. Size Casing Set (In O.D.) Weight Lbs. / Ft. Size Hole Setting # Sacks Type and Percent Type of Purpose of String Drilled Depth Additives SURFACE 12 1/4 8 5/8" 24# 318' COM 200 3%C.C.2%GEL ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Depth Type of Cement #Sacks Used Type and Percent Additives Top Bottom Perforate Protect Casino Plug Back TD Plug Off Zone PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record Shots Per Foot Specify Footage of Each Interval Perforated (Amount and Kind of Material Used) Depth **TUBING RECORD** Packer At Liner Run No Yes Date of First, Resumerd Production, SWD or Enhr. **Producing Method** Flowing Pumping Gas Lift Other (Explain) 6/7/07 Estimated Production Oil Bbis. Gas Mcf Water Rhis. Gas-Oil Ratio Gravity Per 24 Hours Disposition of Gas METHOD OF COMPLETION Production Interval Vented Sold Used on Lease
(If vented, Submit ACO-18.) Open Hole Perf. Dually Comp. Commingled ____ Other (Specify) _

ALLIED CEMENTING CO., INC. 19210 Federal Tax I.D.

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	SERVICE POINT:			
ROSSELL, KANSAS 07005	-Ock	ley		
DATE 3-30-05 21 TWP. 10 3 RANGE 340	1 145 1 2, 45	NOB FINISH PM		
LEASE Frahm WELL# LOCATION MO	wineat 2W-2N Thomas	STATE		
OLD OR NEW Circle one)	44-14-1/2E	LNau		
CONTERPACTOR AND TO THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OWN	4 10 1			
CONTRACTOR MULFin Dole Co#22 TYPE OF JOB SULFace	OWNER Same			
HOLE SIZE 12 1/4 T.D. 320'	CEMENT			
CASING SIZE 85/8 DEPTH 3/9'	AMOUNT ORDERED 200 sks co	Is A		
TUBING SIZE DEPTH DRHL PIPE DEPTH	36 cc - 26 lel			
TOOL DEPTH	State of the state			
PRES. MAX MINIMUM	COMMON 200 SKs @ 955	191000		
MEAS. LINE SHOE JOINT	POZMIX @	-4-10		
CEMENT LEFT IN CSG. /5" PERFS.	GEL 4 SKs @ 13.00	5200		
DISPLACEMENT 19% BR/	CHLORIDE	25200		
EQUIPMENT	ASC@@			
EQUI MENT	@			
PUMPTRUCK CEMENTER Walt	@			
# 102 HELPER				
BULK TRUCK				
# 2/8 DRIVER A BULK TRUCK				
# DRIVER	#ANDLING 211 SKs @ 150			
	maivociivo 211 old W	3/6-98		
REMARKS:	MILEAGE SIS & pro SKI wile TOTAL	272048		
· .	- IOIAL	211000		
	SERVICE			
Cement Did Circ		···		
	DEPTH OF JOB	(0-00		
	PUMP TRUCK CHARGE	625		
	MILEAGE 18-miles @ 450	8100		
- Man K 100	MANIFOLD@			
	<u>@</u>			
CHARGE TO Bloke Zislandon 116	@			
CHARGE TO: Blake Explanations LLC STREET	TOTAL	701-00		
	10112			
CITYSTATEZIP	PLUG & FLOAT EQUIPMENT	,		
	I DOG & PDOM EQUITMENT	•		
	85/8 Sufface Plus @_	5500		
and the second s	@			
To Allied Cementing Co., Inc.				
You are hereby requested to rent cementing equipment				
and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was				
done to satisfaction and supervision of owner agent or	TOTAL	5500		
contractor. I have read & understand the "TERMS AND	RECEIVED			
CONDITIONS" listed on the reverse side.	TAX KANSAS CORPORATION COMMISSION			
	TOTAL CHARGE	· · · · · · · · · · · · · · · · · · ·		
. •	DISCOUNT AUG 1 4 2007 _{IF PAID}	IN 30 DAVS		
1/ NA \1A				
SIGNATURE Kelly Wilson	CONSERVATION DIVISION WICHITA, KS			
U	PRINTED NAME			

ALLIED CEMENTING CO., INC. 19215 Federal Tax I.D.

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	SERV	SERVICE POINT:			
RUSSELL, KANSAS 07003		,	Oa	ciez	
DATE 4-8-05 21 TWP. RANGE C	ALLED OUT	ON LOCATION	JOB STARTIN		
LEASE Frahmwell# LOCATION MONU	1 maps + 21) - 4N	COUNTY	STATE	
OLD OR NEW (Circle one)		45-146	- INCOME.		
CONTRACTOR MUCEIN Dels #22	OWNER	Some			
TYPE OF JOB PTA					
HOLE SIZE 7'18' T.D. 4'143'	CEMENT	<i>1</i>	10 5KS 6	2/10 > -	
CASING SIZE DEPTH	·AMOUNT OR	DERED (5/5	40 POS	
TUBING SIZE DEPTH DRILL PIPE 4/2 XII DEPTH 27.50		RIT YET PI	0-20-(
TOOL DEPTH 2'/50'.	· · · · · · · · · · · · · · · · · · ·				
PRES. MAX MINIMUM	COMMON	120 SKS	_e 9 <u>33</u>	1,1460	
MEAS. LINE SHOE JOINT	POZMIX	80 SKS	_@_ <i>2[130</i> _	36000	
CEMENT LEFT IN CSG.	GEL	10 SCS	_@_ <u>_13\\</u>	_13000	
PERFS.	CHLORIDE _	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ 	_@		
DISPLACEMENT	ASC	=n#	-@ <u>/</u> +인_	8000	
EQUIPMENT	Flo-Seal	_ <i>5U</i>	_@ /_3=_ _		
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	_ @		
PUMPTRUCK CEMENTER LIGHT					
# / D Q HELPER Mike BULK TRUCK			@	-	
# 399 DRIVER Larry			_@		
BULK TRUCK			_@		
# DRIVER	HANDLING_	212 1	-@ <u></u>	21000	
	MILEAGE	550 08	- SKINIO	2/288	
REMARKS:	WILLENGE	- CIC 4- 12-	TOTAL	2,243	
25 sts 2 2750'		SERVI	CE		
100 SKS D 17251					
40 sks 0 370'	DEPTH OF JO			CTEN CO	
10 sks 3 401	PUMP TRUCK			750_00	
10 50 In Mill	EXTRA FOOT MILEAGE	18 miles	-@ <u>450</u>	7100	
Maak You	MANIFOLD _	10 miles	@ 7~		
	MAINI OLD				
•					
CHARGE TO: Blake Exploration LLC. STREET.			TOTAL	83100	
CITYSTATEZIP	PLUG & FLOAT EQUIPMENT				
			e RFC	EIVED	
		K	ANSAS CORPOR	ATION COMMISSION	
To Allied Cementing Co., Inc.			@		
You are hereby requested to rent cementing equipment		· · · · · · · · · · · · · · · · · · ·	@ AUG 1	4 2007	
and furnish cementer and helper to assist owner or			@		
contractor to do work as is listed. The above work was			CONSERVAT	ON DIVISION	
done to satisfaction and supervision of owner agent or			TOTAL	IA, KS	
contractor. I have read & understand the "TERMS AND					
CONDITIONS" listed on the reverse side.	TAX		-		
	TOTAL CHAR	KGE			
	DISCOUNT		TE DAT	D IN 30 DAVE	
1/11/14	DISCOUNT -		—— IF FAI	D IIA DO DATO	
SIGNATURE Milly Wilson					
SIGNATURE / WWY (X)/WYOTU		DDINTE	DD MAKE		