KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL
September 1999
Form Must Be Typed

September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

	API No. 15 - 205-26100-00-00
Operator: License # 33365 Name: Layne Energy Operating, LLC	County: Montgomery
Address: 1900 Shawnee Mission Parkway	NW_NW_NE_NW Sec. 21 Twp. 30 S. R. 17 7 East West
Address:	330 feet from S / (N) (circle one) Line of Section
	1500 feet from E / W (circle ane) Line of Section
Purchaser:M B. Nattrass	Footages Calculated from Nearest Outside Section Corner:
Operator Contact Person: M. B. Nattrass Phone: (913_) 748-3987	(circle ^ne) NE SE NW SW
	Lease Name: Katzer B Well #: 3-21
Contractor: Name: MOKAT Drilling	Field Name: Neodesha
License: 5831	Producing Formation: Cherokee Coals
Wellsite Geologist:	Elevation: Ground: 900' Kelly Bushing:
Designate Type of Completion:	Total Depth: 1161' Plug Back Total Depth: 1147'
New Well Re-Entry Workover	
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 20' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
if Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 1158'
Operator:	feet depth to Surface w/ 130 sx cmt.
Well Name:	Drilling Fluid Management Blan
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content N/A ppm Fluid volume bbls
Plug Back Plug Back Total Depth	Dewatering method used N/A - Air Drilled
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	
Other (SWD or Enhr.?) Docket No.	Operator Name:
	Lease Name: License No.:
6/21/2005 6/23/2005 7/12/2005 Spud Date or Date Reached TD Completion Date or Recompletion Date	QuarterSecTwpS. R East West County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, works Information of side two of this form will be held confidential for a period of	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-13) and geologist well report shall be attached with this form. ALL CEMENTING Is. Submit CP-111 form with all temporarily abandoned wells.
herein are complete and correct to the best of my knowledge.	late the oil and gas industry have been fully complied with and the statements / KCC Office Use ONLY
Signature: 10/11/2005	N I was a Constitution of the state of
Title:	Letter of Confidentiality Attached
Subscribed and sworn to before me thisday of	If Denied, Yes Date:
20 05	Geologist Report Received RECEIVED
1141	Capital Report Address Corporation Commits Lic Distribution
Notary Public:	
Date Commission Expires: 10/14/2008	JUN 1 0 2008



perator Name: Lay	ne Energy Ope	rating, LLC	Lease	e Name:	Katzer B		Well #: 3-2	21	
					tgomery				
sted, time tool ope mperature, fluid red	n and closed, flowing covery, and flow rate	and base of formations ng and shut-in pressures es if gas to surface test, final geological well site	, whether si along with	hut-in pr	essure reached	d static level, hyd	rostatic pressu	res, bottom hole	
rill Stem Tests Take		☐ Yes 📝 No		\(\sum_{\text{i}}	.og Forma	tion (Top), Depth	and Datum	Sample	
Attach Additional) amples Sent to Geo		Yes No		Nan	ne		Тор	Datum	
impies Sent to Get ores Taken	nogical Survey	Yes No		Paw	nee Lime		544 GL	356	
ectric Log Run (Submit Copy)		✓ Yes No		Exc	ello Shale		669 GL	231	
it All E. Logs Run:				VSI	nale		734 GL	166	
Compensated De	ensity Neutron			Mine	eral Coal		772 GL	128	
Dual Induction				Mis	sissippian		1063 GL	-163	
		CASING Report all strings set-	RECORD	Nortace, inte		ction, etc.	· · · · · · · · · · · · · · · · · · ·		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weig Lbs./	jht Ft.	Setting Depth	Type of Cement	# Sacis Used	Type and Percent Additives	
Surface	11	8.65	24		20'	Class A	4	Type 1 cement	
Casing	6.75	4.5	10.5		1158′	Thick Set	130		
		ADDITIONAL	CEMENTIA	IG / 80I	JEEZE RECORI				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks		Type and Percent Additives				
Protect Casing Plug Back TD Plug Off Zone									
Shots Per Foot	PERFORATI	ON RECORD - Bridge Plug	gs Set/Type			cture, Shot, Cemen			
Specify Footage of Each Interval Perfor			forated	(Amount and Kin			nd of Material Used) Depth		
	Dec Attached								
					——————————————————————————————————————				
BING RECORD	Size 8"	Set At 925'	Packer At		Liner Run	Yes 🗸 No			
le of First, Resumerd F		·····	_	Flowing	✓ Pumpin		1 Othe	r (Explain)	
timated Production Per 24 Hours	Oil I	Bbis. Gas (Mof	Water			as-Oil Ratio	Gravity	
position of Gas	METHOD OF C				Production Interv	/al			
Vented Sold (If vented, Subn	Used on Lease	Open Hole Other (Specifi	▼ Perf.	D.	rally Comp.	Commingled		RECEIVED	

JUN 10 2008

Operator Name:	Layne Energy Operating, LLC.		T
Lease Name:	Katzer B 3-21		-
	Sec. 21 Twp. 30S Rng. 17E, Montgomery County		
API:	15-205-26100-00-00		
Shots per Foot	Perforation Record	Acid, Fracture, Shot, Cement Squeeze Record	Depth
4	897.5-899, 852-854, 845-850.5, 787.5-788.5, 772.5-773.5	Bluejacket, Tebo, Tebo Shale, Scammon, Mineral - 1,500gal 15% HCL + 431 bbls water + 4,400# 20/40 Sand	772.5-899
4	734.5-736.5, 708.5-710, 668.5-674, 651-653.5, 540- 541	LT	540-736.5

RECEIVED KANSAS CORPORATION COMMISSION

JUN 10 2008

CONSERVATION DIVISION WICHITA, KS