

4-060584

9-22

TO: STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

API number: 15-063-21,479-00-00

C NE SE /4 SEC. 22, 11 S, 30 W
1980 feet from S section line
660 feet from E section line

Operator license# 8541

Lease Dohm well # 1

Operator: Petex, Inc.

County Gove

Address: 1610 E. Sunshine
Springfield, MO 65804

Well total depth 4535 feet ^{147.38}
Conductor Pipe: 0 inch @ 0 feet
Surface pipe 8 5/8 Inch @ 257 feet

Aband. oil well , Gas well , Input well , SWD , D & A

Plugging contractor: Abercrombie RTD, Inc. License# 30684

Address: Wichita, Kansas 67201

Company to plug at: Hour: 10:30P.M Day: 22 Month: September Year: 94

Plugging proposal received from: Tony Martin

Company: Abercrombie RTD, Inc. Phone: _____

Were: Order 190 sxs. 60/40 posmix - 6% gel with 1/4# flocele per. sx.
Space all plugs with heavy drilling mud through drill pipe.

Plugging Proposal Received by: Herb Deines

Plugging operations attended by agent? All[], Part[], None[]

Completed: Hour: 10:30P.M, Day: 22, Month: September, Year: 94

Actual plugging report: 8 5/8" to 257'.

1st. plug at 2375' w/25 sxs. - Anhydrite 2351' - 2379'.

2nd. plug at 1475' w/100 sxs. - Dakota 1171' - 1471'.

3rd. plug at 310' w/40 sxs. - Surface pipe to 257'.

4th. plug at 40' w/10 sxs.

Rathole with 15 sxs.


Remarks: Allied Cementing.

Condition of casing(in hole): GOOD BAD Anhy. plug: YES NO

Bottom plug(in place): YES , CALC , NO Dakota plug: YES , NO

Plugged through TUBING , CASING . Elevation: 2871 GL

I did did not observe the plugging.



PH (agent)

DATE 10-10-94

INV. NO. 41375

INVOICED