

ORIGINAL

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

SEP 26 2007

Operator: License # 32309  
Name: Presco Western, LLC  
Address 5665 FLATIRON PARKWAY  
City/State/Zip BOULDER CO 80301  
Purchaser: Plains Marketing LP (Oil); One OK (Gas)  
Operator Contact Person: Randy M. Verret  
Phone ( 303 ) 305-1163  
Contractor: Name: Murfin Drilling  
License: 30606  
Wellsite Geologist: Not Applicable

Designate Type of Completion

New Well  Re-Entry  Workover

Oil  SWD  SIOW  Temp. Abd.

Gas  ENHR  SIGW

Dry  Other (Core, WSW, Expl., Cathodic, etc.)

If Workover/Reentry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date \_\_\_\_\_ Original Total Depth \_\_\_\_\_

Deepening  Re-perf.  Conv. to Enhr./SWD

Plug Back  Plug Back Total Depth \_\_\_\_\_

Commingled Docket No. \_\_\_\_\_

Dual Completion Docket No. \_\_\_\_\_

Other (SWD or Enhr?) Docket No. \_\_\_\_\_

3/28/07 4/4/07 4/18/07  
Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

CONSERVATION DIVISION  
API NO. 15- 081-21706-0000 WICHITA, KS

County Haskell

SE - NE - SW Sec. 30 Twp. 30 S. R. 33  E  W

1.606 Feet from S/N (circle one) Line of Section

2.359 Feet from EW (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:

(circle one) NE SE NW SW

Lease Name SWLVLU Well # 122

Field Name Lemon Victory

Producing Formation Lansing

Elevation: Ground 2,952.4' Kelley Bushing 2,964'

Total Depth 4,400' Plug Back Total Depth 4,350'

Amount of Surface Pipe Set and Cemented at 1,708 Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from \_\_\_\_\_

feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan ALFIMH 7-18-08  
(Data must be collected from the Reserve Pit)

Chloride content 4,000 ppm Fluid volume 1,100 bbls

Dewatering method used Air Evaporation

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name Not Applicable

Lease Name \_\_\_\_\_ License No. \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  E  W

County \_\_\_\_\_ Docket No. \_\_\_\_\_

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.


Signature Randy M. Verret

Title Manager- Business & Regulatory Affairs

Subscribed and sworn to before me this 25th day of September 20 07

Notary Public Kathleen L. Depp

Date Commission Expires \_\_\_\_\_



KCC Office Use ONLY

Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_

Wireline Log Received

Geologist Report Received

UIC Distribution

Operator Name Presco Western, LLC Lease Name SWLVLU Well # I22

Sec. 30 Twp. 30 S.R. 33  East  West County Haskell

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional Sheets.) <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run (Submit Copy.) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No List All E.Logs Run: Cement Bond & Dual Space Neutron	<input checked="" type="checkbox"/> Log <input type="checkbox"/> Sample Formation (Top), Depth and Datums <table style="width:100%; border-collapse: collapse;"> <tr> <th style="width:60%;">Name</th> <th style="width:20%;">Top</th> <th style="width:20%;">Datum</th> </tr> <tr> <td>Heebner</td> <td>4,016'</td> <td>-1,064'</td> </tr> <tr> <td>Lansing</td> <td>4,111'</td> <td>-1,159'</td> </tr> </table>	Name	Top	Datum	Heebner	4,016'	-1,064'	Lansing	4,111'	-1,159'
Name	Top	Datum								
Heebner	4,016'	-1,064'								
Lansing	4,111'	-1,159'								

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	23.5	1,708'	Class A	150	3%CC
					Lite	575	3%CC 1/4 Flo
Production	7-7/8"	4-1/2"	10.5	4,392'	ASC/Lite	250/525	10%Salt/2%Gel

ADDITIONAL CEMENTING/SQUEEZE RECORD				
Purpose	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	4,110' - 4,118' (Lansing)	1,000 gals. 15% NEFE	
4	4,130' - 4,138' (Lansing)	1,000 gals. 15% NEFE	

TUBING RECORD	Size <u>2-3/8"</u>	Set At <u>4,328'</u>	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
---------------	--------------------	----------------------	-----------	---

Date of First, Resumed Production, SWD or Enhr. <u>No Production - Convert to Injection</u>	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
--	---

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	N/A				

Disposition of Gas:  Vented  Sold  Used on Lease  Open Hole  Perforation  Dually Comp.  Commingled

(If vented, submit ACO-18.)  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

SEP 26 2007

**ALLIED CEMENTING CO., INC.** 25470

Federal Tax I.D. \_\_\_\_\_

OBSERVATION DIVISION  
WICHITA, KS

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: \_\_\_\_\_

DATE <u>Sept 21 2007</u>	SEC. <u>11</u>	TWP. <u>10N</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION	JOB START <u>2:00 PM</u>	JOB FINISH <u>2:15 PM</u>
LEASE <u>2007-2010</u>	WELL # <u>222</u>	LOCATION <u>Sata to 2nd Ave 26</u>			COUNTY <u>Harlan</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one)							

CONTRACTOR Sept 21 2007  
 TYPE OF JOB Sept 21 2007  
 HOLE SIZE 12 1/4 T.D. 716  
 CASING SIZE 12 1/4 DEPTH 1704  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 16.8

OWNER 2007  
 CEMENT  
 AMOUNT ORDERED \_\_\_\_\_  
575 gal. 11.7 @ 49.00 = 28125.00  
150 gal. 11.7 @ 32.00 = 4800.00

**EQUIPMENT**  
 PUMP TRUCK CEMENTER 2007  
 # \_\_\_\_\_ HELPER 2007  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER 2007  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER 2007

COMMON 150 gal @ 12.20 1830.00  
 POZMIX \_\_\_\_\_ @ \_\_\_\_\_  
 GEL \_\_\_\_\_ @ \_\_\_\_\_  
 CHLORIDE 24 @ 47.60 1138.40  
 ASC \_\_\_\_\_ @ \_\_\_\_\_  
1100 weight 11.7 @ 16.30 = 18030.00  
1100 weight 11.7 @ 1.00 = 1100.00  
 HANDLING 151 gal @ 1.90 286.90  
 MILEAGE 17.15 @ 1.00 17.15  
**TOTAL** 13944.30

**REMARKS:**  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**SERVICE**  
 DEPTH OF JOB 1100  
 PUMP TRUCK CHARGE \_\_\_\_\_ 1800.00  
 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE 30.00 @ 6.00 1800.00  
 MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
**TOTAL** 1980.00

CHARGE TO: 2007  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**  
150 gal. 11.7 @ 11.00 = 1650.00  
150 gal. 11.7 @ 11.00 = 1650.00  
150 gal. 11.7 @ 11.00 = 1650.00  
150 gal. 11.7 @ 11.00 = 1650.00  
**TOTAL** 6600.00

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE \_\_\_\_\_

PRINTED NAME \_\_\_\_\_

RECEIVED

KANSAS CORPORATION COMMISSION

# ALLIED CEMENTING CO., INC. 25300

Federal Tax I.D. \_\_\_\_\_

SEP 26 2007

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: CONSERVATION DIVISION  
WICHITA, KS

DATE <u>4-4-07</u>	SEC. <u>30</u>	TWP. <u>30</u>	RANGE <u>236</u>	CALLED OUT <u>4-2-07</u>	ON LOCATION <u>3136</u>	JOB START <u>4-2-07</u>	JOB FINISH <u>5-20-07</u>
LEASE <u>Seibler</u>	WELL# <u>E-22</u>	LOCATION <u>24 1/2 mi S of center</u>			COUNTY <u>Haskell</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one)							

CONTRACTOR Pauline Rig 22

TYPE OF JOB Water on string (Top stage)

HOLE SIZE 7 1/2" T.D. \_\_\_\_\_

CASING SIZE 4 1/2" DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL 0 V Tool DEPTH 3136

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT 4'

CEMENT LEFT IN CSG. 42'

PERFS. \_\_\_\_\_

DISPLACEMENT 50 Bbl

OWNER same

CEMENT

AMOUNT ORDERED 525 SLS Lite

1/2# flo-s-lac 285.00

COMMON \_\_\_\_\_ @ \_\_\_\_\_

POZMIX \_\_\_\_\_ @ \_\_\_\_\_

GEL \_\_\_\_\_ @ \_\_\_\_\_

CHLORIDE 11 SLS @ 46.60 512.60

ASC \_\_\_\_\_ @ \_\_\_\_\_

525 SLS Lite @ 11.25 5906.25

fld-s-lac 131' @ 2.00 262.00

HANDLING 526 SLS @ 1.90 1004.90

MILEAGE 98 mi/mile @ \_\_\_\_\_ 1919.90

TOTAL 7547.65

### EQUIPMENT

PUMP TRUCK # 102-231 CEMENTER Andrew HELPER Alan

BULK TRUCK # 323 DRIVER Leanne

BULK TRUCK # 374 DRIVER Darin

### REMARKS:

big job on manual

20' 525 SLS Lite 285.00 flo-s-lac

1/2# flo-s-lac 285.00

525 SLS Lite 5906.25

fld-s-lac 131' 262.00

526 SLS 1004.90

98 mi/mile 1919.90

total 7547.65

thank you

### SERVICE

DEPTH OF JOB 3136

PUMP TRUCK CHARGE 955.00

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE 35 miles @ W/C

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

TOTAL 955.00

### PLUG & FLOAT EQUIPMENT

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

CHARGE TO: space western

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE \_\_\_\_\_

PRINTED NAME \_\_\_\_\_

RECEIVED  
KANSAS CORPORATION COMMISSION

# ALLIED CEMENTING CO., INC. 25307 SEP 26 2007

Federal Tax I.D. \_\_\_\_\_

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Dakota  
CONSERVATION DIVISION  
WICHITA, KS

DATE <u>4-3-07</u>	SEC. <u>30</u>	TWP. <u>30</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION <u>2:30 PM</u>	JOB START <u>10:00 AM</u>	JOB FINISH <u>11:00 AM</u>
LEASE <u>S. 16 1/4</u>	WELL # <u>E-22</u>	LOCATION <u>2 1/4 S 3 1/4 E S. 170</u>	COUNTY <u>Haskell</u>	STATE <u>KS</u>			
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Mano Fin Drilling Rig 22  
 TYPE OF JOB 1st Stage (Bottom Stage)  
 HOLE SIZE 7 1/2 T.D. 4400'  
 CASING SIZE 4 1/2 DEPTH 4404'  
 TUBING SIZE DEPTH  
 DRILL PIPE DEPTH  
 TOOL D.V. DEPTH 3136  
 PRES. MAX MINIMUM  
 MEAS. LINE SHOE JOINT 42  
 CEMENT LEFT IN CSG. 43'  
 PERFS.  
 DISPLACEMENT

OWNER same  
 CEMENT  
 AMOUNT ORDERED 110 SKS LITE 2 1/2 cc by 12 cc  
150 SKS ASC 2 1/2 cc gel 10 1/2 cc salt 5 1/2 cc  
Gilbenite 1/2 of 175 cc - 160

**EQUIPMENT**

PUMP TRUCK # <u>123-291</u>	CEMENTER <u>Andrew</u>	HELPER <u>Alan</u>
BULK TRUCK # <u>323</u>	DRIVER <u>Louise</u>	
BULK TRUCK # <u>294</u>	DRIVER <u>Dawn</u>	

COMMON	@		
POZMIX	@		
GEL	<u>3 SKS</u>	@ <u>16.65</u>	<u>49.95</u>
CHLORIDE	<u>2 SKS</u>	@ <u>46.60</u>	<u>93.20</u>
ASC	<u>150 SKS</u>	@ <u>14.90</u>	<u>2235.00</u>
<u>100 SKS LITE</u>	@ <u>11.25</u>	<u>1125.00</u>	
<u>Salt</u>	<u>14 cc</u>	@ <u>19.20</u>	<u>268.80</u>
	@		
<u>Gilbenite</u>	<u>750 #</u>	@ <u>.70</u>	<u>525.00</u>
	@		
<u>FL-160</u>	<u>70 #</u>	@ <u>10.65</u>	<u>745.50</u>
	@		
<u>FL-5046</u>	<u>25 #</u>	@ <u>2.00</u>	<u>50.00</u>
HANDLING	<u>304 SKS</u>	@ <u>1.70</u>	<u>517.60</u>
MILEAGE	<u>74 SK/miles</u>		<u>957.60</u>
			TOTAL <u>6627.65</u>

**REMARKS:**  
15-2 100 SKS LITE 2 1/2 cc by 12 cc FLO-160  
Ordered by 150 SKS ASC 2 1/2 cc gel 10 1/2 cc salt  
5 1/2 cc Gilbenite but 150 cc of 12 cc wash  
found and 100 cc of 12 cc displaced  
1 1/2 100 water 4 1/2 cc 100 cc  
plus banded blow held  
and left pressure 1200 lbs drop  
Bank out 1 1/2 inch open 10 inch 3000 lbs  
thank you

**SERVICE**

DEPTH OF JOB	<u>4404'</u>		
PUMP TRUCK CHARGE			<u>11625.00</u>
EXTRA FOOTAGE	@		
MILEAGE	<u>35 miles</u>	@ <u>6.00</u>	<u>210.00</u>
MANIFOLD <u>J. Hand</u>	@		<u>100.00</u>
	@		
	@		
			TOTAL <u>1945.00</u>

CHARGE TO: Proso western  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

<u>4 1/2</u>			
<u>1 Guide shoe</u>	@		<u>150.00</u>
<u>1 Abu 2 1/2</u>	@		<u>225.00</u>
<u>1 Basket</u>	@		<u>150.00</u>
<u>1 DV tool</u>	@		<u>3750.00</u>
<u>7 centralizers</u>	@ <u>45.00</u>		<u>315.00</u>
			TOTAL <u>4590</u>

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE \_\_\_\_\_

\_\_\_\_\_  
 PRINTED NAME