

CARD MUST BE TYPED

State of Kansas

CARD MUST BE SIGNED

NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

Expected Spud Date.....11.....23.....87.....
month day year

API Number 15-063-21,170-00-00

OPERATOR: License #.....5883.....
Name Chief Drilling Co., Inc.
Address 151 N. Main #700
City/State/Zip Wichita, Kansas 67202
Contact Person.....Douglas W. Thimesch.....
Phone.....316-262-3791.....

_____ East
NW. NE. NW... Sec. 6 Twp 11S S, Rg. 30 X West
.....4950..... Ft. from South Line of Section
.....3630..... Ft. from East Line of Section

(Note: Locate well on Section Plat on reverse side)

CONTRACTOR: License #.....5886.....
Name Warrior Drilling Co.
City/State Wichita, Kansas 67202

Nearest lease or unit boundary line330..... feet
County.....Gove.....

Lease Name...WOLF..... Well #...1.....
Ground surface elevation ...will provide..... feet MSL

Well Drilled For: Well Class: Type Equipment:
X Oil — Storage — Infield X Mud Rotary
— Gas — Inj — Pool Ext. — Air Rotary
— OWWO — Expl X Wildcat — Cable

Domestic well within 330 feet: — yes X no
Municipal well within one mile: — yes X no

Depth to bottom of fresh water....150.....

Depth to bottom of usable water 150.0.....

Surface pipe by Alternate: 1 — 2 X

Surface pipe planned to be set....260.....

Conductor pipe requiredNone.....

Projected Total Depth4700..... feet

Formation.....Mississippi.....

If OWWO: old well info as follows:

Operator

Well Name

Comp Date..... Old Total Depth.....

I certify that well will comply with K.S.A. 55-101, et seq., plus eventually plugging hole to KCC specifications.

Date 11-19-87 Signature of Operator or Agent Douglas W. Thimesch Title Vice President

DOUGLAS W. THIMESCH

For KCC Use:

Conductor Pipe Required feet; Minimum Surface Pipe Required250 feet per Alt. X 2

This Authorization Expires...5-23-88..... Approved By 11-23-87


ESTIMATED DATE: 11-28-87

Must be filed with the K.C.C. five (5) days prior to commencing well
This card void if drilling not started within six (6) months of date received by K.C.C.

Important procedures to follow:

1. Notify District office before setting surface casing.
 2. Set surface casing by circulating cement to the top.
 3. File completion forms ACO-1 with K.C.C. within 120 days of well spud date, following instructions on ACO-1, side 1, and including copies of wireline logs.
 4. Notify District office 48 hours prior to old well workover or re-entry.
 5. Prior to filing Intent, prepare a proposed plugging plan in case well is D & A, then obtain approval of plan when calling district office prior to setting surface pipe.
 6. Submit plugging report (CP-4) to K.C.C. after plugging is completed.
 7. Obtain an approved injection docket number before disposing of salt water.
- Notify K.C.C. within 10 days when injection commences or terminates.
- If an alternate 2 completion, cement in the production pipe from below any usable water to surface within 120 days of spud date.

**A Regular Section of Land
1 Mile = 5,280 Ft.**



NOV 23 1987
7-23-1987
CONSERVATION DIVISION
STATE CORPORATION COMMISSION
Wichita, Kansas

RECEIVED
STATE CORPORATION COMMISSION

State Corporation Commission of Kansas
Conservation Division
200 Colorado Derby Building
Wichita, Kansas 67202-1212
(316) 263-3238

CARD MUST BE TYPED

State of Kansas

CARD MUST BE SIGNED

NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

Expected Spud Date... 11 month 23 day 87 year

API Number 15-063-21,170-00-00

OPERATOR: License # 5883
Name Chief Drilling Co., Inc.
Address 151 N. Main #700
City/State Zip Wichita, Kansas 67202
Contact Person Douglas W. Thimesch
Phone 316-262-3791

NW NE NW Sec 6 Twp 11 S. Rg 30 East
4950 Ft. from South Line of Section
3630 Ft. from East Line of Section

(Note: Locate well on Section Plat on reverse side)

CONTRACTOR: License # 5886
Name Warrior Drilling Co.
City/State Wichita, Kansas 67202

Nearest lease or unit boundary line 330 feet
County Gove

Well Drilled For: Well Class: Type Equipment:
X Oil Storage Infield X Mud Rotary
Gas Inj Pool Ext Air Rotary
OWWO Expl X Wildcat Cable

Lease Name WOLF Well # 1
Ground surface elevation will provide feet MSL

If OWWO: old well info as follows:

Domestic well within 330 feet: yes X no
Municipal well within one mile: yes X no

Operator
Well Name
Comp Date Old Total Depth

Depth to bottom of fresh water 150
Depth to bottom of usable water 1500

I certify that well will comply with K.S.A. 55-101, et seq., plus eventually plugging hole to KCC specifications.

Surface pipe by Alternate: 1 2 X
Surface pipe planned to be set 260

Date 11-19-87 Signature of Operator or Agent Title Vice President

Conductor pipe required None
Projected Total Depth 4700 feet

For KCC Use:

DOUGLAS W. THIMESCH

Formation Mississippi

Conductor Pipe Required feet; Minimum Surface Pipe Required 250 feet per Alt. X 2

This Authorization Expires 5-23-88 Approved By 11-23-87

EFFECTIVE DATE: 11-28-87

Spud 11-21-87

NW NE NW Sec 6 Twp 11 S. Rg 30 East
X West

PLUGGING PROPOSAL IF ABOVE IS D & A

This plugging proposal will be reviewed and approved or revised at the time the district office is called prior to setting surface casing (call 7 a.m. to 5 p.m. workdays).

1st plug @ ft. deep 2450 or formation with 25 feet of 60/40 posmix 6% gel
2nd plug @ ft. deep 1700 or formation with 100 feet of
3rd plug @ ft. deep 300 or formation with 40 feet of
4th plug @ ft. deep 40 or formation with 10 feet of
5th plug @ ft. deep or formation with feet of
(2) Rathole to surface minus 5 feet 10 sks (b) Mousehole to surface minus 5 feet

NOTE: Agreement between operator and district office on plug placement and the amount of cement to be used is necessary prior to plugging. In Addition: Call district office before well is either plugged or production casing is cemented in.

(Call 7 a.m. to 5 p.m. workdays)

District office use only:

API #15-063-21,170-00-00

1-25-1988

Surface casing of feet set with sxs at hours 19

Alternate 1 or 2 surface pipe was used.

Alternate 2 cementing was completed @ ft. depth with sxs on 19

Hole plugged 19 agent

KCC District #6

Form C-1 11 86

NOV 25 1987