

STATE CORPORATION COMMISSION OF KANSAS
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
ACO-1 WELL HISTORY
DESCRIPTION OF WELL AND LEASE

API NO. 15- 163-23,252 - 0000
County Rooks **ORIGINAL**
Approx. S/2 - S/2 - NE - NW Sec. 4 Twp. 10S Rge. 17 X W

Operator: License # 5252

Name: R.P. Nixon Oper., Inc.

Address 207 W. 12th St.

City/State/Zip Hays, KS 67601

Purchaser: Farmland

Operator Contact Person: Dan Nixon

Phone (913) 628-3834

Contractor: Name: Shields Drlg.

License: 5655

Wellsite Geologist: Dan Nixon

Designate Type of Completion

New Well Re-Entry Workover

Oil SWD SLOW Temp. Abd.

Gas ENHR SIGW

Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover:

Operator: _____

Well Name: _____

Comp. Date _____ Old Total Depth _____

Deepening Re-perf. Conv. to Inj/SWD

Plug Back PBTB

Commingled Docket No. _____

Dual Completion Docket No. _____

Other (SWD or Inj?) Docket No. _____

11/8/94 11/14/94 12/7/94
Spud Date Date Reached TD Completion Date

1120 Feet from S (circle one) Line of Section
3340 700 940 2 T K L L
Feet from E W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
NE SE, NW or SW (circle one)

Lease Name Schrandt Well # 5

Field Name Nettie

Producing Formation Arbuckle

Elevation: Ground 2090 KB 2095

Total Depth 3520' PBTB --

Amount of Surface Pipe Set and Cemented at 208 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set _____ Feet

If Alternate II completion, cement circulated from _____
(not yet done)

feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan ALT 1 27 10-17-95
(Data must be collected from the Reserve Pit)

Chloride content 38,000 ppm Fluid volume 150 bbls

Dewatering method used Allow solids to settle, haul off water,
allow pit to dry and backfill w/excavated dirt
Location of fluid disposal if hauled offsite:

fluid still on location

Operator Name _____

Lease Name _____ License No. _____

Quarter Sec. _____ Twp. _____ S Rng. _____ E/W

County _____ Docket No. _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see Rule 82-3-107 for confidentiality in excess of 12 months). **One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED.** Submit CP-4 form with all plugged wells. Submit CP-111 form with temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature [Signature]

Title President Date 2/20/95

Subscribed and sworn to before me this 20th day of February, 19 95.

Notary Public [Signature]


Date Commission Expires 2-5-98

2-21-95 FEB 21 1995

CONSERVATION DIVISION
WICHITA, KANSAS

K.C.C. OFFICE USE ONLY
F Letter of Confidentiality Attached
C Wireline Log Received
C Geologist Report Received

Distribution
 KCC SWD/Rep NGPA
 KGS Plug Other
(specify)



SIDE TWO

Operator Name R.P. Nixon Oper., Inc. Lease Name Schrandt Well # 5

Sec. 4 Twp. 10S Rge. 17 East West
 County Rooks

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run:
 RAG log ran by Mercury Wireline.

Log Formation (Top), Depth and Datums Sample

Name	Top	Datum
Anhydrite:	1357'-1393'	
Topeka:	2973'	
Heebner:	3190'	
Toronto:	3211'	
L/KC:	3232' (-1142)	
Base of KC:	3467'	
Arbuckle:	3512' (-1422)	
RTD:	3520'	
LTD:	3519'	

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/2"	8"		208'	60/40 Poz	140 sx	
Production	7"	5 1/2"		3515'	ASC	100 sx	

ADDITIONAL CEMENTING/SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				
	Have not squeezed the upper portion of production casing (to surface).			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type	Acid, Fracture, Shot, Cement Squeeze Record	
	Specify Footage of Each Interval Perforated	(Amount and Kind of Material Used)	Depth
	Arbuckle open hole completed.	500 gallons	3520'

TUBING RECORD		Size	Set At	Packer At	Liner Run			
		2 1/2"	3505'	--	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
Date of First, Resumed Production, SWD or Inj.		Producing Method						
12/16/94		<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)						
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Water	Bbls.	Gas-Oil Ratio	Gravity
		25		--		--		

Disposition of Gas: Vented Sold Used on Lease (If vented, submit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval 3515' - 3520'

15-163-23252-0000

ne 913-483-2627, Russell, KS
Phone 316-793-5861, Great Bend, KS

Phone 913-625-5516, Hays, KS
Phone 913-672-3471, Oakley, KS

Phone 316-886-5926, Medicine Lodge, KS
Phone 913-798-3843, Ness City, KS

New

ALLIED CEMENTING CO., INC.

Home Office P. O. Box 31

Russell, Kansas 67665

8379

ORIGINAL

Date	11-14-94	Sec.	4	fwp.	10	Range	17 w	Called Out	5:00 PM	On Location	6:45 PM	Job Start	10:00 PM	Finish	10:30 PM
Lease	SCHRANDT	Well No.	# 5	Location	PLAINVILLE	4E 1S		County	ROOKS	State	KANSAS				

Contractor	SHIELDS DRILLING RIG #2	
Type Job	PRODUCTION STRING	
Hole Size	7 7/8	T.D. 3520'
Csg.	5 1/2	Depth 3515'
Tbg. Size		Depth
Drill Pipe	(BAKER)	Depth
Tool	AFU INSERT	Depth 3496
Cement Left in Csg.	18'	Shoe Joint 18'
Press Max.		Minimum
Meas Line	✓	Displace ✓ 85 1/2 BBL
Perf.		

Owner	Y2E Y4S
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.	
Charge To	R.P. NIXON OPERATIONS INC
Street	207 W 12th
City	Hays
State	Kansas
The above was done to satisfaction and supervision of owner agent or contractor.	

Purchase Order No.	
X	Burton Beery
Amount Ordered	500 GAL. WFR ² CEMENT MUD FLUSH 150 SK ASC

EQUIPMENT

Pumptrk #177	Cementer	Alan
	Helper	Will
Pumptrk	Cementer	
	Helper	
Bulktrk #160	Driver	Paul
Bulktrk	Driver	

Consisting of	
Common	
Poz. Mix	
ASC	150 @ 7.50 = 1125.00
Chloride	
Quickset	
WFR-2	500 gal @ 1.00 = 500.00
Sales Tax	

DEPTH of Job	
Reference:	Pump TRUCK CHRG 980.00
	2 25/PER MILE 13.50
1-5 1/2	RUBBER WIPER PLUG 45.00
	Sub Total
	Tax
	Total 1038.50

Handling	1.00	150.00
Mileage	40	60.00
RECEIVED STATE CORPORATION COMMISSION		
OCT 17 1995		
Sub Total		
Total		1835.00

Remarks:

FLOAT HELD!

10-SK @ Mouse Hole

15 SK @ RAT HOLE

Shank

Floating Equipment	
ARROW 5 1/2 CSG	
1-CENTRALIZER	56.00

ALLIED CEMENTING COMPANY, INC.

913-483-2627

P. O. BOX 31

RUSSELL, KANSAS 67665

ORIGINAL

NOV 21 1994

To: R. P. Nixon Oil Operations, Inc.
207 W. 12th
Hays, KS 67601
Cement/ 5 1/2 Casing

Invoice No. 67800
Purchase Order No. _____
Lease Name Schrandt #5
Date 11-14-94

Service and Materials as Follows:

ASC 150 sks @\$7.50	\$1,125.00	
WFR-2 500 gal. @\$1.00	<u>500.00</u>	\$1,625.00
Handling 150 sks @\$1.00	150.00	
Mileage (min. chg.)	60.00	
Production String	980.00	
Mi @\$2.25 pmp trk chg	13.50	
1 plug	<u>45.00</u>	1,248.50
1 Centralizer-----	\$56.00	<u>56.00</u>
	Total	\$2,929.50

If Account CURRENT, a
Discount of \$ 585.90
Will Be Allowed ONLY If
Paid Within 30 Days From
Date of Invoice.

Thank You!

All Prices Are Net, Payable 30 Days Following Date of Invoice. 1 1/2% Charged Thereafter

Received _____ Paid _____
Lease/Wel # Schrandt #5
IDC _____ Ck. # _____
Eq. _____ Vendor # 0075
Op. 2343.60 Acct. # 520,500.00
Paid By Juc

RECEIVED
STATE CORPORATION COMMISSION

OCT 17 1995

CONSERVATION DIVISION
Wichita, Kansas

3-483-2627, Russell, Kansas
 316-793-5861, Great Bend, Kansas

ORIGINAL

Phone Plainville 913-434-2812
 Phone Ness City 913-798-3843

ALLIED CEMENTING CO., INC.

4372

Home Office P. O. Box 31

Russell, Kansas 67665

New

Date	11-8-94	Sec.	4	Fwp.	10	Range	17	Called Out		On Location		Job Start	1:45 AM	Finish	2:30 AM
Lease	Schmidt	Well No.	5	Location	Plainville 3E15EE4s			County	Rooks	State	Ks				

Contractor	Shields Drly	
Type Job	Surface	
Hole Size	12 1/4	T.D. 211
Csg.	PSK	Depth 208
Tbg. Size		Depth
Drill Pipe		Depth
Tool		Depth
Cement Left in Csg.	10' 15"	Shoe Joint
Press Max.		Minimum
Meas Line	20#	Displace 13 BBI
Perf.		

Owner	To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed. R.P.	
Charge To	Nixon Oil Operations	
Street	207 W 12th	
City	Hays	State Kan 67601
The above was done to satisfaction and supervision of owner agent or contractor.		
Purchase Order No.	X Beuston Beery	
CEMENT		
Amount Ordered	140 @ 3% CC 2% gel	

EQUIPMENT

Pumptrk	No. 153	Cementer	Dave
		Helper	Mark
Pumptrk	No.	Cementer	
		Helper	
		Driver	Paul
Bulktrk	160		
Bulktrk		Driver	

Consisting of		
Common	84	575 483.00
Poz. Mix	56	3.00 168.00
Gel.	3	9.00 27.00
Chloride	4	25.00 100.00
Quickset		

DEPTH of Job	
Reference:	
	Dump truck chg 430.00
	2 3/4 Perm 10 5m 11.25
	8' Eureka plug 43.00
	Sub Total 484.25
	Tax
	Total

Handling	1.00	140.00
Mileage 5m	.04	45.00
	Sub Total	963.00
	Total	

Remarks:

Floating Equipment

RECEIVED
 STATE CORPORATION COMMISSION

OCT 17 1995

CONSERVATION DIVISION
 Wichita, Kansas

AI ED CEMENTING COMPANY, INC.

913-483-2627

P. O. BOX 31

RUSSELL, KANSAS 67665

NOV 16 1994

ORIGINAL

To: Nixon Oil Operations Inc
207 W. 12th
Hays, Kansas 67601
Cement & Surface Paving

Invoice No. 67751
 Purchase Order No. _____
 Lease Name Schrandt #5
 Date Nov. 8, 1994

Service and Materials as Follows:

Common 84 sks @\$5.75	\$ 483.00	
Pozmix 56 sks @\$3.00	168.00	
Gel 3 sks @\$9.00	27.00	
Chloride 4 sks @\$25.00	<u>100.00</u>	\$ 778.00
Handling 140 sks @\$1.00	140.00	
Mileage minimum	45.00	
Surfacâ	430.00	
Mi @\$2.25 pmp. trk. (5)	11.25	
1 plug	<u>43.00</u>	<u>669.25</u>

Total \$ 1,447.25
~~289.45~~
1157.80

If Account CURRENT, a
 Discount of \$ 289.45
 Will Be Allowed ONLY If
 Paid Within 30 Days From
 Date of Invoice.

Received _____ Paid _____
 Lease/Well # Schrandt #5
 IDC _____ Ck. # _____
 Eq. _____ Vendor # 0075
 Op. 1157.80 Acct # 520,500.000
 _____ DXC


Thank You!

All Prices Are Net, Payable 30 Days Following Date of Invoice. 1 1/2% Charged Thereafter

RECEIVED
 STATE CORPORATION COMMISSION

OCT 17 1995

CONSERVATION DIVISION
 Wichita, Kansas



ELI WIRELINE SERVICES, INC.

P.O. BOX 81—GREAT BEND, KANSAS 67530

SERVICE TICKET AND INVOICE

№ 14799
In Remitting or Corresponding
Please Refer to Above Invoice Number

Date 8-14-95
Engineer BARBER
Operator NEWELL
Truck No. #147

CHARGE TO R.P. Nixon OIL OPERATIONS Inc.

ADDRESS 207 W. 12th

CITY Hays, Ks 67601 AUG 23 1995 CUSTOMER ORDER NO. _____

WELL SCHRANDT #5 CASING SIZE & WEIGHT 5 1/2"

FIELD Ref Hydrocarbon Co COUNTY ROOKS

LEGAL DESCRIPTION: 2 1/2" casing ORIGINAL

CASED HOLE SERVICES					OPEN HOLE SERVICES				
<input type="checkbox"/> Combination G/R-Neutron Log	<input type="checkbox"/> Correlation Log	<input type="checkbox"/> Differential Temperature Log	<input type="checkbox"/> Sonic Bond Log SS	<input type="checkbox"/> Cement Top Log	<input type="checkbox"/> GAMMA RAY-NEUTRON GUARD & CALIPER LOG	<input type="checkbox"/> BHC SONIC LOG	<input type="checkbox"/> SS	<input type="checkbox"/> FF	
<input type="checkbox"/>	<input type="checkbox"/> Density Gas Detection Log	<input type="checkbox"/> Steel Carrier	<input type="checkbox"/> Bridge Plug	<input type="checkbox"/>	<input type="checkbox"/> INDUCTION ELECTRIC LOG	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/> Link Jet	<input type="checkbox"/> Strip Jet	<input type="checkbox"/> Tornado Frac Jet	<input type="checkbox"/>	<input type="checkbox"/> BHC DENSITY LOG	<input type="checkbox"/> GR	<input type="checkbox"/> N	<input type="checkbox"/>	<input type="checkbox"/> COMPUTER ANALYZED LOGGING SYSTEMS

Received These Services According To The Terms & Conditions On Reverse Side Hereof:

I DO WANT TOOL INSURANCE.
I DO NOT WANT TOOL INSURANCE. COST _____

SIGNATURE LINE _____

CUSTOMER Pauline
AUTHORIZED AGENT _____

TERMS: Net Cash 20th of Month Following Invoice Date. 1.5% Interest Per Month Charged After 60 Days.

INVOICE SECTION PERFORATING AND OTHER					
Price Ref. No.	No. Holes	Depth		Amount	
		From	To		
210-2	2	1366		510	00

INVOICE SECTION PLUGS, PACKERS AND OTHER				
Price Ref. No.	Type	Size	Depth	Amount

INVOICE SECTION — SERVICE CHARGE					
Price Ref. No.	Description Of Charge	From	To	No. Feet	Amount
100					350.00
INVOICE SECTION LOGGING					
Depth	Received			Paid	
Charge	Lease/Well #	Schrandt #5			
	IDC			Ch. #	
	Eq.			Vendor # 08%	
	Op.	860.00	Acct.	520.00	200.00
	Logging	Paid By		JAC	
RECEIVED STATE CONSERVATION COMMISSION OCT 16 1995 CONSERVATION DIVISION Wichita, Kansas					
	Other				
SUB-TOTAL					860 00
LESS DISCOUNT IF PAID IN 30 DAYS					210 00
TOTAL					150 00

ALLIED CEMENTING COMPANY, INC.

913-483-2627
P. O. BOX 31
RUSSELL, KANSAS 67665

ORIGINAL

AUG 2 1995

To: R. P. Nixon Oil Operations
207 W. 12th
Hays, KS 67601

Invoice No. 69465

Purchase Order No. _____

Lease Name Schrandt #5

Date 8-14-95

Cement to 2 stage CSG.

Service and Materials as Follows:

Common 200 sks @\$6.10	\$1,220.00	
Pozmix 100 sks @\$3.15	315.00	
Gel 10 sks @\$9.50	95.00	
Chloride 2 sks @\$28.00	<u>56.00</u>	\$1,686.00

Handling 300 sks @\$1.05	315.00	
Mileage (28) @\$.04¢ per sk per mi	336.00	
Squeeze	<u>550.00</u>	1,201.00

Sales tax 170.33

Received _____ Paid _____
Lease/Well # Schrandt #5 Total \$3,057.33

If Account CURRENT, a
Discount of \$ 577.40
Will Be Allowed ONLY IF
Paid Within 30 Days From
Date of Invoice.

Eq. _____ Vendor # 0075
Op. 2479.93 Total 577.40
\$2479.93

Paid By Inc

Thank You!

All Prices Are Net, Payable 30 Days Following Date of Invoice. 1½% Charged Thereafter

RECEIVED
STATE CORPORATION COMMISSION

OCT 16 1995

CONSERVATION DIVISION
Wichita, Kansas

ALLIED CEMENTING CO., INC.

4926

MAIL TO P.O. BOX 31
RUSSELL, KANSAS 67665

ORIGINAL

SERVICE POINT: Russell

DATE <u>8-14-95</u>	SEC. <u>H</u>	TWP. <u>10</u>	RANGE <u>17</u>	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASE <u>Strant</u>	WELL# <u>5</u>	LOCATION <u>Plainville 3 1/2 E 15 1/2 E</u>	COUNTY <u>Rooks</u>	STATE <u>Kan</u>			

OLD NEW (Circle one)

CONTRACTOR Lo Tools

TYPE OF JOB Squeeze

HOLE SIZE _____ T.D. _____

CASING SIZE 5 1/2 DEPTH _____

TUBING SIZE 2" DEPTH 1266

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX 800# MINIMUM 400#

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. 1376

OWNER Same

CEMENT

AMOUNT ORDERED 350 @ 60¢/60gal

50 Com 3%acc (Used 250)

COMMON	<u>200</u>	@	<u>6.10</u>	<u>1220.00</u>
POZMIX	<u>100</u>	@	<u>3.15</u>	<u>315.00</u>
GEL	<u>10</u>	@	<u>9.50</u>	<u>95.00</u>
CHLORIDE	<u>2</u>	@	<u>28</u>	<u>56.00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING		@	<u>1.05</u>	<u>315.00</u>
MILEAGE	<u>44/22/mi</u>			<u>336.00</u>
				TOTAL <u>2337.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER McAdoo

177 HELPER Will H.

BULK TRUCK

213 DRIVER Paul

BULK TRUCK

254 DRIVER Jason

REMARKS:

Test Packer at 1000#

Held Packed to 1266

500# on Back Side

Mixed 250 SKs and 50 SKs

Com 3%acc Squeezed at

800# Held

Cement Did C/O

Allied Bill McAdoo

Paul Nye - Prod. Foreman

Travis Kenter unit oper.

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____ 550.00

EXTRA FOOTAGE _____ @ _____

MILEAGE _____ @ _____

PLUG _____ @ _____

_____ @ _____

_____ @ _____

TOTAL 550.00

CHARGE TO: R.P.N. Hon Oil Oper

STREET 207 W 12th

CITY Hays STATE Kansas ZIP 67601

FLOAT EQUIPMENT

RECEIVED

STATE CORPORATION COMMISSION

@

OCT 6 1995

@

CONSERVATION DIVISION

Wichita, Kansas

TOTAL _____

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Paul Nye

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS



Kansas Corporation Commission

Bill Graves, Governor Susan M. Seltsam, Chair F.S. Jack Alexander, Commissioner Rachel C. Lipman, Commissioner
Judith McConnell, Executive Director Brian Moline, General Counsel

February 28, 1995

Dan A. Nixon
R. P. Nixon Operations, Inc.
207 West 12th Street
Hays, Kansas 67601

Re: Alternate II Extension
 Schrandt #5
 API # 15-163-23,252
 S4-T10S-R17W
 Rooks County

Dear Mr. Nixon:

This letter is written to inform you that you have been granted a 120 day extension of time to complete Alternate II cementing on the above-described well.

Your original 120 days for completion expires March 8, 1995. Thus, this extension will expire on July 8, 1995. I urge you to make every effort to complete the cementing within this time frame. Extension of this time frame, pursuant to K.A.R. 82-3-106, automatically extends the time period for filing the ACO-1, pursuant to K.A.R. 82-3-130. Before completing the cementing of this well, please contact the Hays District Office at (913) 628-1200.

If you have any questions in this regard, please do not hesitate to contact me.

Very sincerely yours,

A handwritten signature in cursive script that reads "William R. Bryson".

William R. Bryson, Director
Conservation Division

WRB:nao

cc: Rick Hestermann
 Dave Williams ✓
 Priscilla Zadoka
 Don Butcher
 File

Called In: AM

8 Month

4 Day

95 Year

API#

15-162-23-252

Mr. Paul Meyer

Spud Date: 11-8-95

Expiration Date: 3-8-96

Operator: R.P. Meyer operations Inc.

KCC # 5252

Address: 201 West 17th St, Hays,

Phone # (913) 628-3834

Lease Name: Schmidt Well # 5

Location: SW-NE-NW County: Cook

Sec: 4 Twp: 10 Rge: 17

10 1/2" 8 3/4" 208 S.P. (CWC) w/ 140 sx. cmt.

4 1/2" - 5 1/2" - 6" csg. set @ 2515 w/ 125 sx. cmt.

T.D. 2520 Elev. 2090 Anhy. 1356-93 Dakota Base: 515 to 815

D.V. Tool @ _____ Port Collar @ _____ Perf. @ 1366 Other _____

Total Amount of Cmt./Blend: 320 50 st 60/40 Permit 6% Gel. and 50 st class H. common.

Did cmt circ? Yes Date: 8-14-95 Cement Company: alled Ticket # _____

Alternate II Completion: Rotary Rig Pulling Unit Backside

Remarks: 8-9-95 @ 10:30 AM - Reported - 8-10-95 @ 2:00 PM Responed
8-14-95 alled cmt @ 1366 ft pumped in 220 st cmt and 50 st class
H. common amt did circulate - 10 Witness

RECEIVED
STATE CORPORATION COMMISSION

SEP 22 1995

CONSERVATION DIVISION
Wichita, Kansas

8-

W

Witness (sign)

To <u>Marion Schmidt</u>	From <u>Tolco</u>
Co.	Co. <u>RP Nixon</u>
Dept.	Phone #
Fax # <u>913 6286913</u>	Fax #

CEMENTING CO., INC. 4926

SERVICE POINT: Russell

DATE <u>8-14-95</u>	SEC. <u>H</u>	TWP. <u>10</u>	RANGE <u>17</u>	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASE <u>Street</u>	WELL # <u>5</u>	LOCATION <u>Plainville 3 1/2 E 15 1/2 E</u>		COUNTY <u>Rock</u>	STATE <u>Kan</u>		

OLD OR NEW (Circle one)

CONTRACTOR Co Tools OWNER Scum

TYPE OF JOB Squeeze

HOLE SIZE T.D. CEMENT

CASING SIZE 5 1/2 DEPTH

TUBING SIZE 2" DEPTH 1266

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX 800# MINIMUM 400#

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS. 1376

AMOUNT ORDERED	<u>350-60 6% gel</u>		
	<u>50 Cam 3% cc</u>	(Used 250)	
COMMON	<u>200</u>	@ <u>6.10</u>	<u>1220.00</u>
POZMIX	<u>400</u>	@ <u>3.15</u>	<u>1260.00</u>
GEL	<u>10</u>	@ <u>9.50</u>	<u>95.00</u>
CHLORIDE	<u>2</u>	@ <u>28</u>	<u>56.00</u>
		@	
		@	
		@	
		@	
		@	
HANDLING		@ <u>1.05</u>	<u>215.00</u>
MILEAGE	<u>44.5 hr / mo.</u>		<u>336.00</u>
			TOTAL <u>2337.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER M Adams

177 HELPER Will H.

BULK TRUCK

213 DRIVER Paul

BULK TRUCK

254 DRIVER Jason

REMARKS:

Test Packer at 1000#

Held Pulled to 1266

500# on Back Side

Mixed 250 sks and 50 sks

Cam 3% cc Squeezed at

800# Held

Cement Pld. in

Allied Bill M's

Paul Thorne - Prod. Foreman

Travis Kuntze unit oper.

SERVICE

DEPTH OF JOB		
PUMP TRUCK CHARGE		<u>550.00</u>
EXTRA FOOTAGE	@	
MILEAGE	@ <u>7.50</u>	
PLUG	@	
	@	
	@	
		TOTAL <u>550.00</u>

CHARGE TO: RP Nixon Oil Oper

STREET 207 W 12th

CITY Lawrence STATE Kansas ZIP 67601

FLOAT EQUIPMENT

	@	
	@	
	@	
	@	
		TOTAL

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

Paul Thorne

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

ALLIED CEMENTING CO., INC. -4926

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT Russell

DATE <u>8-14-75</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASE <u>Strat</u>	WELL# <u>5</u>	LOCATION <u>Plainville 3 1/2 E 15 1/2 E</u>			COUNTY <u>Woods</u>	STATE <u>Kan</u>	

OLD OR NEW (Circle one)

CONTRACTOR Co Tools

TYPE OF JOB Squeeze

HOLE SIZE _____ T.D. _____

CASING SIZE 5 7/8 DEPTH _____

TUBING SIZE 2 7/8 DEPTH 1266

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX 800# MINIMUM 40#

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. 1376 1366

OWNER _____

CEMENT

AMOUNT ORDERED 350 60 3/8 6 3/4
50 Com 3 3/8

COMMON _____ @ _____

POZMIX _____ @ _____

GEL _____ @ _____

CHLORIDE _____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

HANDLING _____ @ _____

MILEAGE _____ @ _____

TOTAL _____

EQUIPMENT

PUMP TRUCK CEMENTER _____

HELPER _____

BULK TRUCK _____

DRIVER _____

BULK TRUCK _____

DRIVER _____

REMARKS:

Test Packer at 1000#
Held failed to 1266
500# on back side
Mixed 60 3/8 and 50. 1/2
Com 3 3/8 squeezed at
800# Held
Cement did not
Allied Bill M. Adams
Paul N. Nixon - Prod. Foreman
Branch Kuster unit op.

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____

EXTRA FOOTAGE _____ @ _____

MILEAGE _____ @ _____

PLUG _____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

CHARGE TO: R.P. Nixon Oil Oper

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

350 5 1/2 5 1/2
used 250 5 1/2
re stated
mjt

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS