

CARD MUST BE TYPED

State of Kansas

CARD MUST BE SIGNED

NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

Starting Date April 1, 1986
month day year

API Number 15— 109-20 419-00-00

OPERATOR: License # 8541 9152

NW NE NE Sec. 2 Twp. 11 S, Rg. 32 East West

Name PETEX, Inc. and MAREXCO

Address Route 2, Box 553

City/State/Zip Rogersville, MO 65742

Contact Person Larry Childress or Steve Marden

Phone (417) 887-6289 or (303) 237-5716

4950 Ft. from South Line of Section

990 Ft. from East Line of Section

(Note: Locate well on Section Plat on reverse side)

Nearest lease or unit boundary line 330 feet

County Logan

CONTRACTOR: License # 9087

Lease Name Keller Well # 1

Name R and C Drilling Co., Inc.

Ground surface elevation 3053 feet MSL

City/State Hayes, Kansas

Domestic well within 330 feet: — yes no

Well Drilled For: Well Class: Type Equipment:

Municipal well within one mile: — yes no

Oil — SWD — Infield Mud Rotary

Depth to bottom of fresh water 220

— Gas — Inj — Pool Ext. — Air Rotary

Depth to bottom of usable water 1700

— OWWO — Expl Wildcat — Cable

Surface pipe by Alternate: 1 2

If OWWO: old well info as follows:

Surface pipe planned to be set 275

Operator

Conductor pipe required n/a

Well Name

Projected Total Depth 4650 feet

Comp Date Old Total Depth

Formation Miss

I certify that well will comply with K.S.A. 55-101, et seq., plus eventually plugging hole to KCC specifications.

Date 3/24/86 Signature of Operator or Agent Larry Childress Title President

For KCC Use:

Conductor Pipe Required feet; Minimum Surface Pipe Required 275 feet per Alt. 30

This Authorization Expires 9-26-86 Approved By 3-26-86

RCA/OTE

NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

Starting Date April 1, 1986

API Number 15- 109-20,419-00-00

OPERATOR: License # 8541 9152

NW NE NE Sec. 2 Twp. 11 S, Rg. 32

Name PETEX, Inc. and MAREXCO

4950 990 Ft. from South Line of Section

Address Route 2, Box 553

990 Ft. from East Line of Section

City/State/Zip Rogersville, MO 65742

(Note: Locate well on Section Plat on reverse side)

Contact Person Larry Childress or Steve Marden

Nearest lease or unit boundary line 330 feet

Phone (417) 887-6289 or (303) 237-5716

County Logan

CONTRACTOR: License # 9087

Lease Name Keller Well # 1

Name R and C Drilling Co., Inc.

Ground surface elevation 3053 feet MSL

City/State Hayes, Kansas

Domestic well within 330 feet: yes X no

Well Drilled For: Well Class: Type Equipment:

Municipal well within one mile: yes X no

X Oil SWD Infield Mud Rotary

Depth to bottom of fresh water 220

Gas Inj Pool Ext Air Rotary

Depth to bottom of usable water 1700

OWWO Expl Wildcat Cable

Surface pipe by Alternate: 1 2 X

If OWWO: old well info as follows:

Surface pipe planned to be set 275

Operator

Conductor pipe required n/a

Well Name

Projected Total Depth 4650 feet

Comp Date Old Total Depth

Formation Miss

I certify that well will comply with K.S.A. 55-101, et seq., plus eventually plugging hole to KCC specifications.

Date 3/24/86 Signature of Operator or Agent Larry Childress Title President

For KCC Use: Conductor Pipe Required 9 feet; Minimum Surface Pipe Required 275 feet per Alt. 275

This Authorization Expires 9-26-86 Approved By 3-26-86

John Ubeis R & C Drilling 4-3-86 Set 275 HSP Alt II Spud Sat 4-5-86 Haul PCH/100E

NW NE NE Sec. 2 Twp. 11 S, Rg. 32 East West

PLUGGING PROPOSAL IF ABOVE IS D & A

This plugging proposal will be reviewed and approved or revised at the time the district office is called prior to setting surface casing (call 7 a.m. to 5 p.m. workdays).

Table with 4 columns: Plug depth, feet depth with, and sxs of. Includes handwritten notes like 'Call Burt' and 'Haul PCH/100E'.

NOTE: Agreement between operator and district office on plug placement and the amount of cement to be used is necessary prior to plugging. In Addition: Call district office after well is either plugged or production casing is cemented in. (Call 7 a.m. to 5 p.m. workdays)

District office use only: API #15- 109-20,419 Surface casing of... feet set with... sxs at... hours... 19... Alternate 1 of 2 surface pipe was used. Alternate 2 cementing was completed @... ft. depth with... sxs on... 19... Hole plugged... 19... agent...

RECEIVED STATE CORPORATION COMMISSION 4-28-1986 APR 28 1986

CONSERVATION DIVISION Wichita, Kansas