

ORIGINAL

JUN 01 2007

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

CONSERVATION DIVISION
WICHITA, KS

Operator: License # 6931
Name: Bowman Oil Company
Address: 805 Codell Road
City/State/Zip: Codell, Kansas 67663
Purchaser: Coffeyville Resources, LLC
Operator Contact Person: Louis "Don" Bowman or William "Bill" Bowman
Phone: (785) 434-2286 M-F 7-12 AM
Contractor: Name: W W Drilling, LLC
License: #33575
Wellsite Geologist: Mike Davignon

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: N/A

Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

3-02-07 3-08-07 4-04-07
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15-163-23587-0000
County: Rooks County, Kansas
NE NW NW Sec. 30 Twp. 10 S. R. 19 East West
650 feet from S / N (circle one) Line of Section
1075 feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Keller B Well #: 3
Field Name: Marcotte
Producing Formation: Arbuckle

Elevation: Ground: 2227' Kelly Bushing: 2232'
Total Depth: 3800' Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 213 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 1617'
feet depth to Surface w/ 400 sxs _____ sx cmt.

Drilling Fluid Management Plan A14 # NH 7-10-08
(Data must be collected from the Reserve Pit)

Chloride content 26,000 ppm Fluid volume 100 bbls
Dewatering method used Water piped to Disposal

Location of fluid disposal if hauled offsite:
Operator Name: Murfin Drilling Company, Inc.
Lease Name: Keller H #3 License No.: 30606
Quarter NE/4 Sec. 30 Twp. 10 S. R. 19 East West
County: Rooks County, Ks. Docket No.: D-24,412


INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Louis D. Bowman
Title: Partner Date: May 16, 2007

Subscribed and sworn to before me this 16th day of May,
2007.

Notary Public: Jackie J. Langholz
Date Commission Expires: 2-24-09



KCC Office Use ONLY

- Letter of Confidentiality Received
- If Denied, Yes Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution

Operator Name: Bowman Oil Company Lease Name: Keller B Well #: 3
 Sec. 30 Twp. 10 S. R. 19 East West County: Rooks County, Kansas

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy)
 List All E. Logs Run:
 Radiation Guard Log 0-3795'
 Bottom Gamma Ray 3795'-200'

<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Name	Top	Datum
Anhydrite	1615'	
Topeka	3231' -	3230'
Heebner	3442' -	3442' 1210'
Lansing	3482' -	3480' 1248'
B-Kansas City	3688' -	3690' 1458'
Arbuckle	3794' -	3796' 1566'

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	20#	213'	Common	160 sxs	3% CC, 2% Gel
Production	7 7/8"	5 1/2"	14#	3794'	ASC	175 sxs	2% Gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	1617' to surface	60/40 poz	400 sxs	6% Gel

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
N/A	Open Hole from 3794' to 3800'	None	
RECEIVED KANSAS CORPORATION COMMISSION			
JUN 01 2007			
CONSERVATION DIVISION WICHITA, KS			

TUBING RECORD		Size	Set At	Packer At	Liner Run
		2 7/8"	3794'	none	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. 4-12-07 well pumping		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	4		20		24

Disposition of Gas **METHOD OF COMPLETION** Production Interval

Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
 (If vented, Submit ACO-18.) Other (Specify) _____

ALLIED CEMENTING CO., INC. 33080

TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>3.20.07</u>	SEC. <u>20</u>	TWP. <u>10S</u>	RANGE <u>19W</u>	CALLED OUT	ON LOCATION	JOB START <u>11:30am</u>	JOB FINISH <u>12:00pm</u>
LEASE <u>Keller</u>		WELL # <u>B-3</u>	LOCATION <u>1/2 mile to line 2E3W</u>		COUNTY <u>Rooks</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one)							

CONTRACTOR W.W. #16 OWNER _____

TYPE OF JOB Surface Job

HOLE SIZE _____ T.D. 214'

CASING SIZE 8 5/8 20' DEPTH 213'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 15'

PERFS. _____

DISPLACEMENT 138L

EQUIPMENT

CEMENT AMOUNT ORDERED 160 160 396L 296L

COMMON	<u>160</u>	@	<u>1065</u>	<u>1704.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>1665</u>	<u>4995</u>
CHLORIDE	<u>5</u>	@	<u>4660</u>	<u>23300</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>160</u>	@	<u>190</u>	<u>31920</u>
MILEAGE	<u>94/SK/MILE</u>			<u>90720</u>
TOTAL				<u>321330</u>

RECEIVED
KANSAS CORPORATION COMMISSION

JUN 01 2007

CONSERVATION DIVISION
WICHITA, KS

PUMP TRUCK CEMENTER Craig

909 HELPER Adrian

BULK TRUCK

300378 DRIVER Brandon

BULK TRUCK

_____ DRIVER _____

REMARKS:

Cement Circulated!

SERVICE

DEPTH OF JOB				
PUMP TRUCK CHARGE			<u>815.00</u>	
EXTRA FOOTAGE	@			
MILEAGE	<u>60</u>	@	<u>6.00</u> <u>360.00</u>	
MANIFOLD	@			
	@			
	@			
TOTAL				<u>1175.00</u>

CHARGE TO: Bowman Oil Co.

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

	@			
	@			
	@			
	@			
	@			
TOTAL				_____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE [Signature]

Kyle Kinderknecht
PRINTED NAME

ALLIED CEMENTING CO., INC.

32876

SHIP TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>3-8-07</u>	SEC. ³⁰ <u>20</u>	TWP. <u>19</u>	RANGE <u>10</u>	CALLED OUT	ON LOCATION	JOB START <u>11:00am</u>	JOB FINISH <u>11:30am</u>
LEASE <u>Keller</u>	WELL# <u>B-3</u>	LOCATION <u>Palco S. To Co. Line</u>			COUNTY <u>ROOK'S</u>	STATE <u>KANSAS</u>	
OLD OR <u>NEW</u> (Circle one)				<u>3E 2N</u>			

CONTRACTOR W-W Rig #6

TYPE OF JOB Production String (D-V)

HOLE SIZE 7 7/8 T.D. 3800'

CASING SIZE 5 1/2 New DEPTH 3794'

TUBING SIZE 14# DEPTH

DRILL PIPE DEPTH

TOOL D-V TOOL @ DEPTH 1617.

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT 39 1/2 / BBL

EQUIPMENT

PUMP TRUCK CEMENTER GLENN

398 HELPER GARY

BULK TRUCK

344 DRIVER DAVIDE (G.R.)

BULK TRUCK

DRIVER

OWNER

CEMENT (USED 400 SK)

AMOUNT ORDERED 450 SK 6% GEL

1/4# Flo-Seal

PER SK

COMMON	<u>240</u>	@	<u>1065</u>	<u>2556.00</u>
POZMIX	<u>160</u>	@	<u>580</u>	<u>928.00</u>
GEL	<u>20</u>	@	<u>16.65</u>	<u>333.00</u>
CHLORIDE		@		
ASC		@		
<u>FloSeal</u>	<u>100#</u>	@	<u>2.00</u>	<u>200.00</u>

RECEIVED

KANSAS CORPORATION COMMISSION

JUN 01 2007

CONSERVATION DIVISION
WICHITA, KS

HANDLING	<u>473</u>	@	<u>1.90</u>	<u>898.00</u>
MILEAGE	<u>94/SK</u>	@	<u>MILE</u>	<u>2554.00</u>
				TOTAL <u>7169.00</u>

TOP STAGE REMARKS:

OPEN D-V TOOL @ 950 #.

LAND Plug @ 1500 #. (Closed DV TOOL)

Cement Did Circulate

15SK @ Rat Hole

THANKS.

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>955.00</u>
EXTRA FOOTAGE	@		
MILEAGE	@		
MANIFOLD	@		
	@		
	@		
TOTAL <u>955.00</u>			

CHARGE TO: Bowman Oil Company

STREET

CITY STATE ZIP

Cement Circulated - Mr. Glenn Cramer

- William A. Bowman

- Mike

PLUG & FLOAT EQUIPMENT

	@		
	@		
	@		
	@		

ALLIED CEMENTING CO., INC. 33050

LEMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

DATE: <u>3-7-07</u>		SEC: <u>30</u>	TWP: <u>10</u>	RANGE: <u>19</u>	CALLLED OUT	ON LOCATION	<u>Russell</u>
LEASE: <u>Keller</u>		WELL #: <u>B-3</u>	LOCATION: <u>Palco S To Co. line</u>		JOB START: <u>10:00am</u>	JOB FINISH: <u>10:30am</u>	
OLD OR <u>(NEW)</u> (Circle one)		3 E 2 N		COUNTY: <u>ROOK'S</u>	STATE: <u>KANSAS</u>		

CONTRACTOR: <u>W-W Rig #6</u>	OWNER:
TYPE OF JOB: <u>Production String (n-v)</u>	CEMENT:
HOLE SIZE: <u>7 7/8</u> T.D. <u>3800</u>	AMOUNT ORDERED: <u>175 sk ASC, 226 gal</u>
CASING SIZE: <u>5 1/2</u> NEW DEPTH: <u>3794</u>	<u>5% SALT</u>
TUBING SIZE: <u>14#</u> DEPTH:	<u>500 Gal WFR-2 Flush</u>
DRILL PIPE DEPTH:	COMMON _____ @ _____
TOOL LATCH Down Plug Assy DEPTH @ <u>3774</u>	POZMIX _____ @ _____
PRES. MAX / MINIMUM	GEL <u>3</u> @ <u>165</u> <u>499</u>
MEAS. LINE SHOE JOINT <u>20.45</u>	CHLORIDE _____ @ _____
CEMENT LEFT IN CSG. <u>20.45</u>	ASC <u>175</u> @ <u>1310</u> <u>2292.50</u>
PERFS.	SALT <u>9</u> @ <u>1920</u> <u>17280</u>
DISPLACEMENT <u>92 / 86L</u>	WFR-2 <u>500 gals</u> @ <u>102</u> <u>50000</u>
EQUIPMENT	HANDLING <u>187</u> @ <u>190</u> <u>35530</u>
PUMP TRUCK CEMENTER <u>GLENN</u>	MILEAGE <u>94/sk/mile</u> <u>100980</u>
# <u>398</u> HELPER <u>GARY</u>	TOTAL <u>4380.50</u>
BULK TRUCK	
# <u>315</u> DRIVER <u>DOUG</u>	
BULK TRUCK	
#	

BOTTOM STAGE REMARKS:

Open TAT-Plex @ 800 #
LAND LATCH Down Plug @ 1500 # (held)
THANKS

CHARGE TO: Bowman Oil Company
STREET _____
CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE: [Signature]

SERVICE

DEPTH OF JOB		
PUMP TRUCK CHARGE		<u>16600</u>
EXTRA FOOTAGE @		
MILEAGE <u>60</u> @ <u>600</u>		<u>36000</u>
MANIFOLD @		
TOTAL		<u>19700</u>

PLUG & FLOAT EQUIPMENT

TAT-Plex Shoe @	<u>13000</u>
LATCH Down Plug Assy @	<u>3750</u>
7-CENTRALIZERS @ <u>50</u>	<u>3500</u>
2-BASKETS @ <u>150</u>	<u>3000</u>
1-D.V. TOOL @	<u>3500</u>
TOTAL	<u>58250</u>
TAX _____	
TOTAL CHARGE _____	
DISCOUNT _____ IF PAID IN 30 DAYS	

PRINTED NAME _____

RECEIVED
KANSAS CORPORATION COMMISSION

JUN 01 2007

CONSERVATION DIVISION
WICHITA, KS

Faxed 3/15/07