



Operator Name: LOBO PRODUCTION, INC. Lease Name: O'BRIEN Well #: 4-34  
 Sec. 34 Twp. 4 S. R. 42  East  West County: CHEYENNE

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  <b>Radiation Guard Log</b> <b>Dual Spaced Cement Bond Log</b>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum <b>CEDAR HILLS 3070' 474'</b>
--	---

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives
SURFACE	9 7/8"	7"	20#	146'	COMMON	34	
PRODUCTION	6 1/4"	4 1/2"	11.6#	3241'	150 Lite / 75 Asc	225	2 Gel / 57# Flo Seal

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	
			Depth
2	3110-3150'		
2	3160-3180'		

TUBING RECORD		Size <u>2 3/8"</u>	Set At <u>3069'</u>	Packer At <u>3070'</u>	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First. Resumerd Production. SWD or Enhr.			Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input checked="" type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas      METHOD OF COMPLETION      Production Interval

Vented    Sold    Used on Lease     
  Open Hole    Perf.    Dually Comp.    Commingled  
*(If vented, Submit ACO-18.)*     
  Other (Specify) Disposal well

Ticket

DELIVERY TICKET

ST. FRANCIS SAND

No. 012740

AND Redi-Mix

P. O. Box 281 ST. FRANCIS, KS. 67756

Phone (785) 332-3123

REDI-MIX CONCRETE EXCAVATING

Date 7-27-11

PROJECT: O'Brien 34

SOLD TO: Solo Production

ADDRESS:

Time Loaded  
Time Delivered  
Time Released  
Time Returned

It is agreed that free unloading time shall be 15 minutes for each first cubic yard and 10 minutes for each yard thereafter. A charge of \$1.00 for each 10 minutes excess time will be made.  
Delivery inside curb line made only at risk of purchaser.  
No damage claims considered without proof of driver negligence.

Rec'd by

Truck No.	Driver	Quantity	Price	Amount
		3450	12.00	41400.00
Mix	Slump S - M - D	Total Miles 17	Mileage 4.00	68.00
Added Water Reduces Strength & Durability				
Gals Added	Authorized By	Cooling		35.00
		Cool		21.00
Cash	Charge	Sales Tax	38.84	
		Total	470.84	

RECEIVED

JUN 04 2007

KCC WICHITA

# ALLIED CEMENTING CO., INC.

24997

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

OAKLEY

DATE <u>8-16-06</u>	SEC <u>34</u>	TWP. <u>4S</u>	RANGE <u>42W</u>	CALLED OUT	ON LOCATION <u>3:00 PM</u>	JOB START <u>8:15 PM</u>	JOB FINISH <u>9:00 PM</u>
LEASE <u>O'Brien</u>	WELL # <u>2-34</u>	LOCATION <u>Goodland 20 N-12W-3W-4W</u>		COUNTY <u>Cheyenne</u>	STATE <u>Ks.</u>		
OLD OR <input checked="" type="radio"/> NEW (Circle one)			<u>5 IN</u>				

CONTRACTOR POE SERVICING, INC. OWNER 8 SAME

TYPE OF JOB PRODUCTION STRING

HOLE SIZE 6 1/2" T.D. 3247'

CASING SIZE 4 1/2" DEPTH 3227

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX 1500 PSI MINIMUM 300 PSI

MEAS. LINE \_\_\_\_\_ SHOE JOINT 20'

CEMENT LEFT IN CSG. 20'

PERFS. \_\_\_\_\_

DISPLACEMENT 50 BBL.

**EQUIPMENT**

PUMP TRUCK # 191 CEMENTER TERRY HELPER WAYNE

BULK TRUCK # 347 DRIVER REX

BULK TRUCK # \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

MIX 150 SKS LITE 1/4" FLO-SEAL  
75 SKS ASC 206 GEL 1/4" FLO-SEAL  
WASH TRUCK & LINES, DISPLACE  
50 BBL WATER

Plug Landed AT 1500 PSI.  
FLOAT HELD

THANK YOU

CHARGE TO: Lobo Production, INC.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

CEMENT	AMOUNT ORDERED		
	<u>75 SKS ASC 206 GEL 1/4" FLO-SEAL</u>		
	<u>150 SKS LITE 1/4" FLO-SEAL</u>		
COMMON	@		
POZMIX	@		
GEL <u>25 SKS</u>	@	<u>16.65</u>	<u>33.30</u>
CHLORIDE	@		
ASC <u>75 SKS</u>	@	<u>14.20</u>	<u>1065.00</u>
	@		
<u>LITE 150 SKS</u>	@	<u>10.75</u>	<u>1612.50</u>
	@		
<u>FLO-SEAL 57 #</u>	@	<u>2.00</u>	<u>114.00</u>
	@		
	@		
	@		
HANDLING <u>241 SKS</u>	@	<u>1.90</u>	<u>457.90</u>
MILEAGE <u>94 per SK/mile</u>			<u>1626.75</u>
<b>RECEIVED</b>		TOTAL	<u>4909.45</u>

JUN 04 2007

SERVICE

**KCC WICHITA**

DEPTH OF JOB	<u>3247'</u>
PUMP TRUCK CHARGE	<u>1610.00</u>
EXTRA FOOTAGE	@
MILEAGE <u>75 MI</u>	@ <u>6.00</u> <u>450.00</u>
MANIFOLD	@
	@
	@
TOTAL	<u>2060.00</u>

**PLUG & FLOAT EQUIPMENT**

<u>1-Latch down plug ASSY</u>	<u>325.00</u>
	@
	@
	@
	@
	@
TOTAL	<u>325.00</u>

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Rachel Miller

PRINTED NAME