## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION WELL COMPLETION FORM

Form ACO-1 September 1999 Form Must Be Typed

KCC WICHITA

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License #32756	API No. 15 - 099-23872-0000
Name: Double 7 Oil & Gas	County: Labette
21003 Wallace Rd.	SE NE SW Sec. 33 Twp. 31s. R.21 A East West
City/State/Zip: Parsons Ks. 67357	1640   feet from (S) N (circle one) Line of Section
Purchaser:	2730 feet from (E) W (circle one) Line of Section
Operator Contact Person: Bruce Schulz	Footages Calculated from Nearest Outside Section Corner:
Phone: () 316-423-0951	
•	(circle one) NE SE NW SW  Lease Name: Schulz Well #: 10a
Contractor: Name:	Field Name: Well #: 100
License:	Producing Formation: Bartlesville
Wellsite Geologist:	•
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 300 Plug Back Total Depth:
SWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 201 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth to sx cmt.  Alt 2-Dq , 5/22/00
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug Back Plug Back Total Depth	Dewatering method used Empty & Fill
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No.	Operator Name:
3-18-06 3-21-06 3-21-06	Lease Name: License No.:
	- Quarter Sec TwpS. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, work information of side two of this form will be held confidential for a period	with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, cover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. of 12 months if requested in writing and submitted with the form (see rule 82-3-pgs and geologist well report shall be attached with this form. ALL CEMENTING cells. Submit CP-111 form with all temporarily abandoned wells.
dia si al	
All requirements of the statutes, rules and regulations promulgated to require are complete and correct to the first of my knowledge.	gulate the oil and gas industry have been fully complied with and the statements
Herein are complete and contact to industry in knowledge.	
Signature: Sull Schuf	KCC Office Use ONLY
Tillo: Dunes Dato: 4/5/06	Letter of Confidentiality Attached
- A	If Denied, Yes Date:
Subscribed and sworn to before me this war day of MARGARE/A. PATTERS	
OFFICIAL MY COMMISSION EXPIR	RES
Notary Public: hayuut February 2, 2008	Geologist Report Received RECEIV
Date Commission Expires: 2/2/2008	APR 0 6 2

Operator Name: _D <del>D</del> ul	ole 7 Oil	&_Ga	s	Lea	se Name:_	Sci	1ulz 	LUa : <b># :</b> Well .			
ec. 33 Twp. 31	_s. R. <u>21</u>	Eas!	t 🗌 West	Cou	nty: <u>La</u>	bette			i d		
STRUCTIONS: Show sted, time tool open a mperature, fluid recov ectric Wireline Logs s	nd closed, flowing ery, and flow rate:	and shut if gas to	l-in pressures, surface test, a	whether long wit	shut-In pre	essure reached	static level hydro-	tatic process	ron hallam kala		
Drill Stem Tests Taken Yes No (Attach Additional Sheets)  Samples Sent to Geological Survey Yes No			es 🏻 No		□ c	og Format	lon (Top), Depth ar	nd Datum	Sample		
				Nam	o		Тор	Datum			
Cores Taken Electric Log Run (Submit Copy)		□ Y				•					
t All E. Logs Run:											
									•		
		n	CASING								
Purpose of String	Size Hole		e Casing	T	, surface, Inte /eight	ermediate, produc	tion, etc.	# Sacjs	Type and Percen		
Surface Drill Well	Drilled	20'	6 <sup>1</sup> 411	Lb	os. / Ft.	Depth	Cement Portland	Used 5	Additives		
Longstring		·····	3/8			288	"	30			
			ADDITIONAL	CEMEN	TING / SQL	JEEZE RECORI	)				
Purpose:  —— Perforate  —— Protect Casing  —— Plug Back TD  —— Plug Off Zone	Depth Top Bottom	Typo of Cement			cks Used	Type and Percent Additives					
Shots Per Foot PERFORATION RECORD - Bridge Plu Specify Footage of Each Interval Pe											
UBING RECORD	Size 238	Set At		Packs	or At	Liner Run	Yes No				
ate of First, Resumerd P	roduction, SWD or E	nhr.	Producing Met	hod	Flowin	g Pump	ing Gastift	□ Oth	er (Explain)		
stimated Production Per 24 Hours	Oit	3bls.	Gas	Mc1	Wate	or [		s-Oll Ratio	Gravity		
Disposition of Gas	METHOD OF C	OMPLETIC	/ Эй		1	Production Inte	rval				
Vented Sold (If vented, Sumi	Used on Lease (ACO-18.)		Other (Spec	P	orf, [] [	Dually Comp.	Commingled	<del></del>	······································		



## Flyer Feed & Tire

P. O. Box 216 501 N. Galveston Thayer, KS 66776-0216 (620) 839-5400



NAME Double 7										
ADDRESS.		<u> </u>	4 %	1						
	CASH	C.O.D.	CHARGE	ON ACCT.	MDSE. RET'D.	PAID OL	TT T			1
QUAN.		, D	ESCRIPTI	ON .	•	PRICE	AMOL	JNT		i
450	Port	land				5 %	£ 2677	5		
							UC	1		
		<del></del>			<del></del>		Or	1	וט	NAL
										1
									I .	1
	I.		<del></del>							
					K.E.T.				! !	
				Sal	es Tax	195	46		}	
CO #11490			<del></del>	T IST be accomp	OTAL	2872	96		1	

15-099-23872-00-00

RECEIVED

APR 0 6 2006

KCC WICHITA