

ORIGINAL

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

RECEIVED  
KANSAS CORPORATION COMMISSION

AUG 13 2007

Form ACO-1  
September 1999  
Form Must Be Typed

Operator: License # 33306  
Name: BLAKE EXPLORATION  
Address: BOX 150  
City/State/Zip: BOGUE KANSAS 67625  
Purchaser: \_\_\_\_\_  
Operator Contact Person: MIKE DAVIGNON  
Phone: (785) 421-2921  
Contractor: Name: Murfin Drig.  
License: 30606  
Wellsite Geologist: MIKE DAVIGNON

Designate Type of Completion:  
\_\_\_\_ New Well \_\_\_\_ Re-Entry \_\_\_\_ Workover  
\_\_\_\_ Oil \_\_\_\_ SWD \_\_\_\_ SLOW \_\_\_\_ Temp. Abd.  
\_\_\_\_ Gas \_\_\_\_ ENHR \_\_\_\_ SIGW  
 Dry \_\_\_\_ Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
\_\_\_\_ Deepening \_\_\_\_ Re-perf. \_\_\_\_ Conv. to Enhr./SWD  
\_\_\_\_ Plug Back \_\_\_\_ Plug Back Total Depth  
\_\_\_\_ Commingled \_\_\_\_ Docket No. \_\_\_\_\_  
\_\_\_\_ Dual Completion \_\_\_\_ Docket No. \_\_\_\_\_  
\_\_\_\_ Other (SWD or Enhr.?) \_\_\_\_ Docket No. \_\_\_\_\_

4/14/05      4/18/05  
Spud Date or      Date Reached TD      Completion Date or  
Recompletion Date           Recompletion Date

API No. 15 - 163234350000  
County: ROOKS  
C C SW NE Sec. 23 Twp. 8 S. R. 20  East  West  
1900 feet from S /  (circle one) Line of Section  
1900 feet from  E / W (circle one) Line of Section


Footages Calculated from Nearest Outside Section Corner:  
(circle one)  NE SE NW SW  
Lease Name: BALDWIN Well #: 1  
Field Name: \_\_\_\_\_  
Producing Formation: \_\_\_\_\_  
Elevation: Ground: 2000 Kelly Bushing: 2005  
Total Depth: 3578 Plug Back Total Depth: 3578  
Amount of Surface Pipe Set and Cemented at 220 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan PA N14 7-16-08  
(Data must be collected from the Reserve Pit)  
Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: V.P. Date: 8/9/07  
Subscribed and sworn to before me this 9 day of August  
20 07  
Notary Public: [Signature]  
Date Commission Expires: \_\_\_\_\_



**KCC Office Use ONLY**  
 Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
\_\_\_\_ Geologist Report Received  
\_\_\_\_ UIC Distribution

Operator Name: BLAKE EXPLORATION Lease Name: BALDWIN Well #: 1  
 Sec. 23 Twp. 8 S. R. 20  East  West County: ROOKS

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)  
 Samples Sent to Geological Survey  Yes  No  
 Cores Taken  Yes  No  
 Electric Log Run  Yes  No  
 (Submit Copy)

List All E. Logs Run:

**R/A GUARD BY LOGTECH**

Log Formation (Top), Depth and Datum  Sample  
 Name Top Datum  
 ANHYDRITE 1516  
 HEEBNER 3198  
 LANSING 3236  
 ARBUCKLE 3489

RECEIVED  
 KANSAS CORPORATION COMM' SSION

**AUG 13 2007**

CONSERVATION DIVISION

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	12 1/4	8 5/8"	24#	220	COM	150	3% C.C. 2% GEL

WICHITA, KS

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing				
___ Plug Back TD				
___ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record		Depth
	Specify Footage of Each Interval Perforated		(Amount and Kind of Material Used)		

TUBING RECORD		Size	Set At	Packer At	Liner Run
					<input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method			
6/7/07		<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas  Vented  Sold  Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

# ALLIED CEMENTING CO., INC. 10643

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: R

DATE <u>7/11/07</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASE <u>...</u>	WELL# <u>2</u>	LOCATION <u>...</u>			COUNTY	STATE	
OLD OR NEW (Circle one)							

CONTRACTOR ...

TYPE OF JOB ...

HOLE SIZE 10 1/2 T.D. ...

CASING SIZE ... DEPTH ...

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. ...

PERFS. \_\_\_\_\_

DISPLACEMENT 134361

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED ...

COMMON \_\_\_\_\_ @ \_\_\_\_\_

POZMIX \_\_\_\_\_ @ \_\_\_\_\_

GEL \_\_\_\_\_ @ \_\_\_\_\_

CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_

ASC \_\_\_\_\_ @ \_\_\_\_\_

**RECEIVED**  
KANSAS CORPORATION COMMISSION  
**AUG 13 2007**  
CONSERVATION DIVISION  
WICHITA, KS

**EQUIPMENT**

PUMP TRUCK CEMENTER ...

# ... HELPER ...

BULK TRUCK \_\_\_\_\_

# ... DRIVER ...

BULK TRUCK \_\_\_\_\_

# \_\_\_\_\_ DRIVER \_\_\_\_\_

HANDLING \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

**REMARKS:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**SERVICE**

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

CHARGE TO: ...

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE: ... PRINTED NAME: Larry P. ...

# ALLIED CEMENTING CO., INC.

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Russell

DATE <u>4-18-05</u>	SEC. <u>23</u>	TWP. <u>8</u>	RANGE <u>20</u>	CALLED OUT <u>5:00PM</u>	ON LOCATION <u>5:45PM</u>	JOB START <u>6:00AM</u>	JOB FINISH <u>9:00PM</u>
LEASE <u>Baldwin</u> WELL# <u>1</u>		LOCATION <u>Damar SE 2N 4E 2S</u>			COUNTY <u>Reno</u>	STATE <u>KANSAS</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR MURFIN

TYPE OF JOB Rotary Plug

HOLE SIZE 7 7/8 T.D. 3576'

CASING SIZE 8 5/8 DEPTH 220'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE 4 1/2 DEPTH 3528'

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED 215 SK No. 6-7664

1/4 # F10-SAL

PER SK

**EQUIPMENT**

PUMP TRUCK # 366 CEMENTER Glenn HELPER Shane

BULK TRUCK # 213 DRIVER Keith

BULK TRUCK # \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON \_\_\_\_\_ @ \_\_\_\_\_

POZMIX \_\_\_\_\_ @ \_\_\_\_\_

GEL \_\_\_\_\_ @ \_\_\_\_\_

CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_

ASC \_\_\_\_\_ @ \_\_\_\_\_

**RECEIVED**

**KANSAS CORPORATION**

**AUG 13 2007**

**CONSERVATION DIVISION**

**WICHITA, KS**

HANDLING MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

**REMARKS:**

25 SK @ 3528'

25 SK @ 1530'

100 SK @ 855'

40 SK @ 270'

10 SK @ 40' d water Plug

15 SK @ PAT HOLE

**THANKS**

CHARGE TO: BLAKE EXPLORATION LLC.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

TOTAL \_\_\_\_\_

**SERVICE**

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

**PLUG & FLOAT EQUIPMENT**

8 5/8 Woodwiper Plug

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE [Signature]

LARRY F. JAMES

PRINTED NAME