

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 5363
Name: Berexco Inc.
Address: PO Box 20380
City/State/Zip: Wichita, KS 67208
Purchaser: Central Crude Corporation
Operator Contact Person: Jeremy Ensz
Phone: (316) 265-3311
Contractor: Name: Beredco Inc.
License: 5147
Wellsite Geologist: N/A

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: Donald C. Slawson

Well Name: Kruse O #1
Original Comp. Date: 8/23/78 Original Total Depth: 4621'

Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

11/7/06 11/10/06 1/19/07
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 109-20110-00-01
County: Logan
SW SE SE Sec. 12 Twp. 11 S. R. 33 East West
330 FSL feet from S / N (circle one) Line of Section
1025 FEL feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Kruse O Well #: 1
Field Name: Cook

Producing Formation: LKC
Elevation: Ground: 3076 Kelly Bushing: 3087
Total Depth: 4624 Plug Back Total Depth: 4601
Amount of Surface Pipe Set and Cemented at 298 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 2572 Feet
If Alternate II completion, cement circulated from 2572
feet depth to surface w/ 720 sx cmt.

Drilling Fluid Management Plan WD WFM 8-27-07
(Data must be collected from the Reserve Pit)
Chloride content 1000 ppm Fluid volume 500 bbls
Dewatering method used Evaporation

Location of fluid disposal if hauled offsite:
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: District Engineer Date: 5/7/07
Subscribed and sworn to before me this 7th day of May
20 07
Notary Public: [Signature] **DIANA E. BELL**
Notary Public - State of Kansas
My Comm. Expires 8-10-07
Date Commission Expires: Aug 10, 2007

KCC Office Use ONLY
 Letter of Confidentiality Received
 If Denied, Y _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
RECEIVED
KANSAS CORPORATION COMMISSION

MAY 09 2007

Operator Name: Berexco Inc. Lease Name: Kruse O Well #: 1
 Sec. 12 Twp. 11 S. R. 33 East West County: Logan

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy)
 List All E. Logs Run:

None

Log Formation (Top), Depth and Datum Sample
 Name Top Datum
 N/A

CONFIDENTIAL

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./ Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12.25"	8.625"	23	298	common	200	
production	7.875"	5.5"	15.5	4624	see tickets	750	see tickets

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	990 to surf	see tickets	220	see tickets

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type	Acid, Fracture, Shot, Cement Squeeze Record	Depth
	Specify Footage of Each Interval Perforated	(Amount and Kind of Material Used)	
4	4249-4256	2750 gallons 15% HCL	
4	4199-4202	1250 gallons 15% HCL	
4	4140-4143	1250 gallons 15% HCL	
2	990'	170 sx 60/40 poz + 6% gel, 50 sx common + 3% cc	

TUBING RECORD		Size	Set At	Packer At	Liner Run
		2.875"	4576		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.			Producing Method		
4/5/07			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	5		37		

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)
 METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____
 Production Interval _____

RECEIVED
 KANSAS CORPORATION COMMISSION
 MAY 09 2007

ALLIED CEMENTING CO., INC.

25849

Federal Tax I.D.#

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Oakley, Ks

DATE <u>3-19-07</u>	SEC. <u>12</u>	TWP. <u>11</u>	RANGE <u>33 W</u>	CALLED OUT	ON LOCATION <u>10:00am</u>	JOB START <u>3:00pm</u>	JOB FINISH <u>4:00pm</u>
LEASE <u>Ruse</u>	WELL # <u>0-#1</u>	LOCATION <u>Oakley 3w-1s-1/2</u>		COUNTY <u>Logan</u>	STATE <u>Ks</u>		
<input checked="" type="radio"/> OLD OR NEW (Circle one)				<u>W n in</u>			

CONTRACTOR Professional Pulling Serv. OWNER same

TYPE OF JOB circ cement + squeeze

HOLE SIZE	T.D.
CASING SIZE <u>5 1/2</u>	DEPTH
TUBING SIZE <u>2 7/8</u>	DEPTH <u>940'</u>
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEASURE Packer <u>940'</u>	SHOE JOINT
CEMENT LEFT IN CSG. <u>Bridgeplug @ 1569'</u>	
PERFS. <u>980-990</u>	
DISPLACEMENT	

CEMENT			
AMOUNT ORDERED	<u>200 60/40 pos</u>		
	<u>69 seal 1 1/4" x 2 10-seal</u>		
	<u>50 com 3 3/4" 2 seal gel on</u>		
	<u>(used 170 seal)</u>		
COMMON	<u>152</u>	@ <u>12.20</u>	<u>1854.40</u>
POZMIX	<u>68</u>	@ <u>6.10</u>	<u>414.80</u>
GEL	<u>9</u>	@ <u>16.65</u>	<u>149.85</u>
CHLORIDE	<u>2</u>	@ <u>46.60</u>	<u>93.20</u>
ASC		@	
		@	
	<u>Closeal 50#</u>	@ <u>2.00</u>	<u>100.00</u>
		@	
		@	
		@	
		@	
		@	
HANDLING	<u>264</u>	@ <u>1.90</u>	<u>501.60</u>
MILEAGE	<u>1.09 x 5 km</u>		<u>240.00</u>
	<u>(minimum)</u>		
TOTAL			<u>3353.85</u>

EQUIPMENT

PUMP TRUCK	CEMENTER	<u>Fuzz</u>
# <u>102</u>	HELPER	<u>Sarrod</u>
BULK TRUCK		
# <u>386</u>	DRIVER	<u>Darwin</u>
BULK TRUCK		
#	DRIVER	

REMARKS:

Press Bridge Plug to 1000' + hold
Press B-side to 500' Inj rate
2 3/4 BAL/min 500' mix hoses
line followed by 50 com 3 3/4" wash
out pump + lines. Displace cement
stage for 2 1/2 hrs. reverse to
clean repressure squeeze to 500'
Job complete @
3:45pm

DEPTH OF JOB	<u>940'</u>
PUMP TRUCK CHARGE	<u>955.00</u>
EXTRA FOOTAGE	@
MILEAGE	<u>5</u> @ <u>6.00</u> <u>30.00</u>
MANIFOLD	@ <u>85.00</u>
	@
	@
TOTAL	<u>1070.00</u>

CHARGE TO: Berexo Inc

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

RECEIVED	
KANSAS CORPORATION COMMISSION	
MAY 09 2007	
CONSERVATION DIVISION	
WICHITA, KS	
TOTAL	

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE [Signature]

MARK LEIKEN
 PRINTED NAME

ALLIED CEMENTING CO., INC.

28531

Federal Tax I.D

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley

DATE	11-9-06	SEC	12	TWP.	13 ^s	RANGE	33 ^u	CALLED OUT		ON LOCATION	2:00 ^{pm}	JOB START	12:15 ^{Am}	JOB FINISH	1:30 ^{Am}
LEASE	Kruse	WELL #	0-1	LOCATION	Oakley 4W-13-14W-11S			COUNTY	Logan	STATE	Kan				
OLD OR (NEW) (Circle one)															

CONTRACTOR Beredco Drlg #10
 TYPE OF JOB Production (Top stage)
 HOLE SIZE 7 7/8" T.D.
 CASING SIZE 5 1/2" DEPTH 4634'
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL D-V Tool DEPTH 2572'
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT 62-BBL

OWNER Same
 CEMENT
 AMOUNT ORDERED 50 SKs ASC, 2% Gel
450 SKs Lite, 1/4# Flo Seal

EQUIPMENT
 PUMP TRUCK # 102 CEMENTER Walt, Fuzzy
 # 399 HELPER Jarrod
 BULK TRUCK DRIVER Larry
 # _____ DRIVER _____

COMMON	@		
POZMIX	@		
GEL	1 sk @	16.65	16.65
CHLORIDE	@		
ASC	50 SKs @	14.20	710.00
<u>Flo-Seal 113#</u>	@	2.00	226.00
<u>Lite 450 SKs</u>	@	10.75	4837.50
	@		
	@		
	@		
	@		
HANDLING	537-SKs @	1.90	1,020.30
MILEAGE	9¢ per SK/mile		241.65
TOTAL			7,052.10

REMARKS:

Circ 2 Hrs between stages
Put 10 SKs in mltr.
" 15 SKs in Ruff.
mixed 425 SKs Lite, Tail in W/50ASC
Displace 62 BBL @ 650#
Shut tool @ 1500#, held
Did not Circ Contact
Thank You

SERVICE

DEPTH OF JOB		
PUMP TRUCK CHARGE		955.00
EXTRA FOOTAGE	@	
MILEAGE	miles @	6.00 N/C
MANIFOLD	@	
	@	
TOTAL		955.00

CHARGE TO: Berexco Inc
 STREET _____
 CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

RECEIVED
 KANSAS CORPORATION COMMISSION
 MAY 09 2007
 CONSERVATION DIVISION
 WICHITA, KS

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Ed Hawes

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS
 PRINTED NAME _____

ALLIED CEMENTING CO., INC.

28530

Federal Tax I.D

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley

DATE <u>11-9-06</u>	SEC. <u>12</u>	TWP. <u>13</u>	RANGE <u>33</u>	CALLED OUT	ON LOCATION <u>2:00 PM</u>	JOB START <u>9:00 PM</u>	JOB FINISH <u>10:00 PM</u>
LEASE <u>Kruse</u>	WELL # <u>0-1</u>	LOCATION <u>Oakley 4W-15-14W-14S</u>	COUNTY <u>Logan</u>	STATE <u>Kan</u>			
OLD OR <u>(NEW)</u> (Circle one)							

CONTRACTOR Beredco Drk #10

TYPE OF JOB Production

HOLE SIZE 7 7/8" T.D.

CASING SIZE 5 1/2" DEPTH 4634'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL D-V Tool DEPTH 2572'

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT 15'

CEMENT LEFT IN CSG. 15'

PERFS. 64 BBL mud

DISPLACEMENT 48 BBL water

EQUIPMENT BBL ~~water~~

OWNER Same

CEMENT

AMOUNT ORDERED 150 SKs ASC, 286cel
100 SKs Lite, 1/4 Flo-Seal

COMMON	@		
POZMIX	@		
GEL		<u>3 SKs</u>	@ <u>16.65</u> <u>49.95</u>
CHLORIDE	@		
ASC		<u>150 SKs</u>	@ <u>14.20</u> <u>2,130.00</u>
Lite		<u>100 SKs</u>	@ <u>10.75</u> <u>1,075.00</u>
Flo-Seal		<u>25 #</u>	@ <u>2.00</u> <u>50.00</u>
	@		
	@		
	@		
	@		
	@		
HANDLING		<u>269-SKs</u>	@ <u>1.90</u> <u>511.10</u>
MILEAGE		<u>9¢ per SK/mile</u>	<u>2.40</u> <u>2.40.00</u>
			TOTAL <u>4,056.05</u>

PUMP TRUCK CEMENTER Walt

102 HELPER Jarrod

BULK TRUCK

315 DRIVER Kelly

BULK TRUCK

218 DRIVER Darrin

REMARKS:

SERVICE

DEPTH OF JOB		
PUMP TRUCK CHARGE		<u>1,750.00</u>
EXTRA FOOTAGE	@	
MILEAGE		<u>5-miles</u> @ <u>6.00</u> <u>30.00</u>
MANIFOLD	@	
<u>Head rental</u>	@	<u>100.00</u>
	@	

TOTAL 1,880.00

CHARGE TO: Berexco Inc

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

		<u>5 1/2</u>
1-Guide Shoe	@	<u>160.00</u>
1-Latch down Plug assy	@	<u>375.00</u>
B 2-Baskets	@	<u>150.00</u> <u>300.00</u>
B 15-Centralizers	@	<u>50.00</u> <u>750.00</u>
1-DV Tool	@	<u>3,500.00</u>
2-Limit Clamps		<u>20.00</u> <u>40.00</u>
TOTAL <u>5,125.00</u>		

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE El Hayes

RECEIVED
KANSAS CORPORATION COMMISSION PRINTED NAME

MAY 09 2007