



Operator Name: CORAL PRODUCTION CORP. Lease Name: CODY SCHECK Well #: 1  
 Sec. 19 Twp. 13 S. R. 16  East  West County: ELLIS

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  <b>CDN 3477' - 2850'; DIL 3499' - 0';                  MICROLOG 3498' - 2850'</b>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>HEEBNER</td> <td>3198</td> <td>-1214</td> </tr> <tr> <td>TORONTO</td> <td>3217</td> <td>-1233</td> </tr> <tr> <td>LANSING</td> <td>3246</td> <td>-1262</td> </tr> <tr> <td>BKC</td> <td>3470</td> <td>-1485</td> </tr> <tr> <td>ARBUCKLE</td> <td>3491</td> <td>-1507</td> </tr> <tr> <td>TD</td> <td>3501</td> <td>-1517</td> </tr> </table>	Name	Top	Datum	HEEBNER	3198	-1214	TORONTO	3217	-1233	LANSING	3246	-1262	BKC	3470	-1485	ARBUCKLE	3491	-1507	TD	3501	-1517
Name	Top	Datum																				
HEEBNER	3198	-1214																				
TORONTO	3217	-1233																				
LANSING	3246	-1262																				
BKC	3470	-1485																				
ARBUCKLE	3491	-1507																				
TD	3501	-1517																				

CASING RECORD <input checked="" type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	12 1/4"	8 5/8"	23 NEW	222'	COMM	150	3% GEL, 2% CC
PRODUCTION	7 7/8"	5 1/2"	15 USED	3501'	COMM	350	6% GEL, 1/4# FLOCEL

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	0-1150'	ASC	125	2% GEL

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
OPEN HOLE	3494-3501	NONE	
		<b>RECEIVED</b> <b>APR 04 2005</b> <b>KCC WICHITA</b>	

TUBING RECORD	Size	Set At	Packer At	Liner Run
	2 7/8"			<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method		
3/10/05		<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity
	30		25	37

Disposition of Gas  Vented  Sold  Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

COPY

DRILLERS WELL LOG

ORIGINAL

Date Commenced: February 3, 2005  
Date Completed: February 10, 2005

Coral Production Corporation  
Scheck #1  
NE SW SE Sec. 19-13W-16W  
Ellis County, Kansas

Elevation: 1979' G.L.  
1984' K.B.

0 - 222' Lime & Shale  
222 - 2910' Sand & Shale  
2910 - 3110' Lime & Shale  
3110 - 3506' Shale  
3506' R.T.D.

FORMATION DATA

Surface Pipe: Set 23#, new, 8 5/8"  
casing @ 222' with 150 sacks  
Common, 3% Gel., 2% CC.

Production Pipe: Set 15#, new, 5 1/2"  
casing @ 3501' with 350 sacks  
Common, 6% Gel., 1/4# Flocele. 2<sup>nd</sup>  
Stage - 125 sacks ASC, 2% Gel.,  
500 gallon WFR/2.

AFFIDAVIT

RECEIVED

APR 04 2005

KCC WICHITA

STATE OF KANSAS        )  
                                  ) ss:  
COUNTY OF RUSSELL    )

Alan Vonfeldt of lawful age, does swear and state that the facts and statements  
herein are true and correct to the best of his knowledge.


Alan Vonfeldt  
Alan Vonfeldt

Subscribed and sworn to before me this 17<sup>th</sup> day of February, 2005.

My Commission Expires:

August 30, 2007

Cheryl M. Payne  
Cheryl M. Payne, Notary Public



# ALLIED CEMENTING CO., INC. 18630

ORIGINAL  
SERVICE POINT: R

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

DATE <u>2/10/05</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION <u>9:00 A.M.</u>	JOB START	JOB FINISH <u>3:15 P.M.</u>
LEASE <u>Scheel</u>	WELL # <u>1</u>		LOCATION <u>Victoria 1E 4 1/4 N</u>	COUNTY <u>Ellis</u>	STATE <u>KS</u>		
<input checked="" type="radio"/> OLD OR <input checked="" type="radio"/> NEW (Circle one)			<u>W Fu</u>				

CONTRACTOR Vonfeldt OWNER \_\_\_\_\_

TYPE OF JOB Long string 2 stage (Bottom)

HOLE SIZE 7 7/8" I.D. 3500'

CASING SIZE 5 1/2" DEPTH 3501

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL D-V DEPTH 1150'

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT 14 1/2"

CEMENT AMOUNT ORDERED 125 ASC 2402 Gal

500 Gal W.F.R.-2

COMMON \_\_\_\_\_ @ \_\_\_\_\_

POZMIX \_\_\_\_\_ @ \_\_\_\_\_

GEL \_\_\_\_\_ @ \_\_\_\_\_

CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_

ASC \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

HANDLING \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

DISPLACEMENT 85361

EQUIPMENT \_\_\_\_\_

PUMP TRUCK CEMENTER Paul

# 345 HELPER Steve

BULK TRUCK DRIVER Larry

# 218

BULK TRUCK DRIVER Rufus

# 378

**REMARKS:**

CONV. #1, 3, 5, 7, 9, 11, 92

Basket on #7 + 91

D-V Tool # 91

Plug Landed & Float Held

Down @ 3:15 P.M.

CHARGE TO: Coral Prod.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Doug Budig

SERVICE

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

Fuller shoe @ \_\_\_\_\_

Let Down Ass. @ \_\_\_\_\_

Cent. 2 @ \_\_\_\_\_

Basket d @ \_\_\_\_\_

D-V Tool @ \_\_\_\_\_

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME Doug Budig

**RECEIVED**  
**APR 04 2005**  
**KCC WICHITA**

# ALLIED CEMENTING CO., INC. 18631 ORIGINAL

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: R

DATE <u>2/10/05</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION <u>3:45 p.m.</u>	JOB START	JOB FINISH <u>4:20 p.m.</u>
LEASE <u>Scheck</u>	WELL# <u>1</u>	LOCATION <u>Victoria</u>			COUNTY <u>Ellis</u>	STATE <u>Ks</u>	
<input checked="" type="radio"/> OLD OR NEW (Circle one)							

CONTRACTOR Vonfeldt

TYPE OF JOB Longstring (Top Stage)

HOLE SIZE 7 7/8" T.D. 3526'

CASING SIZE 5 1/2" DEPTH 3501'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL D-V DEPTH 1150'

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT 14 1/2"

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT 28 Bbl

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED 350 100/40 10% 661  
1/4" # Flt

USED 300 SY

COMMON \_\_\_\_\_ @ \_\_\_\_\_

POZMIX \_\_\_\_\_ @ \_\_\_\_\_

GEL \_\_\_\_\_ @ \_\_\_\_\_

CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_

ASC \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

HANDLING \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_

TOTAL \_\_\_\_\_

**EQUIPMENT**

PUMP TRUCK CEMENTER Paul

# 343 HELPER Steve

BULK TRUCK

# 328 DRIVER Rufus

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

Dropped Dart @ 3:18 p.m.

Rathole 155'

Make 105'

Cement Circ.

Tool Closed @ 4:20 p.m.

Tool Held

**SERVICE**

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

**RECEIVED**  
FEB 14 2005  
**KCC WICHITA**

CHARGE TO: Coral Prod.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

TOTAL \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Joe Borla Jr

Joe Borla  
PRINTED NAME

# ALLIED CEMENTING CO., INC. 18651

ORIGINAL *R*

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: \_\_\_\_\_

DATE <u>2-3-05</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASE <u>Scheck</u>	WELL # <u>1</u>	LOCATION <u>Victoria I-70 1 1/2 N</u>			COUNTY <u>Ellis</u>	STATE <u>Ks</u>	
OLD OR NEW (Circle one)				<u>1 E N 7 1/4 W</u>			

CONTRACTOR Vonfeldt Drly

TYPE OF JOB Surface

HOLE SIZE 12 1/4 I.D. 222

CASING SIZE 8 1/2 DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. 10-15

PERFS. \_\_\_\_\_

DISPLACEMENT 13 1/4 BBL

EQUIPMENT

345 Drac

PUMP TRUCK CEMENTER Steve

# \_\_\_\_\_ HELPER \_\_\_\_\_

BULK TRUCK \_\_\_\_\_

# \_\_\_\_\_ DRIVER \_\_\_\_\_

BULK TRUCK \_\_\_\_\_

# 222 DRIVER Rufus

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED 150 com 3 + 2

COMMON

POZMIX

GEL

CHLORIDE

ASC

HANDLING MILEAGE \_\_\_\_\_

REMARKS:

TOTAL \_\_\_\_\_

SERVICE

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_

EXTRA FOOTAGE

MILEAGE

MANIFOLD

TOTAL \_\_\_\_\_

CHARGE TO: Coral Petroleum

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

8 1/2 wooden

RECEIVED

APR 04 2005

KCC WICHITA

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Doug Budig

Doug Budig  
PRINTED NAME