For KCC Use: Effective Date: District # SGA? Tyes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: July 11, 2009 month day year	Spot Description:	-
31002	NE SW - NW - NW Sec. 14 Twp. 14 S. R. 22 XE WE WE WAY Section of Section	
OPERATOR: License#	leet from N / X o Elife of Section	
Name: Kelly Company, LC	feet from E / W Line of Section Is SECTION: Regular Irregular?	1
Address 1: 9746 Pflumm Road	is SECTION: Hegular Inregular?	
Address 2: State: KS Zip: _66215 _ +	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Jim O. Guinotte	County: Johnson	_
Phone: (620) 432-4545	Lease Name: KAI-4 Well #: KAI-4	-
	Field Name: Gardner /	-
CONTRACTOR: License#5989 Name: Kurt Finney dba Finney Drilling Company	Is this a Prorated / Spaced Field? Yes No	
Name: Rule Primary and Primary Disting Company	Target Formation(s): Bartlesville	_
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 440 ft.	-
Oil Enh Rec Infield IMud Rotary	Ground Surface Elevation: 1,000 est. feet MSL	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	
Disposal Wildcat Cable	Public water supply well within one mile:	
Seismic ; # of Holes Other	Depth to bottom of fresh water:	-
Other:	Depth to bottom of usable water: 300'	-
If OWWO: old well information as follows:	Surface Pipe by Alternate:	
II OVVVO. Old Well filloffilation as follows.	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe (if any):	-
Well Name:	Projected Total Depth: 900 ft.	-
Original Completion Date: Original Total Depth:	Formation at Total Depth: Bartlesville	-
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
	Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
KCC DKT #:	(Note: Apply for Permit with DWR (
NCC DRT #.	Will Cores be taken?	
	If Yes, proposed zone:	-
AFFI		
	DAMT	
	DAVIT ging of this well will comply with K.S.A. 55 et. seg. KANSAS (OPPODATION COMM	
The undersigned hereby affirms that the drilling, completion and eventual plug-	//11/4	SSION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:	ging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMI	'SSION
The undersigned hereby affirms that the drilling, completion and eventual plug- lt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	ging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMI	
The undersigned hereby affirms that the drilling, completion and eventual plug- lt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	ging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMI	
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	ging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMI JUL - 7 2009 reirculating cement to the top; in all cases surface pipe RECEIVED underlying formation.	
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district.	ging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMI JUL - 7 2009 reirculating cement to the top; in all cases surface pipe received anderlying formation. ct office on plug length and placement is necessary prior to plugging;	
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge	ging of this well will comply with K.S.A. 55 et. seq. **ANSAS CORPORATION COMMITTEE TO THE PROPERTY COMMITTEE TO THE PROP	
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intenti	ging of this well will comply with K.S.A. 55 et. seq. WANSAS CORPORATION COMMI JUL - 7 2009 recreating rig; recreating cement to the top; in all cases surface pipe recreating comments on the comment of the commen	
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the distriction. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	JUL - 7 2009 drilling rig; v circulating cement to the top; in all cases surface pipe cunderlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing	
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the standard of the standard of the standard or the well shall be provided to the standard of the standard or the well shall be provided to the standard of the standard or the well shall be provided to the standard of the standard or the well shall be provided to the standard of the standard or the	JUL - 7 2009 drilling rig; v circulating cement to the top; in all cases surface pipe received and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the district of the state of	JUL - 7 2009 drilling rig; v circulating cement to the top; in all cases surface pipe production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the district of the state of	JUL - 7 2009 drilling rig; v circulating cement to the top; in all cases surface pipe production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the standard of the standard of the standard or the well shall be provided to the standard of the standard or the well shall be provided to the standard of the standard or the well shall be provided to the standard of the standard or the well shall be provided to the standard of the standard or the	JUL - 7 2009 drilling rig; v circulating cement to the top; in all cases surface pipe received and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Agent Remember to:	
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	JUL - 7 2009 drilling rig; vectorculating cement to the top; in all cases surface pipe production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Remember to:	
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	JUL - 7 2009 drilling rig; recirculating cement to the top; in all cases surface pipe conderlying formation. controlled or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	JUL - 7 2009 drilling rig; vericulating cement to the top; in all cases surface pipe production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	14 1
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	JUL - 7 2009 drilling rig; vericulating cement to the top; in all cases surface pipe production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	drilling rig; // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It it is a fine to be a fine of the completion form ACO-1 within Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plusging report (CR-4) after plugging is completed (within 60 days):) 14 14
The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the intention of the well is dry hole, an agreement between the operator and the district of the well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. It hereby certify that the statements made herein are true and correct to the best bate. 5. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plugged. If the spud date or the well shall be plugged. If the spud date or the well shall be plugged. If the spud date or the well shall be plugged. If the spud date or the well shall be plugged. If the spud date or the well shall be plugged. If the spud date or the well shall be plugged. If the spud date or the well shall be plugged. If the spud date or the well shall be plugged. If the spud date or the well shall be plugged. If the spud date or the well shall be plugged. If the spud date or the well shall be plugged. If the spud date or the well shall be plugged. If the spud date or the well shall be plugged. If the spud date or the well shall be plugged. If the spud date or the well shall be plugged. If the spud date or the spud date or the spud date or the spud date or the spud	drilling rig; // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It it is a fine to be a fine of the completion form ACO-1 within Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plusging report (CR-4) after plugging is completed (within 60 days):	14 1
The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the appropriate district of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the intention of the well is dry hole, an agreement between the operator and the district of the well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proposed by the complete of the spud date or the well shall be proposed. For KCC Use ONLY API # 15 - O91 - 233 (43 - OD - OD) Conductor pipe required	drilling rig; // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to top plugging; // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to plugging; // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to the top; in all cases surface pipe // circulating cement to plugging; // corpliance // circulating cement to the top; in all cases surface pipe // circulating cement to plugging; // corpliance // circulating cement to pipe pipe to plugging; // circulating cement to plugg) 14 14
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the unimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either by the appropriate district office will be notified before well is either by the appropriate district office wi	JUL - 7 2009 drilling rig; vericulating cement to the top; in all cases surface pipe production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.) 14 14 22
The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the appropriate district of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the intention of the well is dry hole, an agreement between the operator and the district of the well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proposed by the complete of the spud date or the well shall be proposed. For KCC Use ONLY API # 15 - O91 - 233 (43 - OD - OD) Conductor pipe required	JUL - 7 2009 drilling rig; recirculating cement to the top; in all cases surface pipe recirculating cement to the top; in all cases surface pipe recirculating cement to the top; in all cases surface pipe recirculating cement to the top; in all cases surface pipe recirculating cement to the top; in all cases surface pipe recirculating cement to the top; in all cases surface pipe recirculating cement to the top; in all cases surface pipe recirculating cement to the top; in all cases surface pipe recirculating cement to to or plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.) 14 14 22
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the unimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either by the appropriate district office will be notified before well is either by the appropriate district office wi	JUL - 7 2009 drilling rig; vericulating cement to the top; in all cases surface pipe production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.) 14 14 22

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 09/-23363-00-00	
Operator: Kelly Company, LC	Location of Well: County: Johnson
Lease: Knabe-D	4,280 feet from N / X S Line of Section
Well Number: KAI-4	4,840 feet from X E / W Line of Section
Field: Gardner	Sec. 14 Twp. 14 S. R. 22 X E W
Number of Acres attributable to well: QTR/QTR/QTR of acreage: _NE _ SW _ NW _ NW _	ls Section: X Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

:	:	:					
	:	: :		:	: ;	: ;	:
	:						
		: .				:	
	•					:	
1	:		'			:	
	:	:	:		:	:	:
	• • • • • • • • • • • • • • • • • • • •		•••••		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	•••••
1	:	:	:			:	:
	:	:	•			:	:
	:	:	:	!	•	:	:
ĺ	:	:	:			:	
	:	:				:	:
1	:	:					
1							
į :	:	•				•	
}						:	•
	:	:		1		:	•
1	:	:	:		:	:	:
			• • • • • • • • • • • • • • • • • • • •		•••••		
	:	:	:	1	•	:	:
1	:	:	:	1		:	:
	:	:	:			:	:
1	·	·	• • • • • • • • • • • • • • • • • • • •			•	
	:	:	:	[:	:	:
	:	:	:	l	•	:	:
	:	:	:		:	:	:



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Kelly Company, LC		License Number: 31002			
Operator Address: 9746 Pflumm Re	oad		Lenexa KS 66215		
Contact Person: Jim O. Guinotte			Phone Number: (620) 432-4545		
Lease Name & Well No.: Knabe-D	KA	I-4	Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE SW NW NW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 14 Twp. 14 R. 22 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		4,280 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		4,840 Feet from East / West Line of Section Johnson		
	120	(bbls)	County		
s the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l		
s the bottom below ground level?	Artificial Liner?	No	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? native clay		
1		10			
Pit dimensions (all but working pits):	Length (le	et)	Width (feet) N/A: Steel Pits		
Depth to	om ground level to de		edures for periodic maintenance and determining		
material, thickness and installation procedure	: .	inter integrity, t	JUL - 7 20 RECEIVE		
Distance to nearest water well within one-mile	e of pit	Depth to shallo	owest fresh water30feet.		
n/a feet Depth of water well feet		Source of information:			
		measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		1	over and Haul-Off Pits ONLY:		
Number of producing wells on lease: Number of wo			Type of material utilized in drilling/workover: drilling mud Number of working pits to be utilized: 2		
		donment procedure: Let air dry and backfill			
Barrels of fluid produced daily:		Abandonnent	procedure. Just all ary arra sacrific		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		ts must be closed within 365 days of spud date.			
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.		
July 7, 2009 Date	a	onna	be closed within 365 days of spud date. It of my knowledge and belief. Analaa Signature of Applicant or Agent		
	КСС	OFFICE USE O	NLY Steel Pit RFAC RFAS		
Date Received: 7/7/09 Permit Num			nit Date: 7/7/09 Lease Inspection: Yes No		





NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.