For KCC Use: 7-18-2009 Effective Date: 3 District

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	* le . s
Expected Spud Date: July 20, 2009	NWHE SW Sec. 29 Twp30 S. R. 16 X E W
OPERATOR: License#	feet from N / S Line of Section
Name: AX&P, Inc.	3980 feet from F / W Line of Section
Address 1: 20147 200 Rd	Is SECTION: 🗶 Regular 🔲 Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City:Neodesha State: KS Zip: 66757+	County: Wilson
Contact Person: J J Hanke	Lease Name: Unit 1 - Wolfe West Well #WW#30-E
Phone: 620 325-5212	Field Name: Neodesha /
CONTRACTOR: License# 33079	Is this a Prorated / Spaced Field?
Name: Tubbs Drilling / Pat Tubbs	Target Formation(s): Neodesha Sand
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 500 + Ground Surface Elevation: 780 feet MSL
Oil Enh Rec Infield Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes X No
Disposal Wildcat Cable	Depth to bottom of fresh water: 100 ' +
Seismic ; # of Holes Other	Depth to bottom of usable water: 150 '+
Other:	Surface Pipe by Alternate: XII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 35
Operator:	Length of Conductor Pipe (if any):none
Well Name:	Projected Total Depth: 850
Original Completion Date: Original Total Depth:	Formation at Total Depth: Neodesha Sd.
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well X Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
ΔFF	DAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seg.
It is agreed that the following minimum requirements will be met:	JUL 1 0 2009
-	
	n-A-M-
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 	drilling rig; RECEIVED
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set b 	y circulating cement to the top; in all cases surface pipe shall be set
 A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation.
 A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distribution. 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging ;
 A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE ILCOMPLETION production pipe shall be cemented. 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging ; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Fastern Kansas surface casing order #15	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging ; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13.891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging ; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. The state of the knowledge and belief.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. The state of the knowledge and belief.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Title:
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface is the plugger of the appropriate district office will be notified before well is either plugger or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the between the plugger of the spud date or the well shall be set that the statements made herein are true and correct to the between the plugger of the spud date or the well shall be sufficiently that the statements made herein are true and correct to the between the plugger of the spud date or the well shall be sufficiently that the statements made herein are true and correct to the between the plugger of the spud date or the well shall be sufficiently that the statements made herein are true and correct to the best of the plugger of the spud date or the well shall be sufficiently that the statements made herein are true and correct to the best of the plugger of the spud date or the well shall be sufficiently that the statements made herein are true and correct to the best of the plugger of the spud date or the well shall be sufficiently that the statements made herein are true and correct to the plugger of the spud date or the well shall be sufficiently that the statements made herein are true and correct to the plugger of the spud date or the well shall be sufficiently that the statements are true and correct to the spud date or the well shall be sufficiently that the statement of the spud date or the spud date or the well shall be sufficiently that the statement of the spud date or the	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to:
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface is the plugger of the appropriate district office will be notified before well is either plugger or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the between the plugger of the spud date or the well shall be set that the statements made herein are true and correct to the between the plugger of the spud date or the well shall be sufficiently that the statements made herein are true and correct to the between the plugger of the spud date or the well shall be sufficiently that the statements made herein are true and correct to the between the plugger of the spud date or the well shall be sufficiently that the statements made herein are true and correct to the best of the plugger of the spud date or the well shall be sufficiently that the statements made herein are true and correct to the best of the plugger of the spud date or the well shall be sufficiently that the statements made herein are true and correct to the best of the plugger of the spud date or the well shall be sufficiently that the statements made herein are true and correct to the plugger of the spud date or the well shall be sufficiently that the statements made herein are true and correct to the plugger of the spud date or the well shall be sufficiently that the statements are true and correct to the spud date or the well shall be sufficiently that the statement of the spud date or the spud date or the well shall be sufficiently that the statement of the spud date or the	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 11 set of my knowledge and belief. Title: Renember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface of the spropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the specific of the sp	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 In the Drill Pit Application (form CDP-1) with Intent to Drill; 16 File Completion Form ACO-1 within 120 days of spud date; 17 File acreage attribution plat according to field proration orders;
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the constant of the conductor of the conductor pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27784 - 00 - 00 - 1	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. 15 It is a prior to surface and belief. 16 It is a prior to surface within 120 DAYS of spud date. 17 Itle: 18 It is a prior to surface within 120 days of spud date; 19 It is a prior to surface within 120 days of spud date; 20 It is a prior to surface within 120 days of spud date; 21 It is a prior to surface within 120 days of spud date; 22 It is a prior to workover or re-entry;
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the conductor pipe required. For KCC Use ONLY API # 15 - 205 - 27784-00-00 Conductor pipe required feet Minimum surface pipe required feet per ALT.	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 In the Drill Pit Application (form CDP-1) with Intent to Drill; 16 File Completion Form ACO-1 within 120 days of spud date; 17 File acreage attribution plat according to field proration orders; 18 Notify appropriate district office 48 hours prior to workover or re-entry; 19 Submit plugging report (CP-4) after plugging is completed (within 60 days);
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the statements of the complete of the statements of the statements of the statement of the s	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 In the production of the strict office prior to any cementing. 16 In Title: 17 File Drill Pit Application (form CDP-1) with Intent to Drill; 17 File Completion Form ACO-1 within 120 days of spud date; 18 File acreage attribution plat according to field proration orders; 18 Notify appropriate district office 48 hours prior to workover or re-entry; 19 Submit plugging report (CP-4) after plugging is completed (within 60 days); 20 Obtain written approval before disposing or injecting salt water.
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the statements of the surface of the specific to the best of the statements of the statements of the surface of the surface of the statements of the surface of the sur	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 In the Drill Pit Application (form CDP-1) with Intent to Drill; 16 File Completion Form ACO-1 within 120 days of spud date; 17 File acreage attribution plat according to field proration orders; 18 Notify appropriate district office 48 hours prior to workover or re-entry; 19 Submit plugging report (CP-4) after plugging is completed (within 60 days);
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface of the well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the statements of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27784 - OOO Conductor pipe required Minimum surface pipe required Approved by: Pur 7-13-2009	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 In the Drill Pit Application (form CDP-1) with Intent to Drill; 16 File Completion Form ACO-1 within 120 days of spud date; 17 File acreage attribution plat according to field proration orders; 18 Notify appropriate district office 48 hours prior to workover or re-entry; 19 Submit plugging report (CP-4) after plugging is completed (within 60 days); 20 Obtain written approval before disposing or injecting salt water. 21 If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the statements of the surface of the specific to the best of the statements of the statements of the surface of the surface of the statements of the surface of the sur	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing. 15 area and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27784-00-00	
Operator: AX&P, Inc. Lease: Unit 1 - Wolfe West	Location of Well: County: Wilson 1960 feet from N / S Line of Section
Well Number: WW# 30-E Field: Neodesha Number of Acres attributable to well: 2 • 5 QTR/QTR/QTR/QTR of acreage: - NE - SW	3980 feet from E F / W Line of Section Sec. 29 Twp. 30 S. R16 X E W
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: AX&P, Inc.		License Number: 3830	
Operator Address: 20147 CR 200 Neodesha, Ks 66757			
Contact Person: J.J. Hanke		Phone Number: (620) 325-5212	
Lease Name & Well No.: Unit 1-Wolfe West WW#30-E		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>NE</u> SW
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 29 Twp. 30 R16 X East West
Settling Pit	If Existing, date of	onstructed:	1960_ Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		3980 Feet from East / West Line of Section
	100	(bbls)	WilsonCounty
Is the pit located in a Sensitive Ground Water	Area? 📝 Yes 🕱	No	Chloride concentration: mg/l
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
Yes No	Yes X	No	NATIUE CLAY
Pit dimensions (all but working pits): 20	Length (fe	eet) 10	Width (feet) N/A: Steel Pits
Depth from ground level to deepest point: 5 (feet)			
If the pit is lined give a brief description of the material, thickness and installation procedure		1	dures for periodic maintenance and determining notuding any special monitoring.
,		abook wi	11 area 1 da i 1 a
check pitlevel daily			trever daily
Distance to nearest water well within one-mile	of pit	Depth to shallor Source of infor	west fresh water 100+ /7 feet.
2910 Source of infor		redwell owner electric log XO DWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Works	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	l utilized in drilling/workover: <u>fresh water</u>
		king pits to be utilized: one	
Barrels of fluid produced daily: Abandonment		procedure: backfill w topsoil	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be		e closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSION			
7/7/09 JUL 10 2009			
Daye .		Si	gnature of Applicant or Agent RECEIVED
KCC OFFICE USE ONLY REAC			
Date Received: Permit Numb	oer:	Permit	Date: 7/10 09 Lease Inspection: K Yes No



Mark Parkinson, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

July 10, 2009

AX & P, Inc. 20147 200rd Neodesha, KS 66757

RE: Drilling Pit Application

Wolfe West Unit Lease Well No. WW-30-E

SW/4 Sec. 20-30S-16E Wilson County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Káthy Haynés

Environmental Protection and Remediation Department

cc: File