KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Prospect

Operator: License # 33583	API No. 15 - 099-23734-00-00
Name: Admiral Bay (USA) Inc.	County: Labette
Address: 14550 E Easter Ave., Ste. 1000	_C _ NW_ SE _Sec. 31 _ Twp. 32 _ S. R. 19 _ East _ West
	1934 feet from S (N)(circle one) Line of Section
Purchaser: Seminole Energy	1924 feet from E \ W (circle one) Line of Section
Purchaser: Seminole Energy Operator Contact Person: Steven Tedesco	Footages Calculated from Nearest Outside Section Corner:
Phone: (303) 327-7016	(aira(a ana) NE SE NW SW
Contractor: Name: McGown Drilling License: 5786 McGown Drilling	Lease Name: Vaverka Well # 10-31
License: 5786 ' 5 5 1	Field Name: Wildcat
Wellsite Geologist: None	Producing Formation:
Designate Type of Completion:	Elevation: Ground: 852' Kelly Bushing: 852'
New Well Re-Entry Workover	972'
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 20' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 869'
Operator:	feet depth to surface w/ 120 sx cmt.
Well Name:	Drilling Fluid Management Plan A!+ II NCK
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit) 8-24-08
Deepening Re-perf. Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name:
Other (SWD or Enhr.?) Docket No	Lease Name: License No.:
5/19/05 5/24/05 waiting on pipe	Quarter Sec Twp S. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
, , , , , , , , , , , , , , , , , , , ,	County Docker No
h l	
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs at TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	r or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regulat herein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements
Signature: Stevenauft	KCC Office Use ONLY
Title: Ope Cost. Date: 9/13/04	Letter of Confidentiality Received
Subscribed and sworn to before me this 13th day of Septem 6	Dev If Denied, Yes Date: 9-29-05
2005	Wireline Log Received
the la france	Geologist Report Received
Notary Public: Luna VI Jumps	UIC Distribution

Operator Name: Admiral Bay (USA) Inc. Sec. 31 Twp. 32 S. R. 19 Fast West		Lease	Lease Name: Vaverka			well #: <u>103-1</u>		
		County: Labette						
tested, time tool open temperature, fluid rece	and closed, flowing overy, and flow rate	and base of formations pag and shut-in pressures as if gas to surface test, final geological well site	, whether s along with	hut-in pr	essure reach	ed static level, hydr	ostatic pressu	res, bottom hole
Drill Stem Tests Taker	•	☐ Yes 🗸 No		 ✓L	.og Form	nation (Top), Depth	and Datum	Sample
Samples Sent to Geo	logical Survey	☐ Yes 🗸 No			Name Charakaa/Faralla		Top	Datum
Cores Taken	.,	✓ Yes No		Cherokee/Excello Bevier		cello	296'	
Electric Log Run		✓ Yes No					370'	
(Submit Copy)			55		hale		406'	
List All E. Logs Run:				1	mmon		459'	
•				Teb	00		542'	
Compensated		_ Density		Dry	wood		691'	\ <u>2</u>
Dual Induction	Resistivity			Mis	sissippia	n	771'	*
		CASING Report all strings set-	RECORD	No Urface, inte		duction, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Wei	ight / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12.25	8-5/8	24		20	Class A		, idalities
Production	6.25	4-1/2	13.3		869'	owc	120	2% gel
		ADDITIONAL	L CEMENTI	NG / SQI	JEEZE RECO	PRD		
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks	s Used		Type and I	Percent Additives	5
Shots Per Foot		ION RECORD - Bridge Plu Footage of Each Interval Pe			Acid, I	Fracture, Shot, Cemen		rd Depth
							2000)	Zopui -
TUBING RECORD	Size	Set At	Packer A	At	Liner Run	Yes No)	
Date of First, Resumerd	Production, SWD or E	Producing Met	thod	Flowing	y , ∏Pun	nping Gas Li	ft Oth	er (Explain) '
	Oil	Bbls. Gas	Mcf	Wate	er	Bbls. (Gas-Oil Ratio	Gravity
Disposition of Gas	METHOD OF C	COMPLETION	1		Production In	terval		
Vented Sold	Used on Lease	✓ Open Hole Other (Spec	Perf.	. 🔲 🛭	ually Comp.	Commingled _		

CONSOLIDATED OIL WELL SERVICES, INC. 241 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUM	BER	4323	
LOCATION_	Bril	1/4	_
FOREMAN	Sleve	Johnson	

TREATMENT REPORT & FIELD TICKET CEMENT

DATE	CUSTOMER #	· · · Wi	ELL NAME & NUM	BER	SECTION	TOWNSHIP	. RANGE	COUNTY
1.7-05	2529	Va	varlea.	10-31	31	32 S	19 E	Cabette
CUSTOMER	^	•	Λ					
1 - I	brado	(AAS	Kes :		TRUCK# * \	DRIVER	TRUCK#	DRIVER
MAILING ADDRES	S i	Ť.	ār.		418-	Tim		
	V.				407	Waster		
CITY		STATE	ZIP CODE		4KU-T91	Richard		
	8	*			,	1.		
JOB TYPE (CA	a Sirina	HOLE SIZE_	63/4	HOLE DEPTI	4	CASING SIZE & W	EIGHT RO	1/2 10.
CASING DEPTH_	869'	DRILL PIPE_		_ TUBING		<u></u>	OTHER	
SLURRY WEIGHT	13.5	SLURRY VOL	<u> </u>	WATER gal/s	sk	CEMENT LEFT in	CASING — C	<u>) - </u>
DIODI A OFMENIT	17 G	DICDI ACENT	THE DOLL SOO	MIV DOL		DATE 41 5		•

Kun 120 sx Cement

RECEIVED

KANSAS CORPORATION COMMISSION

SEP 2 7 2005

CONSERVATION DIVISION WICHITA, KS

	i i	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·
ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	/	PUMP CHARGE (an C Str s		765.00
SYOL "	65	MILEAGE		112,50
5407	- min	Bilk Delivery		240.00
3402	8691	Footage		139 0
14				
11260	N 120 SILL A	law coment	*	1560.00
1105	164	HIUS 111 1 1 1 1 1 1 1 1 1	()	14,50
1107	154	1 / thosral (1)		42.75
1110	24 54	(citantte		524.40
1111	250-	54.4		20.00
11184	2 5+	Taki.		17.06
1123	4200 41	City Water.		41 21
4404	1200 3/21	1/2 Rubber Plug		>8.01
`~a.			<u> </u>	33,00
55016	416	Truncport		352.00
اسل				
-vir	Й	Α,		
Junity		1,10		
spin t	į.	∧ V 6,55	Z SALES TAX	151.58
41 67	4	ol ,	ESTIMATED TOTAL	3772,2
AUTHORIZTION_		TITLE	DATE	4124

TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.


All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.



- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. **THERE** ARE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.