# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 33397	API No. 15 - 011-23036-00-00
Name: Running Foxes Petroleum, Inc.	County: Bourbon
Address: 14550 E Easter Ave., Ste. 1000	CSENW_Sec5Twp25S. R24
City/State/Zip: Centennial, CO 80112	1980 feet from S (N) circle one) Line of Section
Purchaser: Seminole Energy	1980 feet from E (W) (circle one) Line of Section
Operator Contact Person: Steven Tedesco	Footages Calculated from Nearest Outside Section Corner:
Phone: (303 ) 277-7016 RECEIVED	(circle one) NE SE (NW) SW
Contractor: Name: Mokat ANSAS CORPORATION COMMISSI	ON Lease Name: Mix Well #: 6-5
License: 5831 JUN 0 6 2005	
Wellsite Geologist: None	Field Name: Drywood, Rowe, Riverton
⇒ ONGENATION DIAISION	Elevation: Ground: 830 Kelly Bushing:
Designate Type of Completion: WICHITA, KS	
New Well Re-Entry Workover	Total Depth: 505 Plug Back Total Depth:
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented atFeet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 503
Operator:	feet depth to surface w/ 67 sx cmt.
Well Name:	Drilling Fluid Management Plan Alt II NCC 8-7-08
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No.	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	,
Other (SWD or Enhr.?) Docket No	Operator Name:
2/14/05 2/15/05 waiting on pipeline	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date; recompletion, workover Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs at TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.  All requirements of the statutes, rules and regulations promulgated to regulate herein are complete and correct to the best of my knowledge.	r or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
Signature: Strate Company	KCC Office Use ONLY
	1/2
Title: SR. Verroleum Forgy Date: 6/3/05	Letter of Confidentiality Received
Subscribed and sworn to before me this day of	If Denied, Yes Date:
20 05	Wireline Log Received
Notary Public: Such Seech auft	Geologist Report Received
PUBLIC	UIC Distribution

D.	unning Foyes Detr	la		B.A.		**		
Operator Name: Running Foxes Petroleum, Inc.				Lease Name: Mix Well #: 6-5				
INSTRUCTIONS:	en and closed, flowin ecovery, and flow rate	East West  and base of formations p g and shut-in pressures, is if gas to surface test, a final geological well site	whether shut-in pr along with final cha	all cores. Repo essure reached	d static level, hydr	ostatic pressu	res, botto	m hole
Drill Stem Tests Take		☐ Yes 📝 No	<b>Z</b>	og Forma	tion (Top), Depth	and Datum		Sample
Samples Sent to Ge	•	∏Yes ✓ No	Nan	ne		Тор	ι	Datum
Cores Taken	<b></b>	☐ Yes ✓ No	Dogwood			435		
Electric Log Run (Submit Copy)		☐ Yes 🗸 No	k	rywood Powe Verton		452		
List All E. Logs Run:			1 12	ivertow		484		
None	·							Z
		CASING Report all strings set-		ew Used	ction, etc.			<del>"</del>
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used		and Percent
Surface	12.25	8-5/8	24	20	Class A	5	None	udilives
Production	6.25	4-1/2	10.5			81	2% ge	ļ
								· · · · · · · · · · · · · · · · · · ·
		ADDITIONAL	CEMENTING / SQ	UEEZE RECOR	D			
Purpose:  —— Perforate  —— Protect Casing  —— Plug Back TD  —— Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks Used		Type and I	Percent Additives	5	
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type  Acid, Fracture, Shot, Cement Squeeze Record  (Amount and Kind of Material Used)				Depth			
4	Drywood			Acid True 435-439				435-439
4	Rowe			Acid TR	Acid, FRAE 452-456			452-456
4	Riverton		Acid FR	AC			484-488	
	Set bridge plug a	it 464'						· · · · · · · · · · · · · · · · · · ·
TUBING RECORD	Size	Set At	Packer At	Liner Run	∏Yes ∏ No			
	rd Production, SWD or E		hod Flowin	g Pump			er (Explain)	
Estimated Production Oil Bbls. Gas Merce Per 24 Hours 20			Mcf Wat			Gas-Oil Ratio		Gravity
Disposition of Gas	METHOD OF C	COMPLETION	,	Production Inte	erval			
Vented Sold	Used on Lease ubmit ACO-18.)	Open Hole Other (Spec		Dually Comp.	Commingled _			
				4				

CONSOCIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

AUTHORIZTION

TICKET NUI	MBER	1999		
LOCATION	Otta	u/a		
FOREMAN	Alan	Mader		

•	•	TR	EATMENT		& FIELD TIC	KET	NIOIC	۸۱
				CEMEN		U	KIUIN	AL
DATE	CUSTOMER#	WEL	L NAME & NUME	BER	SECTION	TOWNSHIP	RANGE	COUNTY
2.16.05	6960	Mix	6-5		5	25	24	$\mathcal{B}\mathcal{B}$
CUSTOMER						T	·	r
MAILING ADDRE	ne 10x	£5		-	TRUCK#	DRIVER	TRUCK #	DRIVER
INTED		1	540 1000		386	A Maker		
CITY	E Easte	ISTATE	ZIP CODE	4	320	R Arb		
Centen	a · 1		80112		310	H Bechtle		
		100	13/	<u>]</u>	144	CKennedy	1011/2	
JOB TYPE LOV		····	,3/4	HOLE DEPTH	505	CASING SIZE & W		<del></del>
CASING DEPTH		DRILL PIPE		TUBING			OTHER	·
SLURRY WEIGH	- 2	SLURRY VOL_	<del></del>		k	CEMENT LEFT in	CASING	<u> </u>
DISPLACEMENT		DISPLACEMEN		MIX PSI		RATE	7	
REMARKS: E	stablished	& CIVI	culation	. •	0.12	imped.	1 5 x 9	0/
to cor	idition 1	hole /	, 1	Pumpo	7 / 6	4 bb/ dy		owed_
5, 75	5 x 0	MC 15	#Kolse		+ 110-5e0	7)	culatea	7 7
dye t	<del></del>	ace. L	lushed	pump	clean.	0	1 / /	2 /ubbe
phys ti	DOF	casing,	with.		Water.	Circu	_	cement
tp 5	ur tace.	We!	held	600 P	<u>31, Ge</u>	+ +10a	1. Che	cked
dopth	W, +4	vire!	'ne.			<del></del>		
	-	· _				11	Man	
No co	mpany	1ep	present	•	· · · · · · · · · · · · · · · ·	J-Ven	J' Cou	
			<u> </u>			<del></del>	·	
ACCOUNT CODE	QUANITY	or UNITS	DE	SCRIPTION of	SERVICES or PRO	DDUCT	UNIT PRICE	TOTAL
3401	,	1	PUMP CHARG	E Cem	ent 3rd	well		71000
3400	フケ	*		ump to				NC
5407		Min	<i>'</i>	ileage				225.00
35020	3/2		20	96	·			273.00
5402	50	3	c a510	10 100	tage			NO
3,00,		<u> </u>		<del>- / * - /</del>	7	RECEN	(FL)	

CODE	1		l .	.
3401		PUMP CHARGE ERMENT 3rd well		71000
3400°	フケ	MILEAGE PUMD Truck		NC
5407	1. Min	ton mileage		225.00
3502 C	3/2	80 vac		273.00
5402	503'	casing tootage		NC
		RECEI	VED	
		CANSAS CORPORATI	ONCOMMISSION	
	<i>a</i> h	JUN 0.6	2005	
1107	2	1 6 10 5 50 - 1		80.00
1110 A	1000 15	1501 - Seg! SONSERVATION WICHITA.	DIVISION	231.25
1118	2	Plenium gel		24.80
1126	67	OWC		793.95
4404		1/2 rubber nlug		35.00
		P		
		1 3 07		772 21
·	7.7	6,0/0	SALES TAX	13.1
•		25/0	ESTIMATED	12451711

#### **TERMS**

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

### **SERVICE CONDITIONS**

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer shall be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

## **WARRANTIES - LIMITATION OF LIABILITY**

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE **ARE** NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.