

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Devon

| WELL HISTORY - DESCRIP | |
|--|--|
| Operator: License #_33397 | 23052 API No. 15 - 011 -20552- 00-00 UKIGINAL |
| Name: Running Foxes Petroleum | County: Bourbon |
| Address: 14550 E Easter Ave., Ste. 1000 | C _SE _SW Sec. 14 Twp. 26 S. R. 23 V East West |
| City/State/Zip: Centennial, CO 80112 | 660 feet from S N (circle one) Line of Section |
| Purchaser: Seminole Energy | 1980 feet from E (W)(circle one) Line of Section |
| Operator Contact Person: Steven Tedesco | Footages Calculated from Nearest Outside Section Corner: |
| Phone: (303) 227-7016 RECEIVED Contractor: Name: Mokat Drilling ANSAS CORPORATION COMMISSION | (circle one) NE SE NW SW Lease Name: Martin Trust Well #: 14-14 |
| Contractor: Name: Monat Smiling | Lease Name:weii # |
| License: 5831 JUN () 6 ZUUD Wellsite Geologist: None | Field Name: |
| Designate Type of Completion: CONSERVATION DIVISION WICHITA, KS | Elevation: Ground: 920 Kelly Bushing: |
| New Well Re-Entry Workover | Total Depth: 574 Plug Back Total Depth: |
| Oil SWD SIOWTemp. Abd. | Amount of Surface Pipe Set and Cemented at 20 Feet |
| Gas ENHR SIGW | Multiple Stage Cementing Collar Used? |
| Dry Other (Core, WSW, Expl., Cathodic, etc) | If yes, show depth setFeet |
| If Workover/Re-entry: Old Well Info as follows: | If Alternate II completion, cement circulated from 540 |
| Operator: | feet depth to_surfacew/_72sx cmt. |
| Well Name: | Drilling Fluid Management Plan AI+ II NCR 8-7-08 |
| Original Comp. Date: Original Total Depth: | (Data must be collected from the Reserve Pit) |
| Deepening Re-perf Conv. to Enhr./SWD | Chloride contentppm Fluid volumebbls |
| Plug Back Plug Back Total Depth | Dewatering method used |
| Commingled Docket No | Location of fluid disposal if hauled offsite: |
| Dual Completion Docket No | · |
| Other (SWD or Enhr.?) Docket No | Operator Name: |
| 2/15/05 3/1/05 w/o completion | Lease Name: License No.: Quarter Sec. Twp. S. R. East West |
| Spud Date or Date Reached TD Completion Date or Recompletion Date | |
| recomplision bate | County: Docket No.: |
| INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs a TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. All requirements of the statutes, rules and regulations promulgated to regulate. | or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-nd geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells. |
| herein are complete and correct to the best of my knowledge. | |
| Signature: Att Accident | KCC Office Use ONLY |
| Title: 5R. Perrolau Engr. Date: 6/3/05 | Letter of Confidentiality Received |
| Subscribed and sworn to before me this Del day of BRE/ | If Denied, Yes Date: |
| 20.05 | Wireline Log Received |
| A STATE OF THE STA | Geologist Report Received |
| Notary Public: 9-9-08 | UIC Distribution |
| / COLO | RALLIN |

| Operator Name: Rt | unning Foxes Petr | oleum | | Lea | se Name: | Martin Trust | | Well #: | 14 | , |
|--|---|--|---------------------------------------|-------------------------|-------------------|-----------------------------|---------------------|-------------------|--------------------|------------------|
| Sec Twp | 26 S. R. 23 | _ ✓ Ea | st West | | nty: Bour | | | | | |
| tested, time tool op- temperature, fluid re | Show important tops en and closed, flowir ecovery, and flow rate gs surveyed. Attach | ng and shi es if gas t | ut-in pressures, o surface test, a | , whether along with | shut-in pr | essure reache | d static level, hyd | rostatic pressu | res, botto | om hole |
| Drill Stem Tests Tak | | | Yes 📝 No | | ⊘ | Log Forma | tion (Top), Depth | and Datum | | Sample |
| Samples Sent to Geological Survey Yes V No | | | | Nan | ne | | Тор | | Datum | |
| Cores Taken | | | Drywood Aw | | · | 414 447 | | | | |
| List All E. Logs Run | : | | | | Rive | erton | | 469 | | |
| Gamma Ray | /Neutron/CCL | | | | | | | | | |
| | | Rep | CASING ort all strings set- | RECORD | | ew Used ermediate, produ | ction, etc. | | | -1, |
| Purpose of String | Size Hole Drilled | | ize Casing et (In O.D.) | | eight s. / Ft. | Setting Depth | Type of Cement | # Sacks Used | | and Percent |
| Surface | 12.25 | 8-5/8 | | 24 | | 20 | Class A | 5 | None | NGO.IIVCO |
| Production | 6.75 | 4-1/2 | | 10.5 | | · | owc | 67 | 2% ge | el |
| | | | | | | | | | | |
| Durnana | D | | ADDITIONAL | CEMENT | TING / SQ | JEEZE RECOR | D | | ···· | |
| Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone | Depth Top Bottom | Тур | e of Cement | #Sack | ks Used | | Type and | Percent Additives | • | |
| Shots Per Foot | PERFORAT | ON RECO | RD - Bridge Plug | gs Set/Typ | e | Acid, Fra | acture, Shot, Cemer | nt Squeeze Recor | d | |
| Specify Footage of Each Interval Perforated | | | | | | | | Depth | | |
| 4 | Drywood | | | | | Q. | | | | 414-418 |
| 4 | Aw | | | | | | | | 447-452 469-475 | |
| | · | | | | | 1.00 | AC | | | 403-473 |
| TUDINO DECODE | | | | | | | | | | |
| TUBING RECORD wa | Size iting on completion | Set At | İ | Packer | At | Liner Run | Yes No | *. • | , | |
| Date of First, Resumer | d Production, SWD or E | inhr. | Producing Met | hod | Flowing | g Dump | ing 🔲 Gas Li | ft Othe | r (Explain) |). |
| Estimated Production Per 24 Hours | Oil | Bbls. | Gas 20 | Mcf | Wate | er E | Bbls. (| Gas-Oil Ratio | • | Gravity |
| Disposition of Gas | METHOD OF C | OMPLETION | <u> </u> | | J | Production Inte | rval | | | |
| Vented Sold | Used on Lease | | Open Hole Other (Special | Per | rf C | Dually Comp. | Commingled _ | | | |

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH, STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUMBER 2026

LOCATION Officer KS

FOREMAN Fred mader

TREATMENT REPORT & FIELD TICKET CEMENT

ORIGINAL

| DATE | CUSTOMER# | WELL I | NAME & NUME | SER | SECTION | TOWNSHIP | RANGE | COUNTY |
|---|------------|-----------------------|----------------|--------------|------------------|------------------------------|----------|---------------|
| 3-4-05 | 6960 | martin | Trust | # 14-14 | 14 | 26 | 23 | BB. |
| | | | | | n en worden og e | and the second of the second | A 17 | |
| Run | ning Fo | xes Petr | oleum | | TRUCK# | DRIVER | TRUCK # | DRIVER |
| | | | | | 372 | F.Mader | | |
| 14155 | O E Eas | ter Aue St STATE Z | 61000 |] | 368 | H Bachtle | | |
| CITY | | STATE 2 | ZIP CODE | | 370 | J. Polidor | | |
| Centeni | al | Co. | 80112 | | 144 | RiFisher | | |
| JOB TYPE Lo | ens string | HOLE SIZE | 63/4 | HOLE DEPTH | 572 | CASING SIZE & W | EIGHT グタ | |
| | | DRILL PIPE | | TUBING | | · | OTHER | |
| SLURRY WEIGH | т | SLURRY VOL | | WATER gal/sl | k | CEMENT LEFT in | CASING | Rubbu Plas |
| DISPLACEMENT | 9BBL | DISPLACEMENT I | PSI | MIX PSI | | RATE_4BPN | 7 | |
| REMARKS: E | stablis | h Circu | lation | Willx | € Pump | 2SKS PV | emium C | od |
| REMARKS: Establish Circulation. MIXPSI RATE 4BPM. Flush. Pump 4 BBL dye ahoad of 80 SKs Owe w/ 10# | | | | | | | | |
| Kol Spal + 1/2# Flo Spal per SK. Flush Dumo elcan. Displace | | | | | | | | |
| 4/2" | Rubber | Plus to | Casi | nc T.D | , w/9B | BL Fres | L Wate | · / , |
| Press | ure to | 480# | 051. | Releas. | e DVESS | ere to s | ex Floa | * |
| Pressure to 400 # PSI. Release pressure to set Float Value. Chick Plug depth w/moosuring line. | | | | | | | | |
| | | | - y | | 0 | 7 | ed m | nd. |
| | | | | | | , | | |
| | 1 01.11 | 11 | | | | | | |

Co. Rep: Clifton Beth.

AUTHORIZTION_

| ACCOUNT CODE | QUANITY or UNITS | DESCRIPTION of SERVICE | S or PRODUCT | UNIT PRICE | TOTAL |
|-----------------|---------------------------------------|------------------------------|---------------------------------------|------------|--------------|
| 5401 | | PUMP CHARGE Cernent | Puns | | 75000 |
| 5406 | 3 m: | MILEAGE | | | 7.30 |
| 5407A | 3.76 T | Ton Mileago | | | 253.80 |
| 5302C | 3 hrs | Ton Mileago 80 BBL Vac Tr | ucK. | | 24000 |
| | | | · | | |
| | | | RECEIVED | | |
| 1126 | 72 | OWC Common | CANSAS CORPORATION COM | VISSION | 914,40 |
| 1107 | 25K | Flo. Seal | JUN 0 6 2005 | | 84.00 |
| 1130 A | 16 sk | Kol Sew | | • | 264.80 |
| 1118 | ÐSK | Premium Gel | CONSERVATION DIVISIO WICHITA, KS | N | 26,00 |
| 4404 | | 4/2 Rubber Plug. | , | | 37,00 |
| | • | U | | | |
| | | | · · · · · · · · · · · · · · · · · · · | | ļ |
| | | | | | |
| | | | | | |
| | | . | · | | |
| | · · · · · · · · · · · · · · · · · · · | | · <u>.</u> | | 2 3 |
| | | | 6.3% | SALES TAX | 83.55 |
| | | . • | | ESTIMATED | 21.60 90 |

TITLE 195836

TOTAL 2660,95

DATE___

TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer shall be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE **ARE** NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.