

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Handwritten initials and date: CW, 8/22/08

Operator: License # 4787
 Name: TDI, Inc
 Address: 1310 Bison Road
 City/State/Zip: Hays, Kansas 67601
 Purchaser: Coffeyville Resources
 Operator Contact Person: Tom Denning
 Phone: (785) 628-2593
 Contractor: Name: WW Drilling, LLC
 License: 33575
 Wellsite Geologist: Herb Deines
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>06/10/08</u>	<u>06/15/08</u>	<u>07/18/08</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date


API No. 15 - 051-25769-00-00
 County: Ellis
SW NW SE Sec. 25 Twp. 14 S. R. 16 East West
1710' feet from (S) N (circle one) Line of Section
2310' feet from (E) W (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE (SE) NW SW
 Lease Name: Steve Well #: 1
 Field Name: Baumrucker
 Producing Formation: Pleasanton
 Elevation: Ground: 1813' Kelly Bushing: 1818'
 Total Depth: 3367' Plug Back Total Depth: 3343'
 Amount of Surface Pipe Set and Cemented at 900 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set _____ Feet
 If Alternate II completion, cement circulated from _____
 feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan AIT I NCR 8-26-08
 (Data must be collected from the Reserve Pit)
 Chloride content 82,000 ppm Fluid volume 1,250 bbls
 Dewatering method used hauled off free water, left mud to dry by evaporation
 Location of fluid disposal if hauled offsite:
 Operator Name: TDI, Inc
 Lease Name: Dreiling B License No.: 4787
 Quarter SW Sec. 22 Twp. 14S S. R. 16 East West
 County: Ellis Docket No.: D-25,112

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
 Title: President Date: 8/19/08
 Subscribed and sworn to before me this 19th day of August
2008
 Notary Public: [Signature]
 Date Commission Expires: _____



KCC Office Use ONLY

Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received

RECEIVED
 KANSAS CORPORATION COMMISSION

AUG 21 2008

CONSERVATION DIVISION
WICHITA, KS

Operator Name: TDI, Inc Lease Name: Steve Well #: 1
 Sec. 25 Twp. 14 S. R. 16 East West County: Ellis

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Anhydrite	895'	+923'
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Tarkio Lime	2528'	-710'
List All E. Logs Run:		Topeka	2782'	-964'
		Heebner	3008	-1190'
		Toronto	3026'	-1208'
		Lansing/ KC	3059'	-1241'
		Base KC	3280'	-1462'
		Arbuckle	3347'	-1529'

Radiation Guard
Microresistivity

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./ Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	23#	900'	common	350sxs	3%cal 2% gel
Production	7 7/8"	5 1/2"	14#	3366'	common	125sxs	10% salt 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
____ Perforate				
____ Protect Casing				
____ Plug Back TD				
____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
4spf	3291'-92' & 3295'-98'	1200 gal 15% NE acid	

TUBING RECORD	Size <u>2 3/8"</u>	Set At <u>3340'</u>	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. <u>08/14/08</u>	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls. <u>25</u>	Gas Mcf <u>0</u>	Water Bbls. <u>40</u>	Gas-Oil Ratio <u>32</u>

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify)

Production Interval

RECEIVED
 KANSAS CORPORATION COMMISSION
AUG 21 2008
 CONSERVATION DIVISION
 WICHITA, KS

ALLIED CEMENTING CO., LLC. 34729

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT
Russell

DATE <u>6-15-08</u>	SEC. <u>25</u>	TWP. <u>14</u>	RANGE <u>16</u>	CALLED OUT	ON LOCATION	JOB START <u>1:32pm</u>	JOB FINISH <u>1:32pm</u>
LEASE <u>STEVE</u>		WELL# <u>1</u>	LOCATION <u>Walker 4 1/2 S 1 E</u>		COUNTY <u>Ellis</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one) <u>NEW</u>			<u>1/25 into</u>				

CONTRACTOR WJW #6

TYPE OF JOB Production Savings

HOLE SIZE _____ T.D. _____

CASING SIZE 5 1/2 14# DEPTH 3369.11

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT 17.80

CEMENT LEFT IN CSG. 17.80'

PERFS. _____

DISPLACEMENT 81 3/4 BC

OWNER _____

CEMENT AMOUNT ORDERED 125 com 10/25/11 29/60

500 gal WFR-2

COMMON _____ @ _____

POZMIX _____ @ _____

GEL _____ @ _____

CHLORIDE _____ @ _____

ASC _____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

HANDLING _____ @ _____

MILEAGE _____

EQUIPMENT

PUMP TRUCK CEMENTER Craig

366 HELPER Matt

BULK TRUCK _____

_____ DRIVER Travis

BULK TRUCK _____

_____ DRIVER _____

REMARKS:

Insert sand 3351.31

Rathole 155K

Plug landed 1522PS. Float held.

TOTAL _____

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____

EXTRA FOOTAGE _____ @ _____

MILEAGE _____ @ _____

MANIFOLD _____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

CHARGE TO: TDI Inc.

STREET _____

CITY _____ STATE _____ ZIP _____

THANKS!

PLUG & FLOAT EQUIPMENT

1 5/8 Plug _____ @ _____

1 Condensate _____ @ _____

1 AFU Insert _____ @ _____

5 Central cores _____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____

SIGNATURE Terry W. Piescher

RECEIVED
KANSAS CORPORATION COMMISSION
AUG 21 2008
CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., LLC. 34729

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT
Russell

DATE <u>6-15-08</u>	SEC. <u>25</u>	TWP. <u>14</u>	RANGE <u>16</u>	CALLED OUT	ON LOCATION	JOB START <u>12:00 p.m.</u>	JOB FINISH <u>1:30 p.m.</u>
LEASE <u>STEVE</u>		WELL# <u>1</u>	LOCATION <u>Walker 4 1/2 S 1 E</u>		COUNTY <u>Ellis</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one) <u>NEW</u>			<u>1/25 E into</u>				

CONTRACTOR (W)W #6

TYPE OF JOB Production Spring

HOLE SIZE _____ T.D. _____

CASING SIZE 5 1/2 14# DEPTH 3369.11

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT 17.80

CEMENT LEFT IN CSG. 17.80'

PERFS. _____

DISPLACEMENT 81 3/4 BC

OWNER _____

CEMENT AMOUNT ORDERED 125 com 10% salt 29/601

500 gal WFR-2

COMMON _____ @ _____

POZMIX _____ @ _____

GEL _____ @ _____

CHLORIDE _____ @ _____

ASC _____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

HANDLING _____ @ _____

MILEAGE _____

EQUIPMENT

PUMP TRUCK CEMENTER Craig

366 HELPER Matt

BULK TRUCK _____

_____ DRIVER Travis

BULK TRUCK _____

_____ DRIVER _____

REMARKS:

Insert set @ 3251.31

Rathole 155K

Plug lander 1500PS. Rathole

TOTAL _____

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____

EXTRA FOOTAGE _____ @ _____

MILEAGE _____ @ _____

MANIFOLD _____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

CHARGE TO: TDI Inc.

STREET _____

CITY _____ STATE _____ ZIP _____

Thanks.

PLUG & FLOAT EQUIPMENT

1 5 1/2 Plug _____ @ _____

1 Cement shot _____ @ _____

1 AFD Insert _____ @ _____

5 Centralizers _____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____

TOTAL CHARGES _____

PRINTED NAME _____

SIGNATURE Terry W. Piesher

DISCOUNT _____ IF PAID IN 30 DAYS

RECEIVED
KANSAS CORPORATION COMMISSION

AUG 21 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., LLC. 34729

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT
Russell

DATE <u>6-15-08</u>	SEC. <u>25</u>	TWP. <u>14</u>	RANGE <u>16</u>	CALLED OUT	ON LOCATION	JOB START <u>11:00 a.m.</u>	JOB FINISH <u>1:30 p.m.</u>
LEASE <u>STEVE</u>		WELL# <u>1</u>	LOCATION <u>Walker 4 1/2 S 1 E</u>		COUNTY <u>Ellis</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one) <u>NEW</u>			<u>1/25 into</u>				

CONTRACTOR (W)W #16

TYPE OF JOB Production Sarg

HOLE SIZE _____ T.D. _____

CASING SIZE 5 1/2 14# DEPTH 3369.11

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT 17.80

CEMENT LEFT IN CSG. 17.80'

PERFS. _____

DISPLACEMENT 81 3/4 BC

OWNER _____

CEMENT AMOUNT ORDERED 125 com 100% salt 29/16 gal

500 gal WFR-2

COMMON _____ @ _____

POZMIX _____ @ _____

GEL _____ @ _____

CHLORIDE _____ @ _____

ASC _____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

HANDLING _____ @ _____

MILEAGE _____ @ _____

EQUIPMENT

PUMP TRUCK CEMENTER Craig

366 HELPER Matt

BULK TRUCK _____

_____ DRIVER Travis

BULK TRUCK _____

_____ DRIVER _____

REMARKS:

Insert sand @ 3351.31

Rathole 155K

Plug lander 1500PS. Freshhold.

CHARGE TO: TDI Inc.

STREET _____

CITY _____ STATE _____ ZIP _____

Thanks!

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME _____

SIGNATURE Termy W. Reisher

TOTAL _____

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____

EXTRA FOOTAGE _____ @ _____

MILEAGE _____ @ _____

MANIFOLD _____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

PLUG & FLOAT EQUIPMENT

1 5/8 Plug _____ @ _____

1 Cond. shot _____ @ _____

1 AFU Insert _____ @ _____

5 Manual. 2025 _____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

RECEIVED

KANSAS CORPORATION COMMISSION

AUG 21 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., LLC. 32263

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell KS

DATE <u>6-11-08</u>	SEC <u>25</u>	TWP. <u>14</u>	RANGE <u>6</u>	CALLED OUT	ON LOCATION	JOB START <u>3:45 pm</u>	JOB FINISH <u>4:30 pm</u>
Steve LEASE	WELL # <u>1</u>	LOCATION <u>Walker KS South 3 1/2 East 1</u>			COUNTY <u>Ellis</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)			<u>1/2 South East info</u>				

CONTRACTOR WW Drilling Rig #6

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 901'

CASING SIZE 8 3/4 23# DEPTH 900.41'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT 41'

CEMENT LEFT IN CSG. 41'

PERFS. _____

DISPLACEMENT 54.73 Bbl

OWNER _____

CEMENT AMOUNT ORDERED 350 com 3/4 cc 2 1/2 Gal

COMMON _____ @ _____

POZMIX _____ @ _____

GEL _____ @ _____

CHLORIDE _____ @ _____

ASC _____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

HANDLING _____ @ _____

MILEAGE _____ @ _____

REMARKS:

Est Circulation Mix 350 sk cement

Displace Plug w/ 54.73 Bbl H₂O

Cement Did Circulate!

CHARGE TO: TDI, Inc.

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.
Thanks!

PRINTED NAME _____

SIGNATURE Kelby Stunt

TOTAL _____

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____

EXTRA FOOTAGE _____ @ _____

MILEAGE _____ @ _____

MANIFOLD _____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

PLUG & FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

8 5/8 Rubber Plug @ _____

5 3/8 Ball Plate @ _____

_____ @ _____

TOTAL _____

SALES TAX (If Any) _____

TOTAL CHARGES _____

RECEIVED
KANSAS CORPORATION COMMISSION

IF PAID IN 30 DAYS

AUG 21 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., LLC. 32263

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell KS

DATE <u>6-11-08</u>	SEC. <u>25</u>	TWP. <u>14</u>	RANGE <u>6</u>	CALLED OUT	ON LOCATION	JOB START <u>3:45 pm</u>	JOB FINISH <u>4:30 pm</u>
Steve LEASE	WELL # <u>1</u>	LOCATION <u>Walker KS South 3 1/2 East 1</u>			COUNTY <u>Ellis</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			<u>1/2 South East into</u>				

CONTRACTOR WW Drilling Rig #6 OWNER _____

TYPE OF JOB Surface CEMENT AMOUNT ORDERED 350 cum 3% cc 2% Gel

HOLE SIZE 12 1/4 T.D. 901'
CASING SIZE 8 3/4 DEPTH 900.41'

TUBING SIZE _____ DEPTH _____
DRILL PIPE _____ DEPTH _____
TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____
MEAS. LINE _____ SHOE JOINT 41'

CEMENT LEFT IN CSG. 41'
PERFS. _____
DISPLACEMENT 54.73 Bbl

EQUIPMENT

PUMP TRUCK CEMENTER <u>John Roberts</u>	
# <u>409</u> HELPER <u>Adrian</u>	
BULK TRUCK	
# <u>396</u> DRIVER <u>Mike</u>	
BULK TRUCK	
# _____ DRIVER _____	

REMARKS: _____ TOTAL _____

Est Circulation Mix 350 sk cement

Displace Plug w/ 54.73 Bbl H₂O

Cement Did Circulate!

CHARGE TO: TDI Inc. TOTAL _____

STREET _____
CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.
Thanks!

PRINTED NAME _____
SIGNATURE Kathy Stuart

SERVICE

DEPTH OF JOB _____
PUMP TRUCK CHARGE _____
EXTRA FOOTAGE @ _____
MILEAGE @ _____
MANIFOLD @ _____
@ _____
@ _____

TOTAL _____

PLUG & FLOAT EQUIPMENT

@ _____
@ _____
8 5/8 Rubber Plug @ _____
5 5/8 Ball Plate @ _____
@ _____

TOTAL _____

SALES TAX (If Any) _____
TOTAL CHARGES _____
DISCOUNT _____ IF PAID IN 30 DAYS

RECEIVED
KANSAS CORPORATION COMMISSION

AUG 21 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., LLC. 32263

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell KS

DATE <u>6-11-08</u>	SEC. <u>25</u>	TWP. <u>14</u>	RANGE <u>6</u>	CALLED OUT	ON LOCATION	JOB START <u>3:45 pm</u>	JOB FINISH <u>4:30 pm</u>
Steve LEASE	WELL # <u>1</u>	LOCATION <u>Walker KS South 3 1/2 East 1</u>			COUNTY <u>Ellis</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			<u>1/2 South East into</u>				

CONTRACTOR WW Drilling Rig # 6 OWNER _____

TYPE OF JOB Surface CEMENT AMOUNT ORDERED 350 com 3/4 cc 2 1/2 bbl

HOLE SIZE 12 1/4 T.D. 901'
CASING SIZE 8 3/4 23# DEPTH 900.41'

TUBING SIZE _____ DEPTH _____
DRILL PIPE _____ DEPTH _____
TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____
MEAS. LINE _____ SHOE JOINT 41'

CEMENT LEFT IN CSG. 41'
PERFS. _____
DISPLACEMENT 54.73 Bbl

EQUIPMENT _____
COMMON _____ @ _____

PUMP TRUCK CEMENTER John Roberts
409 HELPER Adrian

BULK TRUCK _____ @ _____
396 DRIVER Mike

BULK TRUCK _____ @ _____
_____ DRIVER _____

REMARKS: _____ TOTAL _____

Est Circulation Mix 350 sk cement

Displace Plug w/ 54.73 Bbl H₂O

Cement Did Circulate!

CHARGE TO: TDI Inc.

STREET _____ TOTAL _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

_____ @ _____

8 5/8 Rubber Plug @ _____

5 3/8 Ball Plate @ _____

_____ @ _____

TOTAL _____

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____

SIGNATURE Kathy Stuart

RECEIVED
KANSAS CORPORATION COMMISSION

AUG 21 2008
CONSERVATION DIVISION
WICHITA, KS