ORIGINAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 October 2008 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 5144	API No. 15 - 185-23316-000/				
Name: Mull Drilling Company, Inc.	Spot Description:				
Address 1: P.O. Box 2758	sw _sw _NE _NW Sec. 30 Twp. 21 S. R. 12 East West				
Address 2:					
City: Wichita State: KS zip: 67201 + 2758	Feet from East / West Line of Section				
Contact Person: Steve C. Anderson	Footages Calculated from Nearest Outside Section Corner:				
Phone: (316) 264-6366	□ NE ☑NW □ SE □SW				
CONTRACTOR: License #	County: Stafford				
Name:	Lease Name: Hayden-Fischer Well #: 1-30				
Wellsite Geologist:	Field Name: Mueller				
Purchaser:	Producing Formation: Lansing/Kansas City				
Designate Type of Completion:	Elevation: Ground: 1864' Kelly Bushing: 1873'				
New Well Re-Entry Workover	Total Depth: 3754 Plug Back Total Depth: 3690				
✓ Oil SWD SIOW	Amount of Surface Pipe Set and Cemented at: Feet				
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No				
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set: Feet				
Dry Other(Core. WSW. Expl., Cathodic, etc.)	If Alternate II completion, cement circulated from:				
If Workover/Re-entry: Old Well Info as follows:	feet depth to:w/sx cmt				
Operator: Mull Drilling Company, Inc.	feet depth to: w/ wo - Dig - 6/25/09 Drilling Fluid Management Plan				
Well Name: Hayden-Fischer /~30	(Data must be collected from the Reserve Pit)				
Original Comp. Date: 6/23/05 Original Total Depth: 3754'	Chloride content: ppm Fluid volume: bbls				
Deepening Re-perf Conv. to Enhr Conv. to SWD	Dewatering method used:				
Plug Back:Plug Back Total Depth	Location of fluid disposal if hauled offsite:				
Commingled Docket No.:					
Dual Completion Docket No.:	Operator Name:				
Other (SWD or Enhr.?) Docket No.:	Lease Name:License No.:				
Squd Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West				
Soud Date of Date Reached TD Completion Date or Recompletion Date	County: Docket No.:				
of side two of this form will be held confidential for a period of 12 months if rec	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidenell report shall be attached with this form. ALL CEMENTING TICKETS MUST				
All requirements of the statutes, rules and regulations promulgated to regulate are complete and correct to the best of my knowledge.	the oil and gas industry have been fully complied with and the statements herein				
Signature: / Summ	KCC Office Use ONLY				
Title: Sr. Eng. & Prod. Technican Date: 12/16/08	/ //				
11 th None 1- a	Letter of Confidentiality Received				
	If Denied, Yes Date: Wireline Log Received				
20 08 TANNIS L. T	RECEIVED				
Notary Public: MY COMMISSION	EXPIRES UIC Distribution				
Date Commission Expires: 3.26.201	011 DEC 1 7 2008				

Side Two

Operator Name: Mul	I Drilling Company,	Inc.	Lease Name	Hayden-Fische	er	_ Well #:1-30)		
			County: Sta	County: Stafford					
me tool open and cloecovery, and flow rat	osed, flowing and shut	l base of formations per in pressures, whether s t, along with final chart(eport.	shut-in pressure re	eached static level,	hydrostatic press	sures, bottom h	nole temperature, fluid		
Drill Stem Tests Taken			1	Log Formation (Top), Depth and Datum					
amples Sent to Geo Cores Taken Lectric Log Run (Submit Copy)	ological Survey	☐ Yes ☐ No ☐ No ☐ Yes ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ Yes ☐ No ☐ Yes	J. N.	Mkower		Тор	Datum		
St All E. Logs Run:		erikar luguserik i	ਵਾਹਨ , ਦ ਜ਼ੂਰੀ ਨਾ ਦ	پيوستوند يو بار ويام	±*a · v·· va	- منبه :			
				New Used					
Purpose of String	Size Hole Drilled	Report all strings set- Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	on, etc. Type of Cement	# Sacks Used	Type and Percent Additives		
Purpose:	Depth			QUEEZE RECORD			2		
Perforate Protect Casing Plug Back TD Plug Off Zone	Top Bottom	Type of Cement	#Sacks Used		Type and F	Percent Additives			
Shots Per Foot		PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)							
4 3504-07', 3484-86', 34		86', 3445-47', 338	8-90' 3374-7	8' 2250 gal 1	5% MCA				
1						KANSA	RECEIVED S CORPORATION COMM		
				- 			DEC 1 7 2008		
UBING RECORD!	Size: 3/8"	Set At: 3643'	Packer At:	Liner Run:	Yes No	(CONSERVATION DIVISION WICHITA, KS		
Date of First, Resumed	Production, SWD or Enhr	. Producing Met	hod:	ring 🗸 Pumpin	g Gas Lif	ft Othe	er (Explain)		
Estimated Production Per 24 Hours	Oil B	bls. Gas	Mcf W	ater Bb	ols. (Gas-Oil Ratio	Gravity 37.6°		
DISPOSITIO	ON OF GAS:		METHOD OF COMF		nmingled 33	PRODUCTION INTERVAL: 3374' - 3507'			
	bmit ACO-18.)	Other (Specify)							