

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1  
September 1999  
Form Must Be Typed

Operator: License # 30537  
Name: Venture Resources, Inc.  
Address: P.O. Box 101234  
City/State/Zip: Denver CO. 80250  
Purchaser: Coffeyville Resources, LLC  
Operator Contact Person: Ron Mackey  
Phone: (303) 722-2899  
Contractor: Name: American Eagle Drilling, LLC  
License: 33493  
Wellsite Geologist: Greg Mackey

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_

3/1/2008	3/08/2008	NA
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date


API No. 15 - 163-23683-0000  
County: Rooks  
NE SE SW Sec. 33 Twp. 8 S S. R. 20  East  West  
700 fsl \_\_\_\_\_ feet from (S) N (circle one) Line of Section  
2460 fwl \_\_\_\_\_ feet from E / (W) (circle one) Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW (SW)  
Lease Name: KSJ Farms Well #: 1  
Field Name: WC  
Producing Formation: NA  
Elevation: Ground: 2162' Kelly Bushing: 2169'  
Total Depth: 3825' Plug Back Total Depth: NA  
Amount of Surface Pipe Set and Cemented at 256' @ 264' Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set NA Feet  
If Alternate II completion, cement circulated from: NA  
feet depth to NA w/ NA sx cmt.

Drilling Fluid Management Plan P+A  
(Data must be collected from the Reserve Pit) A11 II NCR 8-04-08  
Chloride content 31000 ppm Fluid volume 400 bbls  
Dewatering method used Pulled liquids and evaporation  
Location of fluid disposal if hauled offsite:  
Operator Name: Venture Resources, Inc.  
Lease Name: Ridler A 1-W License No.: 30537  
Quarter NW Sec. 12 Twp. 11S S. R. 18  East  West  
County: Ellis Docket No.: 34,293-C

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Handwritten Signature]  
Title: VP/CEO Date: 7-17-08  
Subscribed and sworn to before me this 17<sup>th</sup> day of July  
2008  
Notary Public: [Handwritten Signature]  
Date Commission Expires: 5-19-2010



**KCC Office Use ONLY**  
 Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
**RECEIVED**  
KANSAS CORPORATION COMMISSION  
**JUL 21 2008**

Operator Name: Venture Resources, Inc. Lease Name: KSJ Farms Well #: 1  
 Sec. 33 Twp. 8 S S. R. 20  East  West County: Rooks

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run  Yes  No  
 (Submit Copy)

List All E. Logs Run:

**DIL,CNL,CDL**

Log Formation (Top), Depth and Datum  Sample

Name	Top	Datum
Anhydrite	1694'	+745'
Topeka	3166'	-997"
Heebner	3368'	-1199'
Lansing	3411'	-1242'
BKC	3632"	-1463'
Arbuckle	3446'	-1577'

*Per Ch 23  
all in  
app.  
see  
8/1/08*

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	20#	287' 264'	Common	165	3%cc/2%gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing				
___ Plug Back TD				
___ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 JUL 21 2008  
 CONSERVATION DIVISION  
 WICHITA, KS

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)				
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas  Vented  Sold  Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify)

Production Interval \_\_\_\_\_

# ALLIED CEMENTING CO., LLC. 30262

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Russell

DATE <u>3-1-08</u>	SEC <u>33</u>	TWP <u>8 S</u>	RANGE <u>20 W</u>	CALLED OUT	ON LOCATION	JOB START	JOB FINISH <u>4:45 p.m.</u>
LEASE <u>KSS Farms</u> WELL # <u>1</u>			LOCATION <u>Damar 1 E 1 N</u>			COUNTY <u>Rooks</u>	STATE <u>Ks.</u>
OLD OR <u>NEW</u> (Circle one)			<u>Wnto</u>				

CONTRACTOR American Eagle Drilling Rig #1 OWNER \_\_\_\_\_

TYPE OF JOB Surface Job

HOLE SIZE 12 1/4 T.D. 264

CASING SIZE 8 5/8 DEPTH 267'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. 15'

PERFS. \_\_\_\_\_

DISPLACEMENT 16 661

**CEMENT**

AMOUNT ORDERED 165 Com 3% CC

29 Gel

COMMON <u>165</u>	@ <u>12.15</u>	<u>2004.75</u>
POZMIX _____	@ _____	_____
GEL <u>3</u>	@ <u>18.75</u>	<u>54.75</u>
CHLORIDE <u>5</u>	@ <u>51.00</u>	<u>255.00</u>
ASC _____	@ _____	_____

**EQUIPMENT**

PUMP TRUCK CEMENTER Shane

# 366 HELPER Matt

BULK TRUCK

# 378 DRIVER Rocky

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

RECEIVED @  
KANSAS CORPORATION COMMISSION

**JUL 21 2008**

CONSERVATION DIVISION  
WICHITA, KS @ \_\_\_\_\_

HANDLING <u>173</u>	@ <u>2.05</u>	<u>354.65</u>
MILEAGE <u>SK/mi/09</u>		<u>934.25</u>
<b>TOTAL</b>		<u>3603.35</u>

**REMARKS:**

Cement Circ

**SERVICE**

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_ 893.00

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE 60 @ 7.00 420.00

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

**TOTAL** 1313.00

CHARGE TO: Venture Resources, Inc.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

_____	@ _____	_____
_____	@ _____	_____
<u>8 5/8 Wood Plug</u>	@ _____	<u>66.00</u>
_____	@ _____	_____
_____	@ _____	_____
<b>TOTAL</b>		<u>66.00</u>

To Allied Cementing Co., LLC.  
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) \_\_\_\_\_

TOTAL CHARGES \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

*Thanks!*

PRINTED NAME \_\_\_\_\_

SIGNATURE [Signature]

# ALLIED CEMENTING CO., LLC. 30272

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>3-8-08</u>	SEC. <u>33</u>	TWP. <u>8 S</u>	RANGE <u>20 W</u>	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
<u>KS</u>							<u>5:00 PM</u>
LEASE <u>Farms</u>	WELL# <u>1</u>	LOCATION <u>Damar 1 E 1 1/2 N</u>			COUNTY <u>Rooks</u>	STATE <u>Ks.</u>	
<input checked="" type="radio"/> OLD OR <input type="radio"/> NEW (Circle one)			Winds				

CONTRACTOR American Eagle Drilling Rig #1 OWNER \_\_\_\_\_

TYPE OF JOB Rotary Plug

HOLE SIZE 7 7/8 T.D. 3825'

CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE 4 1/2 DEPTH 3746

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

CEMENT

AMOUNT ORDERED 215 60/100 42 Gal

1/4 # F16

COMMON	<u>129</u>	@ <u>12.15</u>	<u>1567.35</u>
POZMIX	<u>86</u>	@ <u>6.80</u>	<u>584.80</u>
GEL	<u>7</u>	@ <u>18.25</u>	<u>127.75</u>
CHLORIDE		@	
ASC		@	
FloSeal	<u>54 lbs</u>	@ <u>2.20</u>	<u>118.80</u>

**EQUIPMENT**

PUMP TRUCK CEMENTER Shane

# 366 HELPER Matt

BULK TRUCK

# 347 DRIVER Rex Oakley

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

**RECEIVED**

KANSAS CORPORATION COMMISSION

**JUL 21 2008**

CONSERVATION DIVISION

WICHITA, KS

HANDLING	<u>227</u>	@ <u>2.15</u>	<u>488.05</u>
MILEAGE	<u>SK/mi/109</u>		<u>999.00</u>
TOTAL			<u>3852.00</u>

**REMARKS:**

3746' 25 sks

1700' 25 sks

950' 100 sks

300' 40 sks

40' 10 sks

Rat Hole 15 sks

**SERVICE**

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_ 893.00

EXTRA FOOTAGE @ \_\_\_\_\_

MILEAGE 50 @ 7.00 350.00

MANIFOLD @ \_\_\_\_\_

@ \_\_\_\_\_

@ \_\_\_\_\_

CHARGE TO: Venture Resources, Inc.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

TOTAL 1243.00

Thanks!

To Allied Cementing Co., LLC.  
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

**PLUG & FLOAT EQUIPMENT**

	@	
<u>Dry Hole Plug</u>	@	<u>39.00</u>
	@	
	@	
TOTAL <u>39.00</u>		

PRINTED NAME Larry Hinderliter

SIGNATURE Larry Hinderliter

SALES TAX (If Any) \_\_\_\_\_

TOTAL CHARGES \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS