

KANSAS CORPORATION COMMISSION
 OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
 WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Form ACO-1
 September 1999
 Form Must Be Typed

*rec
 man
 8/1/08*

Operator: License # 5120
 Name: Range Oil Company, Inc.
 Address: 125 N. Market, Suite 1120
 City/State/Zip: Wichita, KS 67202
 Purchaser: _____
 Operator Contact Person: John Washburn
 Phone: (316) 265-6231
 Contractor: Name: Summit Drilling Co.
 License: 30141
 Wellsite Geologist: Roger Martin

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>6-7-08</u>	<u>6-14-08</u>	<u>6-14-08</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 015-23,782-0000
 County: Butler
 Approx. X SE NW SW Sec. 30 Twp. 25 S. R. 4 East West
1650 feet from (S) N (circle one) Line of Section
1090 feet from E (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW (SW)
 Lease Name: Osburn Well #: 1

Field Name: _____
 Producing Formation: _____
 Elevation: Ground: 1278' Kelly Bushing: 1288'
 Total Depth: 2712' Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at 224 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set _____ Feet
 If Alternate II completion, cement circulated from _____
 feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan Ait 1 NCR 8-4-08
 (Data must be collected from the Reserve Pit)
 Chloride content 1200 ppm Fluid volume 300 bbls
 Dewatering method used evaporation

Location of fluid disposal if hauled offsite:
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: John M. Washburn
 Title: Vice President Date: 7-8-08
 Subscribed and sworn to before me this 8 day of July
20 08
 Notary Public: Vickie Larison
 Date Commission Expires: 9-21-2010

VICKIE LARISON
 Notary Public - State of Kansas
 My Appt. Expires 9-21-2010

KCC Office Use ONLY
 Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
RECEIVED
 KANSAS CORPORATION COMMISSION

JUL 21 2008

CONSERVATION DIVISION
 WICHITA, KS

Operator Name: Range Oil Company, Inc. Lease Name: Osburn Well #: 1
 Sec. 30 Twp. 25 S. R. 4 East West County: Butler

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: DST (1) 2681' to 2690' 30-30-60-60 Rec: 85' GIP + 35' clean oil + 80' SOWCM (7% oil, 36% water, 57% mud) + 60' SOMCW (2% oil, 24% mud, 74% water) + 90'SW IFP 25-97 ISIP 712 FFP 91-126 FSIP 707 T:110 F	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td><input type="checkbox"/> Log</td> <td>Formation (Top), Depth and Datum</td> <td><input checked="" type="checkbox"/> Sample</td> </tr> <tr> <td>Name</td> <td>Top</td> <td>Datum</td> </tr> <tr> <td>Lansing</td> <td>1905'</td> <td>-617</td> </tr> <tr> <td>Kansas City</td> <td>2186'</td> <td>-898</td> </tr> <tr> <td>BKC</td> <td>2354'</td> <td>-1066</td> </tr> <tr> <td>Mississippian</td> <td>2678'</td> <td>-1390</td> </tr> <tr> <td>RTD</td> <td>2712'</td> <td>-1424</td> </tr> </table>	<input type="checkbox"/> Log	Formation (Top), Depth and Datum	<input checked="" type="checkbox"/> Sample	Name	Top	Datum	Lansing	1905'	-617	Kansas City	2186'	-898	BKC	2354'	-1066	Mississippian	2678'	-1390	RTD	2712'	-1424
<input type="checkbox"/> Log	Formation (Top), Depth and Datum	<input checked="" type="checkbox"/> Sample																				
Name	Top	Datum																				
Lansing	1905'	-617																				
Kansas City	2186'	-898																				
BKC	2354'	-1066																				
Mississippian	2678'	-1390																				
RTD	2712'	-1424																				

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	24#	224'	common	160	3% CaCl

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record	
	Specify Footage of Each Interval Perforated		(Amount and Kind of Material Used)	
				Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.			Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)* METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

RECEIVED
 KANSAS CORPORATION COMMISSION

JUL 21 2008

 CONSERVATION DIVISION
 WICHITA, KS



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

COPY

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
FAX 620/431-0012

INVOICE Invoice # 222781


Invoice Date: 06/18/2008 Terms: Page 1

RANGE OIL CO. INC.
125 N. MARKET, SUITE 1120
WICHITA KS 67202
() -

OSBURN #1
18602
06-14-08

Part Number	Description	Qty	Unit Price	Total
1131	60/40 POZ MIX	75.00	11.3500	851.25
1118A	S-5 GEL/ BENTONITE (50#)	250.00	.1700	42.50

Description	Hours	Unit Price	Total
463 P & A NEW WELL	1.00	925.00	925.00
463 EQUIPMENT MILEAGE (ONE WAY)	50.00	3.65	182.50
515 MIN. BULK DELIVERY	1.00	315.00	315.00



RECEIVED
KANSAS CORPORATION COMMISSION

JUL 21 2008

CONSERVATION DIVISION
WICHITA, KS

Parts:	893.75	Freight:	.00	Tax:	47.37	AR	2363.62
Labor:	.00	Misc:	.00	Total:	2363.62		
Sublt:	.00	Supplies:	.00	Change:	.00		

Signed _____ Date _____

BARTLESVILLE, OK 918/338-0808 ELDORADO, KS 316/322-7022 EUREKA, Ks 620/583-7664 GILLETTE, WY 307/686-4914 McALESTER, OK 918/426-7667 OTTAWA, KS 785/242-4044 THAYER, KS 620/839-5269 WORLAND, WY 307/347-4577



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

COPY

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-8210 • 1-800/467-8676
FAX 620/431-0012

INVOICE Invoice # 222781

Invoice Date: 06/18/2008 Terms: Page 1

RANGE OIL CO. INC.
125 N. MARKET, SUITE 1120
WICHITA KS 67202
() -

OSBURN #1
18602
06-14-08

Part Number	Description	Qty	Unit Price	Total
1131	60/40 POZ MIX	75.00	11.3500	851.25
1118A	S-5 GEL/ BENTONITE (50#)	250.00	.1700	42.50

Description	Hours	Unit Price	Total
463 P & A NEW WELL	1.00	925.00	925.00
463 EQUIPMENT MILEAGE (ONE WAY)	50.00	3.65	182.50
515 MIN. BULK DELIVERY	1.00	315.00	315.00



RECEIVED
KANSAS CORPORATION COMMISSION

JUL 21 2008

CONSERVATION DIVISION
WICHITA, KS

Parts:	893.75	Freight:	.00	Tax:	47.37	AR	2363.62
Labor:	.00	Misc:	.00	Total:	2363.62		
Sublt:	.00	Supplies:	.00	Change:	.00		

Signed _____ Date _____

BARTLESVILLE, OK 918/338-0808 ELDORADO, KS 316/322-7022 EUREKA, KS 620/583-7664 GILLETTE, WY 307/686-4914 McALESTER, OK 918/426-7667 OTTAWA, KS 785/242-4044 THAYER, KS 620/839-5269 WORLAND, WY 307/347-4577



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

COPY

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
FAX 620/431-0012

INVOICE Invoice # 222578
=====


Invoice Date: 06/10/2008 Terms: Page 1

RANGE OIL CO. INC.
125 N. MARKET, SUITE 1120
WICHITA KS 67202
() -

OSBURN #1
14149
06-08-08

Part Number	Description	Qty	Unit Price	Total
1104S	CLASS "A" CEMENT (SALE)	120.00	13.5000	1620.00
1102	CALCIUM CHLORIDE (50#)	340.00	.7500	255.00
1118A	S-5 GEL/ BENTONITE (50#)	225.00	.1700	38.25
1107	FLO-SEAL (25#)	30.00	2.1000	63.00
4132	CENTRALIZER 8 5/8"	2.00	66.0000	132.00
4432	8 5/8" WOODEN PLUG	1.00	77.0000	77.00

Description	Hours	Unit Price	Total
439 TON MILEAGE DELIVERY	282.00	1.20	338.40
463 CEMENT PUMP (SURFACE)	1.00	725.00	725.00
463 EQUIPMENT MILEAGE (ONE WAY)	50.00	3.65	182.50



RECEIVED
KANSAS CORPORATION COMMISSION

JUL 21 2008

CONSERVATION DIVISION
WICHITA, KS

Parts: 2185.25 Freight: .00 Tax: 115.83 AR 3546.98
Labor: .00 Misc: .00 Total: 3546.98
Sublt: .00 Supplies: .00 Change: .00
=====

Signed _____ Date _____