

FORM MUST BE TYPED

SIDE ONE

ORIGINAL

STATE CORPORATION COMMISSION OF KANSAS  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
ACD-1 WELL HISTORY  
DESCRIPTION OF WELL AND LEASE

Operator: License # 06113

Name: LANDMARK ENERGY EXPL., INC./  
VESS OIL CORP.  
Address 1861 N. Rock Rd., Suite 205

City/State/Zip Wichita, Kansas 67206

Purchaser: na

Operator Contact Person: Jeff Wood

Phone (316) 683-8080

Contractor: Name: L. D. DRILLING, INC.

License: 6039

Wellsite Geologist: Craig Caulk

Designate Type of Completion

New Well  Re-Entry  Workover

Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Comp. Date \_\_\_\_\_ Old Total Depth \_\_\_\_\_

Deepening  Re-perf.  Conv. to Inj/SWD  
 Plug Back  PBD  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Inj?)  Docket No. \_\_\_\_\_

2-9-96 2-17-96 2-17-96  
Spud Date Date Reached TD Completion Date

API NO. 15- 109-206100000  
County LOGAN  
240' East of  
- SW - SE - SW Sec. 16 Twp. 11 Rge. 34 X E  
330 Feet from (S) (circle one) Line of Section  
1890 Feet from (W) (circle one) Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
NE, SE, NW or (SW) (circle one)  
Lease Name ESHELMAN Well # 1-16  
Field Name unnamed  
Producing Formation na  
Elevation: Ground 3207' KB 3212'  
Total Depth 4810' PBDT \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at 302' Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate 1) completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.  
Drilling Fluid Management Plan DLA 6-3-96  
(Data must be collected from the Reserve Pit) kw  
Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name \_\_\_\_\_  
Lease Name \_\_\_\_\_ License No. \_\_\_\_\_  
Quarter Sec. Twp. S Rng. E/W  
County \_\_\_\_\_ Docket No. \_\_\_\_\_

RECEIVED  
KANSAS CORP  
4-21-96  
1:28 PM '96

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature [Signature] Jeffrey R. Wood  
Title President Date 4/1/96  
Subscribed and sworn to before me this 1st day of April, 19 96.  
Notary Public Laura B. Engler  
Date Commission Expires Jan. 23, 2000

LAURA B. ENGLER  
NOTARY PUBLIC  
STATE OF KANSAS  
My Appt. Exp. 1-23-2000

K.C.C. OFFICE USE ONLY  
F  Letter of Confidentiality Attached  
C  Wireline Log Received  
C  Geologist Report Received  
Distribution  
 KCC  SWD/Rep  NGPA  
 KGS  Plug  Other (Specify)

Operator Name LANDMARK ENERGY EXPL., INC. / VESS OIL CORPORATION

Lease Name Eshelman Well # 1-16

Sec. 16 Twp. 11S Rge. 34  East  West

County LOGAN

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken (Attach Additional Sheets.)  Yes  No

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run (Submit Copy.)  Yes  No

List All E.Logs Run:

DIL/SSD/CN

Log Formation (Top), Depth and Datum  Sample

Name Top Datum

See Attached.

CASING RECORD  New  Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12 1/4"	8 5/8"	used 28# (2 its)	302'	60/40 Poz	180	2% Gel, 3% cc
			new 24# (5 its)				

ADDITIONAL CEMENTING/SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth

TUBING RECORD

Size Set At Packer At Liner Run  Yes  No

Date of First, Resumed Production, SMD or Inj. Producing Method  Flowing  Pumping  Gas Lift  Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas:  Vented  Sold  Used on Lease (If vented, submit ACO-18.)

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

15-109-20610-00-00

ORIGINAL

Attachment to ACO-1

Page 2

Operator: Landmark Energy Exploration, Inc./Vess Oil Corp.  
Lease Name: Eshelman  
Well Number: #1-16  
Location: 240' East of SW SE SW Sec. 16-11S-34W  
Logan County, Kansas  
API No.: 15-109-206100000

**Log Tops**

Anhydrite	2669	+543
Base Anhydrite	2695	+517
Heebner Shale	4080	-868
Lansing Lms.	4122	-910
Muncie Shale	4272	-1060
140' Zone	4287	-1075
160' Zone	4316	-1104
180' Zone	4330	-1118
Stark	4353	-1141
200' Zone	4364	-1152
Hush P	4388	-1176
220' Zone	4392	-1180
Base KC	4414	-1202
Pawnee	4546	-1334
Ft. Scott	4601	-1389
Cherokee Sh.	4630	-1418
Johnson	4678	-1466
Miss.	4748	-1536
LTD	4810	-1598

RECEIVED  
KANSAS CORP COM  
1996 APR -2 P 1:22  
4-2-9910

# ALLIED CEMENTING CO., INC.

3862

15-109-20610-00-00

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

ORIGINAL

SERVICE POINT:

Oakley

DATE <u>2-9-96</u>	SEC. <u>16</u>	TWP. <u>11</u>	RANGE <u>34</u>	CALLED OUT	ON LOCATION <u>7:15 PM</u>	JOB START	JOB FINISH <u>9:00 PM</u>
LEASE <u>Eshelman</u>	WELL# <u>1-16</u>	LOCATION <u>Monument SW-1/4S-1/4E-N.S.</u>	COUNTY <u>Logan</u>	STATE <u>Kan</u>			

OLD OR NEW (Circle one)

CONTRACTOR L-D Dels Co #1

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 302'

CASING SIZE 8 5/8 DEPTH 301

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 15'

PERFS.

OWNER Same  
CEMENT

AMOUNT ORDERED 180 SKs 60% per  
3% CC - 2% l.e.l

COMMON	<u>108</u>	SKs	@	<u>7.20</u>	<u>777.60</u>
POZMIX	<u>72</u>	SKs	@	<u>3.15</u>	<u>226.80</u>
GEL	<u>3</u>	SKs	@	<u>9.50</u>	<u>28.50</u>
CHLORIDE	<u>6</u>	SKs	@	<u>28.00</u>	<u>168.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER Walt

# 191 HELPER Wayne

BULK TRUCK

# 315 DRIVER Terry

BULK TRUCK

# DRIVER

HANDLING 180 SKs @ 1.05 189.00

MILEAGE 4¢ per sk/mile 100.80

TOTAL 1,490.90

REMARKS:

SERVICE

DEPTH OF JOB 301'

PUMP TRUCK CHARGE 445.00

EXTRA FOOTAGE @

MILEAGE 14 miles @ 2.35 32.90

PLUG 8 5/8 wooden plug @ 45.00

TOTAL 522.90

CHARGE TO: Landmark Energy Explog Inc

STREET 1861 N Rock Road, Suite #205

CITY Wichita STATE Kan ZIP 67206-1264

FLOAT EQUIPMENT:

@

@

@

@

@

TOTAL

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE

*[Handwritten Signature]*

# ALLIED CEMENTING CO., INC.

## ORIGINAL

3870

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley

15-109-20610-00-00

DATE <u>2-16-96</u>	SEC. <u>16</u>	TWP. <u>11</u>	RANGE <u>34</u>	CALLED OUT	ON LOCATION <u>11:00 PM</u>	JOB START	JOB FINISH <u>4:30 AM</u>
LEASE <u>Eshelman</u>		WELL# <u>1-16</u>		LOCATION <u>Monument SW-1/4S-1/4E-M.S.</u>		COUNTY <u>Logan</u>	STATE <u>Kan</u>

OLD OR (NEW) (Circle one)

CONTRACTOR <u>L.D. Dely Co #</u>
TYPE OF JOB <u>PTA</u>
HOLE SIZE <u>7 7/8</u> T.D. <u>4810'</u>
CASING SIZE DEPTH
TUBING SIZE DEPTH
DRILL PIPE DEPTH
TOOL DEPTH
PRES. MAX MINIMUM
MEAS. LINE SHOE JOINT
CEMENT LEFT IN CSG.
PERFS.

OWNER Same  
CEMENT

AMOUNT ORDERED 190 SKs 60/40 per  
6% Gel, 1/4" Flo-Seal

COMMON	<u>114 SKs</u>	@	<u>7.20</u>	<u>820.80</u>
POZMIX	<u>76 SKs</u>	@	<u>3.15</u>	<u>239.40</u>
GEL	<u>10 SKs</u>	@	<u>9.50</u>	<u>95.00</u>
CHLORIDE		@		
<u>Flo-Seal 48"</u>		@	<u>1.15</u>	<u>55.20</u>
		@		
		@		
		@		
		@		
HANDLING	<u>190 SKs</u>	@	<u>1.05</u>	<u>199.50</u>
MILEAGE	<u>44 per SK/mile</u>			<u>106.40</u>

TOTAL 1,516.30

**EQUIPMENT**

PUMP TRUCK # <u>300</u>	CEMENTER <u>Walt</u>
	HELPER <u>Terry</u>
BULK TRUCK #	DRIVER <u>Dean</u>
BULK TRUCK #	DRIVER

**REMARKS:**

<u>25 SKs @ 2680'</u>
<u>100 SKs @ 1610'</u>
<u>40 SKs @ 350'</u>
<u>10 SKs @ 40'</u>
<u>15 SKs in R.H.</u>

*Thank You*

**SERVICE**

DEPTH OF JOB	<u>2680'</u>
PUMP TRUCK CHARGE	
EXTRA FOOTAGE	@ <u>5.50</u> <u>00</u>
MILEAGE <u>14 miles</u>	@ <u>2.35</u> <u>32.90</u>
PLUG <u>8 5/8 D.H. Plug</u>	@ <u>23.00</u>
	@
	@

TOTAL 605.90

CHARGE TO: Landmark Energy Inc / Uess Oil Corp  
STREET 250 N. Water St #308  
CITY Wichita STATE Kansas ZIP 67202

**FLOAT EQUIPMENT**

	@	
	@	
	@	
	@	
	@	

TOTAL

TAX \_\_\_\_\_  
TOTAL CHARGE \_\_\_\_\_  
DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.  
Harry Verkler  
SIGNATURE \_\_\_\_\_