

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 6622

Name: JASON OIL COMPANY

Address: P.O. Box 701

City/State/Zip: Russell, KS 67665

Purchaser:

Operator Contact Person: J.L. Schoenberger

Phone: (785) 483-4204

Contractor: Name: Discovery Drilling Co., Inc.

License: 31548

Wellsite Geologist: Ron Nelson

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil SWD SLOW Temp. Abd.
- Gas ENHR SIGW
- Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator:

Well Name:

Original Comp. Date: Original Total Depth:

Deepening Re-perf. Conv. to Enhr./SWD

Plug Back Plug Back Total Depth

Commingled Docket No.

Dual Completion Docket No.

Other (SWD or Enhr.?) Docket No.

5/9/05	5/13/05	5/14/05
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 163-23,453-00-00

County: Rooks

E/2 E/2 SE Sec. 6 Twp. 7 S. R. 19W East West

1320 feet from (S) (circle one) Line of Section

330 feet from (E) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:

(circle one) NE (SE) NW SW

Lease Name: Carpenter Well #: 1-6

Field Name: Wildcat

Producing Formation: None

Elevation: Ground: 2011 Kelly Bushing: 2019

Total Depth: 3585 Plug Back Total Depth:

Amount of Surface Pipe Set and Cemented at 222.07 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set Feet

If Alternate II completion, cement circulated from

feet depth to w/ sx cmt.

(10sks In Mouse Hole)(15sks In Rat Hole)

Drilling Fluid Management Plan Alt II NCR 8-05-08
(Data must be collected from the Reserve Pit) D+A

Chloride content 5,000 ppm Fluid volume 300 bbls

Dewatering method used Evaporation

Location of fluid disposal if hauled offsite:

Operator Name:

Lease Name: License No.:

Quarter Sec. Twp. S. R. East West

County: Docket No.:

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: James L. Schanley


Title: Owner Date: 5-31-2005

Subscribed and sworn to before me this 31st day of May

2005

Notary Public: Fred Weigel, Jr.

Date Commission Expires: July 18, 2006



KCC Office Use ONLY

Letter of Confidentiality Attached

If Denied, Yes Date:

Wireline Log Received

Geologist Report Received

UIC Distribution

Operator Name: JASON OIL COMPANY Lease Name: CARPENTER Well #: 1-6
 Sec. 6 Twp. 7 S. R. 19W East West County: Rooks

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy)
 List All E. Logs Run:

Name	Top	Datum
Anhydrite	1540	+479
Anhydrite Base	1570	+449
LKC	3242	-1223
Base LKC	3457	-1438
Arbuckle	3558	-1539

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacs Used	Type and Percent Additives
Surface Pipe	12 1/4	8 5/8	23	222.07	Common	150	2%Gel&3%CC

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing				
___ Plug Back TD				
___ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)		Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____



Discovery Drilling

P.O. Box 763 • Hays, KS 67601 • OFFICE (785) 623-2920 • CELLULAR (785) 623-1515

RECEIVED
JUN - 3 2005
WICHITA

DRILLER'S LOG

Operator: **Jason Oil Company**
PO Box 701
Russell, KS 67665-0701

Contractor: **Discovery Drilling Co., Inc.**
PO Box 763
Hays, KS 67601

Lease: **Carpenter #1-6**

Location: **E/2 / E/2 / SE**
Sec. 6 / 7S / 19W
Rooks Co., KS

Loggers Total Depth: 3585'
Rotary Total Depth: 3585'
Commenced: 5/9/2005
Casing: 8 5/8" @ 222.07' w / 155 sks

Elevation: 2011' GL / 2019' KB
Completed: 5/14/2005
Status: D & A

DEPTHS & FORMATIONS (All from KB)

Surface, Sand & Shale	0'	Shale	1568'
Dakota Sand	778'	Shale & Lime	2089'
Shale	908'	Shale	2424'
Cedar Hill Sand	1033'	Shale & Lime	2824'
Red Bed Shale	1256'	Lime & Shale	3068'
Anhydrite	1537'	RTD	3585'
Base Anhydrite	1568'		

STATE OF KANSAS)
) ss
COUNTY OF ELLIS)

Thomas H. Alm of Discovery Drilling states that to the best of his knowledge the above and foregoing is a true and correct log of the above captioned well.


Thomas H. Alm
Thomas H. Alm

Subscribed and sworn to before me on 5-17-05

My Commission expires: 8-9-07

(Place stamp or seal below)

Glenna S. Alm
Notary Public



ALLIED CEMENTING CO., INC. 16630

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell

DATE <u>5/9/05</u>	SEC. <u>B 6</u>	TWP. <u>75</u>	RANGE <u>19W</u>	CALLED OUT <u>4:30 P.M.</u>	ON LOCATION <u>5:00 P.M.</u>	JOB START <u>6:15 pm</u>	JOB FINISH <u>6:45 P.M.</u>
LEASE <u>Carpenter</u>		WELL# <u>1-6</u>		LOCATION <u>Webster Dam 3W 4N</u>		COUNTY <u>Rooks</u>	STATE <u>KS.</u>
OLD OR NEW (Circle one)							

CONTRACTOR Discovery Drilling #1 OWNER _____

TYPE OF JOB Service

HOLE SIZE 12 1/4 T.D. 223

CASING SIZE 8 5/8 DEPTH 222

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 15'

PERFS. _____

DISPLACEMENT 13 bbls

CEMENT

AMOUNT ORDERED 155 Com 39.00 29.60

COMMON	<u>155</u>	@	<u>8.70</u>	<u>1348.50</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>14.00</u>	<u>42.00</u>
CHLORIDE	<u>5</u>	@	<u>38.00</u>	<u>190.00</u>
ASC		@		

EQUIPMENT

PUMP TRUCK CEMENTER Steve

177 HELPER Alan

BULK TRUCK DRIVER Keith

222

BULK TRUCK DRIVER _____

RECEIVED

MAY - 3 2005

KCC WICHITA

HANDLING	<u>163</u>	@	<u>1.60</u>	<u>260.00</u>
MILEAGE	<u>64/SK/MILE</u>	@		<u>635.70</u>
				TOTAL <u>2477.00</u>

REMARKS:

Circ

Cement

Spanks

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>670.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>65</u>	@	<u>5.00</u>
		@	
		@	
		@	
TOTAL <u>995.00</u>			

CHARGE TO: Jason Oil

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

<u>8 5/8 Wood Plug</u>			<u>55.00</u>
MANIFOLD		@	
		@	
		@	
		@	
		@	
TOTAL <u>55.00</u>			

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Sylvanus Rome

Sylvanus Rome
PRINTED NAME

ALLIED CEMENTING CO., INC. 15533

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Page 11

DATE <u>5-14-05</u>	SEC.	TWP.	RANGE	CALLED OUT <u>9:00 AM</u>	ON LOCATION <u>12:00 AM</u>	JOB START	JOB FINISH <u>3:30 PM</u>
LEASE <u>Apprentice</u>	WELL # <u>1-10</u>		LOCATION <u>Winters Dam Highway 24 100</u>		COUNTY <u>Rock</u>	STATE <u>Kans.</u>	
OLD OR NEW (Circle one)			<u>3W 3W White</u>				

CONTRACTOR Discovery Drilling Rig 1

TYPE OF JOB Rigging Pump

HOLE SIZE 1 1/2 T.D. 3585

CASING SIZE _____ DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

OWNER _____

CEMENT

AMOUNT ORDERED 200 lbs 20/40 65 Gal
4 1/2 Flt Sand

COMMON _____ @ _____

POZMIX _____ @ _____

GEL _____ @ _____

CHLORIDE _____ @ _____

ASC _____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

HANDLING _____ @ _____

MILEAGE _____ @ _____

EQUIPMENT

PUMP TRUCK	CEMENTER <u>Steve</u>
# <u>345</u>	HELPER <u>Mark</u>
BULK TRUCK	
# <u>215</u>	DRIVER <u>Keith</u>
BULK TRUCK	
# _____	DRIVER _____

REMARKS:

<u>1 1/2 Puc</u>	@	<u>1060</u>	<u>2500</u>
<u>3 1/2 Puc</u>	@	<u>475</u>	<u>1000</u>
<u>3 1/2 Puc</u>	@	<u>275</u>	<u>mid</u>
<u>1 1/2 Puc</u>	@	<u>40</u>	<u>10+</u>
<u>1 1/2 Puc</u>	@	<u>1500</u>	<u>Measure 4 1/2 1200</u>

CHARGE TO: James Oil Co Inc

STREET _____

CITY _____ STATE _____ ZIP _____

TOTAL _____

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____

EXTRA FOOTAGE _____ @ _____

MILEAGE _____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

PLUG & FLOAT EQUIPMENT

MANIFOLD _____ @ _____

1 Dry hole Plug _____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Thomas L. Hill

PRINTED NAME Thomas Hill

RECEIVED
 JUN - 3 2005
 KCC WICHITA