## KCC OIL/GAS REGULATORY OFFICES

None, cement circulated to surface    Persons Contacted:	Date: <u>05/22/09</u>	District: 01 Case	#:
Operator License No: 4058		New Situation Lease Ins	pection
Operator License No: 4058		Response to Request Complain	t
Operator License No: 4058 Op Name: American Warrior Spot: NE-SW-SW-NE Sec 13 Twp 20 s Rng 21 F / Wall Number: 15:135:24,897-00-00 Spot: NE-SW-SW-NE Sec 13 Twp 20 s Rng 21 F / Wall Number: 15:135:24,897-00-00 Address 1: P.O. Box 399 2130 Feet from			
Op Name: American Warrior Address 2: P.O. Box 399 2130 Feet from PN 1 St to electron Address 2: P.O. Box 399 2130 Feet from PN 1 St to electron City: Garden City City: Garden City State: Kansas Zip Code: 67846 - 0399 Lease Name: Island Well #: 2-13  Departure Phone #: County: Nass  Reason for Investigation: Witness Alt. II  Problem: None, cement circulated to surface  Persons Contacted:  Findings: 8-5/8* @ 223W/150sxs cement TD @ 4381' 5-1/2* @ 4380*W/145sxs cement Port Collar @ 1420' cemented with 145sxs-smd-1/4# flo seal-2%cc-15sxs went to pit  RECEIVED  Action/Recommendations: Follow Up Required Yes No Date:  Province:  Action/Recommendations: Follow Up Required Yes No Date:  Photos Taken:  Photos Taken:  Photos Taken:  REDMS REGINS District Files Courthouse Other:  Reads TA Program Dy Michael Maier  Photos Taken:  Photos Taken:  Photos Taken:  Production Sources:  Photos Taken:  Photos Taken:  Photos Taken:  Production Sources:  Photos Taken:  Photos Taken:  Photos Taken:  Photos Taken:  Photos Taken:			
Op Name: American Warrior  Address 1: P.O. Box 399  Address 1: P.O. Box 399  Address 2: P.O. Box 399  Address 2: P.O. Box 399  Address 3: P.O. Box	Operator License No: 4058	API Well Number: <u>15-135-24,897-00-00</u>	
Address 1: P.O. Box 399 Address 2: 250 Feet from V. S. Lile of Section Address 2: 2550 Feet from V. S. Lile of Section City: Garden City Graden City G	-	Spot: NE-SW-SW-NE Sec _13 Twp _20	_S Rng <u>21</u> E / W
Address 2:			
City: Garden City State: Kansas  Zip Code: 67846 -0399 Lease Name:			
State: Kansas Zip Code: 67846 -0399 Lease Name: Ilsern Well #: 2-13  Operator Phone #: County: Ness  Reason for Investigation:  Witness Alt.II  Problem:  None, cement circulated to surface  Persons Contacted:  Findings:  8-5/8" @ 223W/150xxs cement  TD @ 4381'  5-1/2" @ 4380W/145xxs cement  Port Collar @ 1420' cemented with 145xxs-smd-1/4# flo seal-2%cc-15xxs went to pit  RECEIVED  JUN 9 1 ZOB  KCC WICHITA  Action/Recommendations: Follow Up Required Yes No Date:  Alt.II requirements have been met  RECEIVED  MAY 2 7 2009 KCC  Well #: 2-13  Well #: 2-13  Lease Name: Ilsern Well #: 2-13  Lease Name: Ilsern Well #: 2-13  Well #: 2-13  Well #: 2-13  Lease Name: Ilsern Well #: 2-13  Lease Name: Ilsern Well #: 2-13  Well #: 2-13  Well #: 2-13  Lease Name: Ilsern Well #: 2-13  Well #: 2-13  Lease Name: Ilsern Well #: 2-13  W			
Operator Phone #:	· · · · · · · · · · · · · · · · · · ·		
Reason for Investigation:  Witness Alt.II  Problem:  None, cement circulated to surface  Persons Contacted:  Findings:  8-5/8" @ 223W/150sxs cement  TD @ 4381'  Follow Up Required   Yes   No   Date:  Action/Recommendations:  Action/Recommendations:  Follow Up Required   Yes   No   Date:  RECEIVED  MAY 2 7 2009  KCC WICHITA  Action/Recommendations:  RECEIVED  MAY 2 7 2009  KCC DODGE CITY  Verification Sources:  Photos Taken:  RBDMS   KGS   TA Program   TA Program   By: Michael Maier   Courthouse   Courthouse			
Witness Alt.II  Problem:  None, cement circulated to surface  Findings:  8-5/8" @ 223W/150sxs cement TD @ 4381' 5-1/2" @ 4380'W/145sxs cement Port Collar @ 1420' cemented with 145sxs-smd-1/4# flo seal-2%cc-15sxs went to pit  RECEIVED  JUN 0 1 2039  KCC WICHITA  Action/Recommendations:  Follow Up Required Yes No Date:  Action/Recommendations:  Follow Up Required Yes No Date:  Photos Taken:  RECEIVED  MAY 2 7 2009  WCC DODGE CITY  Verification Sources:  Photos Taken:  Photos Taken:  Retain I Copy District Office		County INC.	
Problem:  None, cement circulated to surface  Findings:  8-5/8" @ 223W/150sxs cement TD @ 4381' 5-1/2" @ 4380'W/145sxs cement Port Collar @ 1420' cemented with 145sxs-smd-1/4# flo seal-2%cc-15sxs went to pit  RECEIVED  JUN 0 1 2039  KCC WICHITA  Action/Recommendations: Follow Up Required Yes No Date:  Action/Recommendations: Follow Up Required Yes No Date:  RECEIVED  MAY 2 7 2009  KCC DODGE CITY  Verification Sources:  RBDMS CHORD TA Program Courthouse Courthouse  By: Michael Maier  Photos Taken:  RETA Program Courthouse  RETA Program Court	Reason for Investigation:		
None, cement circulated to surface    Persons Contacted:	Witness Alt.II		
Findings:  8-5/8" @ 223W/150sxs cement TD @ 4381' 5-1/2" @ 4380'W/145sxs cement Port Collar @ 1420' cemented with 145sxs-smd-1/4# flo seal-2%cc-15sxs went to pit  RECEIVED JUN 8 1 2233  KCC WICHITA  Action/Recommendations: Follow Up Required Yes No Date:  Alt.II requirements have been met  RECEIVED MAY 2 7 2009  KCC DODGE CITY  Verification Sources:  REAS District Files Other: Retain I Copy District Office	Problem:		
Findings:  8-5/8" @ 223W/150sxs cement TD @ 4381' 5-1/2" @ 4380'W/145sxs cement Port Collar @ 1420' cemented with 145sxs-smd-1/4# flo seal-2%cc-15sxs went to pit  RECEIVED JUN 8 1 2233  KCC WICHITA  Action/Recommendations: Follow Up Required Yes No Date:  Alt.II requirements have been met  RECEIVED MAY 2 7 2009  KCC DODGE CITY  Verification Sources:  REAS District Files Other: Retain I Copy District Office	None cement circulated to surface		
Findings:  8-5/8" @ 223W/150sxs cement TD @ 4381' 5-1/2" @ 4380'W/145sxs cement Port Collar @ 1420' cemented with 145sxs-smd-1/4# flo seal-2%cc-15sxs went to pit  RECEIVED JUN @ 1 2033 KCC WICHITA  Action/Recommendations: Follow Up Required Ves No Date:  Alt.II requirements have been met  RECEIVED  MAY 2 7 2009  WCC DODGE CITY  Verification Sources:  RBDMS T-I Database Other: Retain I Copy District Office  By: Michael Maier  Findings:  By: Michael Maier	inone, coment en calates to carrie		
Findings:  8-5/8" @ 223W/150sxs cement TD @ 4381' 5-1/2" @ 4380'W/145sxs cement Port Collar @ 1420' cemented with 145sxs-smd-1/4# flo seal-2%cc-15sxs went to pit  RECEIVED JUN @ 1 2033 KCC WICHITA  Action/Recommendations: Follow Up Required Ves No Date:  Alt.II requirements have been met  RECEIVED  MAY 2 7 2009  WCC DODGE CITY  Verification Sources:  RBDMS T-I Database Other: Retain I Copy District Office  By: Michael Maier  Findings:  By: Michael Maier			
8-5/8" @ 223W/150sxs cement TD @ 4381' 5-1/2" @ 4380'W/145sxs cement Port Collar @ 1420' cemented with 145sxs-smd-1/4# flo seal-2%cc-15sxs went to pit  RECEIVED  JUN 0 1 2039  KCC WICHITA  Action/Recommendations: Follow Up Required Yes No Date:  Alt.II requirements have been met  RECEIVED  MAY 2 7 2009  KGC DODGE CITY  Verification Sources:  RBDMS T-I Database Other: Courthouse Other: Retain I Copy District Office	Persons Contacted:		
8-5/8" @ 223W/150sxs cement TD @ 4381' 5-1/2" @ 4380'W/145sxs cement Port Collar @ 1420' cemented with 145sxs-smd-1/4# flo seal-2%cc-15sxs went to pit  RECEIVED  JUN 0 1 2039  KCC WICHITA  Action/Recommendations: Follow Up Required Yes No Date:  Alt.II requirements have been met  RECEIVED  MAY 2 7 2009  KGC DODGE CITY  Verification Sources:  RBDMS T-I Database Other: Courthouse Other: Retain I Copy District Office	·		
8-5/8" @ 223W/150sxs cement TD @ 4381' 5-1/2" @ 4380'W/145sxs cement Port Collar @ 1420' cemented with 145sxs-smd-1/4# flo seal-2%cc-15sxs went to pit  RECEIVED  JUN 0 1 2039  KCC WICHITA  Action/Recommendations: Follow Up Required Yes No Date:  Alt.II requirements have been met  RECEIVED  MAY 2 7 2009  KGC DODGE CITY  Verification Sources:  RBDMS T-I Database Other: Courthouse Other: Retain I Copy District Office			
8-5/8" @ 223W/150sxs cement TD @ 4381' 5-1/2" @ 4380'W/145sxs cement Port Collar @ 1420' cemented with 145sxs-smd-1/4# flo seal-2%cc-15sxs went to pit  RECEIVED  JUN 0 1 2039  KCC WICHITA  Action/Recommendations: Follow Up Required Yes No Date:  Alt.II requirements have been met  RECEIVED  MAY 2 7 2009  KGC DODGE CITY  Verification Sources:  RBDMS T-I Database Other: Courthouse Other: Retain I Copy District Office	Findings:	***************************************	
TD @ 4381' 5-1/2" @ 4380'W/145sxs cement Port Collar @ 1420' cemented with 145sxs-smd-1/4# flo seal-2%cc-15sxs went to pit  RECEIVED  JUN 0 1 2039  KCC WICHITA  Action/Recommendations:  Follow Up Required Yes No Date:  Alt.II requirements have been met  RECEIVED  MAY 2 7 2009  KCC DODGE CITY  Verification Sources:  Photos Taken:  RBDMS T-I Database Other:  Retain I Copy District Office  Retain I Copy District Office			
5-1/2" @ 4380'W/145sxs cement Port Collar @ 1420' cemented with 145sxs-smd-1/4# flo seal-2%cc-15sxs went to pit  RECEIVED  JUN 9 1 2009  KCC WICHITA  Action/Recommendations:  Follow Up Required Yes No Date:  Alt.II requirements have been met  RECEIVED  MAY 2 7 2009  KCC DODGE CITY  Verification Sources:  Photos Taken:  RBDMS KGS District Files Courthouse Other:  Retain I Copy District Office			
Port Collar @ 1420' cemented with 145sxs-smd-1/4# flo seal-2%cc-15sxs went to pit  RECEIVED  JUN 9 1 2009  KCC WICHITA  Action/Recommendations:  Follow Up Required Yes No Date:  Alt.II requirements have been met  RECEIVED  MAY 2 7 2009  KCC DODGE CITY  Verification Sources:  Photos Taken:  RBDMS T-I Database Other:  Rctain I Copy District Office			
Action/Recommendations:  Follow Up Required Ves No Date:  Alt.II requirements have been met  RECEIVED  MAY 2 7 2009  KCC DODGE CITY  Verification Sources:  Photos Taken:  TA Program Courthouse  By: Michael Maier  Retain I Copy District Office	Port Collar @ 1420' cemented with 145sxs-s	smd-1/4# flo seal-2%cc-15sxs went to pit	DECEMBE
Action/Recommendations:  Follow Up Required Yes No Date:  Alt.II requirements have been met  RECEIVED  MAY 2 7 2009  KCC DODGE CITY  Verification Sources:  Photos Taken:  RBDMS KGS T-I Database V District Files Courthouse Other:  Retain I Copy District Office	Tott Contai to 1420 contained with Freeze c		
Action/Recommendations:  Follow Up Required Yes No Date:  Alt.II requirements have been met  RECEIVED  MAY 2 7 2009  KCC DODGE CITY  Verification Sources:  Photos Taken:  RBDMS KGS T-I Database V District Files Courthouse Other:  Retain I Copy District Office	·		JUN 0 1 2009
Action/Recommendations:  Follow Up Required Yes No Date:  Alt.II requirements have been met  RECEIVED  MAY 2 7 2009  KCC DODGE CITY  Verification Sources:  Photos Taken:  RBDMS KGS T-I Database V District Files Courthouse Other:  Retain I Copy District Office			
Action/Recommendations:  Follow Up Required Yes No Date:  Alt.II requirements have been met  RECEIVED  MAY 2 7 2009  KCC DODGE CITY  Verification Sources:  Photos Taken:  RBDMS KGS T-I Database V District Files Courthouse Other:  Retain I Copy District Office			KCC WICHITA
Alt. II requirements have been met  RECEIVED  MAY 2 7 2009  **  **Verification Sources:**  Photos Taken:  T-I Database Other:  Retain I Copy District Office  **BOMS			
Alt.II requirements have been met  RECEIVED  MAY 2 7 2009  **CC DODGE CITY*  Verification Sources:  Photos Taken:  TA Program  T-I Database Other:  Retain I Copy District Office  By: Michael Maier	Action/Recommendations: Follo	w Up Required Yes No Date: _	
RECEIVED  MAY 2 7 2009  **CC DODGE CITY  Verification Sources:  Photos Taken:  RBDMS T-I Database Other: Other: Retain 1 Copy District Office  Photos Taken:  By: Michael Maier			
WAY 2 7 2009  KCC DODGE CITY  Verification Sources:  RBDMS T-I Database Other: Other: Retain I Copy District Office  Photos Taken: By: Michael Maier			
Verification Sources:  RBDMS T-I Database Other:  Retain I Copy District Office  Photos Taken:  By: Michael Maier  By: Michael Maier	RECEIVED()		
Verification Sources:  RBDMS T-I Database Other:  Retain I Copy District Office  Photos Taken:  By: Michael Maier  By: Michael Maier	MAY 2 7 2009		
Verification Sources:  RBDMS T-I Database Other:  Retain I Copy District Office  Photos Taken:  TA Program Courthouse  By: Michael Maier  By: Michael Maier	<b>\</b>		
RBDMS T-I Database Other:  Retain I Copy District Office  TA Program Courthouse  By: Michael Maier			Photos Takon
T-I Database Other:  Retain I Copy District Office  By: Michael Maier  By: Michael Maier	Verification Sources:		rnotos taken:
T-I Database Other:  Retain I Copy District Office	RBDMS KGS	TA Program  Ry: Michael Major	
Retain 1 Copy District Office	T-I Database ✓ District Files	Courthouse Dy: IVIICHAELIVIALE	
	Other:		de
	Retain 1 Copy District Office Send 1 Copy to Conservation Division	•	9

Form: <u>02/22/2008</u>

Date: <u>05/22/09</u>		_	District	: 01	<u> </u>	License #: <u>405</u>	8	
			Spot: <u>N</u>	t: <u>NE-SW-SW-NE</u> Sec <u>13</u> Twp <u>20</u> S Rng <u>21</u> E 🗸 V			1 E √ W	
County: Ness	County: Ness Lease N				lame: <u>T     Sern</u>   Well #: <u>2-13</u>			
I.D. Sign Yes	No		[3]	Gas	Venting [	Yes No	Ŋ	
Tank Battery Conc		ble Overflow	wing 🕤	Fluid		ft; Approx. Size:	ft. xft.	
Pits, Injection Site Fluid Depth:	_ft; Approx.	Size:f	ft. xft.	ļJ	altwater P	Pipelines e: Y N Tested for Le	aks: Y N	
Oil Spill Evidence				F	lowing Ho	oles		
Abandoned Well	Potential Poli	ution Problem [	Yes No		'A Wells	Decords		
Lease Cleanliness Very Good S	atisfactory	Poor Ver	y Bad		onitoring	Records		
	ressure – Actu	al:psi; Au al:psi; Au al:psi; Au		Tubin Tubin Tubin	ng: ng: ng:	tions	Annulus:	
API Number	Footages	Spot Location	GPS		Well #	Well Status		
15-135-24,897-00-00	2130FNL 2250FEL	NE-SW-SW-NE	38.31447-99.59	203	2-13	New well, Alt.II completed		
						The second secon		
•								