RECEIVED · AUG 2 4 2005 KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 6194	API No. 15 - 167-23288-00-00
ESP Development Inc	Pussell
Name: ESP Development, Inc. 1749 250th. Avenue	County: Russell
Augi 655	75'S - NW - SW - NE Sec. 21 Twp. 11S S. R. 15 East West
City/State/Zip: Hays, Kansas 67601	3555 feet from (S) / N (circle one) Line of Section
Purchaser:	feet from W (circle one) Line of Section
Operator Contact Person: Bud Eulert	Footages Calculated from Nearest Outside Section Corner:
Phone: (<u>785</u>) x8x8446x3x 625-6394	(circle one) NE SE NW SW
Contractor: Name: Vonfeldt Drilling, Inc.	Lease Name: Eulert Ranch J Well #: 1
License: 9431	Field Name: Fairport
Wellsite Geologist: Randy Kilian	Producing Formation: Topeka 30', Arbuckle
Designate Type of Completion:	Elevation: Ground: 1887' Kelly Bushing: 1892'
✓ New Well Re-Entry Workover	Total Depth: 3456' Plug Back Total Depth: 3432!
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented atFeet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? xxx Yes No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 967
Operator:	feet depth to surface w/ 200 sx cmt.
Well Name:	60/40 Poz w/ 6% gel
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan AI+ II NCR 8-15-1
	(Data must be collected from the Reserve Pit)
DeepeningRe-perfConv. to Enhr./SWD	Chloride content 67,000 ppm Fluid volume 400 bbls
Plug BackPlug Back Total Depth	Dewatering method used Allow to dry and backfill
Commingled Docket No.	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name:
Other (SWD or Enhr.?) Docket No	Lease Name: License No.:
6-6-2005 6-12-2005 6-12-2005	Quarter Sec Twp S. R
Spud Date or Date Reached TD Completion Date or Recompletion Date	· —
, soon pronon Sale	County: Docket No.:
	with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita,
Information of side two of this form will be held confidential for a period of	over or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. of 12 months if requested in writing and submitted with the form (see rule 82-3- gs and geologist well report shall be attached with this form. ALL CEMENTING ells. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to reg herein are complete and correct to the best of my knowledge.	ulate the oil and gas industry have been fully complied with and the statements
Signature: Lewis Eulest	KCC Office Use ONLY
Title: VRESIDENT Date: 8-18-2005	Letter of Confidentiality Received
Subscribed and sworn to before me this <u>18th</u> day of <u>August</u>	If Denied, Yes Date:
20 <u>05</u>	Wireline Log Received
	Geologist Report Received
Notary Public: Delow Myers	UIC Distribution
Date Commission Expires: 12-9-08	LES TAYERS
NOT. STATE	ARY FUBLIC OF KANSAS KD. 12-9-08

Operator Name: E	SP Development,	Inc.	Lease	Name:	Eulert Ranch	J	_ Well #:1		
•	11S S. R. 15	☐ East	County	_	ussell		•	***************************************	
tested, time tool ope temperature, fluid re-	n and closed, flowing covery, and flow rate	and base of formations g and shut-in pressures s if gas to surface test, inal geological well site	, whether shalong with fi	nut-in pro	essure reached:	static level, hydro	static pressur	es, bottom hole	
Drill Stem Tests Take		X Yes ☐ No		ΣL	.og Formatio	on (Top), Depth a	and Datum	Sample	
Samples Sent to Ger Cores Taken Electric Log Run (Submit Copy) List All E. Logs Run:	ological Survey	☐ Yes		Hee Lan			Top 958' 2712' 2966' 3014' 3338' 3456'	Datum + 934 - 820 -1074 -1122 -1445 -1562	
		Report all strings set			_	ion, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weig Lbs. /		Setting Depth	Type of Cement	# Sacks Used	Type and Perce Additives	int
Surface	12 ¼"	8 5/8"			218'	Common	150	yes	
Production	7 7/8"	5 ½"	12#	 	3455'	ASC	150	yes	
		ADDITIONA	L CEMENTIN	IG / SQI	JEEZE RECORD				
Purpose: Perforate	Depth Type of Cement		nent #Sacks Used		Type and Percent Additives				
Protect Casing Plug Back TD X Plug Off Zone	3348-60	Common	75		P-26				
Shots Per Foot		ON RECORD - Bridge Plu Footage of Each Interval Pe			1	ture, Shot, Cemen	•	d Dept	:h
2 spf	3354-60 '	and the state of t			300 ga]	15% Mud Ac	id	3354-	-60
2 spf	2742-50 '				2000 ga	15% NE		2742-	<u>-50</u>
TUBING RECORD 2	Size 7/8"	Set At 3354 '	Packer A	t	Liner Run]Yes ★ No			
	d Production, SWD or E	nhr. Producing Me		Flowin	g 🌠 Pumpir	ig Gas Lil	t Dibi	er (Explain)	-1-1
7–22–20 Estimated Production Per 24 Hours	·····	Bbls. Gas	Mcf	Wate 70			as-Oil Ratio	Gravity	y
Disposition of Gas	METHOD OF C	OMPLETION	· · · · · ·		Production Inter-	/al	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		
Vented Sold	Used on Lease	Open Hole	CALLE	X (Dually Comp.		op 30' 2 rb. 3354		

DRILLERS WELL LOG

Date Commenced: June 6, 2005 Date Completed: June 12, 2005

ESP Development, Inc. Eulert Ranch J #1 75'S NW SW NE Sec. 21-11S-15W Russell County, Kansas

Elevation:

1887' G.L.

1892' K.B.

0 - 222' Lime 222 - 964' Sand & Shale 964 - 997' Anhydrite 997 - 1886' Sand & Shale 1886 - 2230' Shale 2230 - 2490' Shale & Lime 2490 - 2732' Lime & Shale 2732 - 2940' Shale & Lime

2940 – 3255' Lime 3255 – 3456' Shale

3456' R.T.D.

FORMATION DATA

Anhydrite 964' Base Anhydrite 997'

Surface Pipe: Set 23#, new, 8 5/8" casing @ 222' with 150 sacks Common, 2% Gel., 3% CC.

Production Pipe: Set 14#, used, 5½" casing @ 3455' with 150 sacks ASC, 2% Gel., 500 gallon WFR/2.
Stage 2 – 225 sacks 60/40 Poz., 6% Gel., ½# flocele per sack.

AFFIDAVIT

STATE OF KANSAS)	
)	ss:
COUNTY OF RUSSELL)	

Alan Vonfeldt of lawful age, does swear and state that the facts and statements herein are true and correct to the best of his knowledge.

Alan Vonfeldt

Subscribed and sworn to before me this 22rd day of

_, 2005.

My Commission Expires:

NOTARY PUBLIC - State of Kansas

CHERYL M. PAYNE

My Appt. Exp. 2-07

Cheryl M. Payne, Notary Public

ALLIED CEMENTING CO., INGRIGINAL

REMIT TO P.O. BOX 31 RUSSELL, KA	NSAS 670	665		SER	VICE POINT:	<u> </u>
DATE 7-6-05 SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASE EY LERT RANCH	T-1	LOCATION F. 1800	RT JJE SS	12:30 Am	COUNTY RUSSELL	STATE KANSAS
OLD OF NEW (Circle one)		177142	YAE		1/1/23/2/1	PANY
CONTRACTOR FXPA	,	Well Servi ARB)	OWNER			
HOLE SIZE CASING SIZE 5 12	7 18 TI).	CEMENT		O	
TUBING SIZE 27/2		EPTH EPTH	_ AMOUNT ORD		15K (0) 5#)	em
DRILL PIPE	DE	EPTH	- 	CEMAD (- /	
		EPTH 3299'	_			
PRES. MAX 1500#		NIMUM 5 co#	_ COMMON	50		4/3500
MEAS. LINE CEMENT LEFT IN CSG.		OE JOINT CIRAN)	_ POZMIX GEL			
	1 - 33	5 B	_ GEL CHLORIDE		_@	
DISPLACEMENT 7-	9,1533	C-55'= 1,34	ASC			
· · · · · · · · · · · · · · · · · · ·	JIPMENT	,	F110 5	AST.	@ 8.71	43.50
PUMP TRUCK CEMENT	ED K	ilenia)	RECE	IVED		
# 345 HELPER				4 2005		
BULK TRUCK # 2/3 DRIVER	V	<i>3</i>			_ @ _ @	
# 2/3 DRIVER BULK TRUCK	<u> </u>	_/t	KCC W	/ICHITA	@	
# DRIVER	······	W	- HANDLING	50	_@	80.00
			MILEAGE _ 6			180.00
O REI	MARKS:				TOTAL	73850
term flux 3370'	Set	Packer @ 3299	11		10111	
PRESSURE BALKSIDE	To 50	TO # (HeLD.) Too		SERVIO	C E	
PRESSURE BALLSIDE	OF 172	BPm & 800				
Mixed 25 sk W/C	emas 9	+ 25 STRgnt.	DEPTH OF JOB			
Squeezep Top 1	500 I	Released & He	PUMP TRUCK	CHARGE		785.00
WASHED CSg.		/1 N	EXTRA FOOTA			
		THANK'S	MILEAGE	2 U		
		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			_@	
~ 0.0					@	
CHARGE TO: ESP.	Deu	clapment In	C,			
STREET					TOTAL	88500
			•			
CITYSTA	AIE	Z.IP		LUG & FLOAT	EQUIPMENT	Γ
			MANIFOLD \	les	@ 	
			WANIFOLD		@	
To Allied Cementing Co., I	nc.				@	
You are hereby requested to		nenting equipment			@	
and furnish cementer and h						
contractor to do work as is						
done to satisfaction and sup					TOTAL	
contractor. I have read & u			TAV			
CONDITIONS" listed on the	he reverse	e side.	TAX			
			TOTAL CHARG			****
			DISCOUNT		IF PAID	IN 30 DAYS
SIGNATURE Jum We	10/-					
Gran V L	my			PRINTE	D NAME	
				_		

ALLIED CEMEI	NTING CO., II	VC. 16687 VRIGINAL .
REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	SERV	ICE POINT:
DATE 6/12/05 21 11 15	CALLED OUT ON LOCATION 5:00 qm. 5:30 qm	JOB START JOB FINISH COUNTY STATE
LEASE EUR S WELL # LOCATION C-o. h. (OLD) OR NEW (Circle one)	1 1 9 N 1 E	Russell Ks.
		I
CONTRACTOR Von Feldt Drilling Inc. TYPE OF JOB 2 - Stage Pipe 506	OWNER	
HOLE SIZE 7 1/8 T.D. 3456	CEMENT	151 2911
CASING SIZE 5/2 DEPTH 3455 TUBING SIZE DEPTH	AMOUNT ORDERED /50 Soo Gal W FR-	
DRILL PIPE DEPTH	300 001 00 1-11-1	
TOOL DU. DEPTH 980		
PRES. MAX MINIMUM SUODS	COMMON	_@
MEAS. LINE SHOE JOINT $/3$	POZMIX	.@
CEMENT LEFT IN CSG. 18,13	GEL <u>3</u>	@ 14 4200
PERFS. DISPLACEMENT #3 74	CHLORIDE ASC ユシン	@ 1075 1612 5º
	ASC <u>150</u> WFR-2 500	@ 1075 16125
EQUIPMENT		@ <u></u>
PUMP TRUCK CEMENTER Share.	DECENTED	
# 366 HELPER Glen	RECEIVED	_@
BULK TRUCK	AUG 2 4 2005	
#213 DRIVER Fred	I/OC IAIIOI IITA	
BULK TRUCK	KCC WICHITA	_@ _@
# DRIVER	HANDLINGJ53	@ 142 24189
	MILEAGE 6 4/5	1/MIE 19278
REMARKS:	,	TOTAL 2592 48
Mixed Flush		
Mixed 150, sks landed Plus (0)	SERVIC	CE
Mixed 150 sks landed Plus @		CE
Mixed 150 des landed Plus (0)	DEPTH OF JOB	
Mixed 150 sks landed Plus (0) Float Held	DEPTH OF JOBPUMP TRUCK CHARGE	132000
Mixed 150 sks landed Plus @	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE	@ 1320°
Mixed 150 sks landed Plos @	DEPTH OF JOBPUMP TRUCK CHARGE	@ 1320°
Mixed 150 sks landed Plus @ A	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE	@ <u>1326°°</u> @ 5°° <u>105°°</u> @
Mixed 150 sks landed Plos @	DEPTH OF JOB	@ 1320°
Mixed 150 sks landed Plos @	DEPTH OF JOB	@
CHARGE TO: ESP Development Inc	DEPTH OF JOB	@
Mixed 150 sks landed Plos @	DEPTH OF JOB	@ 500 10500 @ 600 0
CHARGE TO: ESP Development Inc	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE 21	0 500 10500 0 500 10500 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
CHARGE TO: ESP Development INC	DEPTH OF JOB	0 500 10500 0 500 10500 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
CHARGE TO: ESP Development INC	DEPTH OF JOB	@ 520 105 20 105
CHARGE TO: ESP Development INC	PLUG & FLOAT	@ 522 10522 @ 622 10522 @ 022 10522 @ 022 10522 @ 022 10522 EQUIPMENT
CHARGE TO: ESP Development Inc STREET STATE ZIP	DEPTH OF JOB	
CHARGE TO: ESP Development Inc STREET STATE ZIP To Allied Cementing Co., Inc.	PLUG & FLOAT MANIFOLD FORT HEAL DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE PLUG & FLOAT MANIFOLD FORT HEAL FLIL Shoe	@ 522 10522 @ 622 10522 @ 022 10522 @ 022 10522 @ 022 10522 EQUIPMENT
CHARGE TO: ESP Development Inc STREET	PLUG & FLOAT MANIFOLD ROTTING HEAL PROCESS OF THE MANIFOLD FROM HEAL PROCESS OF THE	@ 500 10500 0
CHARGE TO: ESP Development Inc STREET STATE ZIP To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or	PLUG & FLOAT MANIFOLD FORT HEAL FISCAL DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE PLUG & FLOAT MANIFOLD FORT HEAL Fire I Shae Fiscal Cents	
CHARGE TO: ESP Development Inc STREET	PLUG & FLOAT MANIFOLD FORTHUGH FINENT MASSE L MISSE DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE EXTRA FOOTAGE PLUG & FLOAT PLUG & FLOAT MANIFOLD FORTHUGH FINENT L MISSE	
CHARGE TO: ESP Development Inc STREET STATE ZIP To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or	PLUG & FLOAT MANIFOLD FORT HEAL FIGURE MANIFOLD FORT HEAL FIGURE FINER D.V Tool	
CHARGE TO: For Development Inc. STREET	PLUG & FLOAT MANIFOLD FORTHUGH FINENT MASSE L MISSE DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE EXTRA FOOTAGE PLUG & FLOAT PLUG & FLOAT MANIFOLD FORTHUGH FINENT L MISSE	
CHARGE TO: ESP Development Inc STREET	PLUG & FLOAT MANIFOLD RETTING HEAD FINENT OCCUPANT MANIFOLD Shoe Finent OCCUPANT OCCUPANT DIVIDATION TAX	
CHARGE TO: ESP Development Inc STREET	PLUG & FLOAT MANIFOLD FORTING HEAF Free Locats Loca	
CHARGE TO: ESP Development Inc STREET	PLUG & FLOAT MANIFOLD FORTING HEAF Free Locats Loca	
CHARGE TO:	PLUG & FLOAT MANIFOLD FORTING HEAF Free Locats Loca	
CHARGE TO: For Development Inc. STREET	PLUG & FLOAT MANIFOLD RETTING HEAD FINENT OCCUPANCE DISCOUNT DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE EXTRA FOOTAGE AND PLUG & FLOAT PLUG & FLOAT PLUG & FLOAT AND FOOTAGE DISCOUNT DISCOUNT	

ALLIEU CEMENTING CO., INC. 16688 REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665 SERVICE POINT: TWP. RANGE CALLED OUT ON LOCATION 11 JOB START JOB FINISH WELL# 10,450 OCATION ONDOR NEW (Circle one) STATE CONTRACTOR Van Feldt TYPE OF JOB 2- Stage OWNER **HOLE SIZE** T.D. CASING SIZE **CEMENT DEPTH** TUBING SIZE AMOUNT ORDERED 225 **DEPTH** DRILL PIPE Floscal **DEPTH** TOOL DV DEPTH PRES. MAX MINIMUM MEAS. LINE COMMON CEMENT LEFT IN CSG POZMIX 1174 @ 470 PERFS. GEL @ _ DISPLACEMENT CHLORIDE @ ASC_{-} **EQUIPMENT** @ Fiz Enl @ PUMP TRUCK CEMENTER Shane @ # 360 HELPER Glen RECEIVED @ BULK TRUCK @ AUG 2 4 2005 # 28.2 DRIVER @ **BULK TRUCK** @ KCC WICHITA DRIVER @ (a) HANDLING_236 **@** MILEAGE _ REMARKS: Rat Hole TOTAL 2523 3 Marse Hole **SERVICE** DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE _____ MILEAGE __ @ __ @ HARGETO: ESP Deuzlopment Inc ___@ _ @ FREET _ STATE ____ TOTAL _785≈ PLUG & FLOAT EQUIPMENT MANIFOLD__ Allied Cementing Co., Inc. @_ __@ ___@ __ @ TOTAL ___ TAX_{-}

u are hereby requested to rent cementing equipment I furnish cementer and helper to assist owner or itractor to do work as is listed. The above work was ne to satisfaction and supervision of owner agent or tractor. I have read & understand the "TERMS AND NDITIONS" listed on the reverse side.

JATURE Chu Weerley

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME

ALLIED CEMENTING CO., INC. 21504

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 6766	55		SER	VICE POINT:	
* *				- Ru	solo:
DATE 6-6-0'S SEC. TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
ELEASE Ranch WELL# J-1	LOCATION GORA		251	COUNTY KULLE	STATE
OLD OR NEW (Circle one)	LOCATION & OFF	I IAP	2 1-10	Home)	Kn
CELE OIL (CITCLE OILE)					
CONTRACTOR Von feldt DRIC		OWNER	•		
TYPE OF JOB SUR FACE					
HOLE SIZE 124 T.D.	202	CEMENT			
CASING SIZE 83. DEP	TH	_ AMOUNT O		•	
TUBING SIZE DEP	TH	1501h	Com 3-2		
DRILL PIPE DEP		•			
TOOL DEP					
	IMUM	_ COMMON	50_	_@ <u>87</u> 9	<u>/305°</u>
	E JOINT	_ POZMIX _		_ @	- 4.00
CEMENT LEFT IN CSG. / S '		_ GEL _	<u> </u>	@ 1400	- 42 au
PERFS. DISPLACEMENT 13 hhs		_ CHLORIDE _	5	@ 38 vin	_ 190tg
		ASC		_ @	-
EQUIPMENT		RECE	:N/ED	_@	
			7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	_@	
PUMP TRUCK CEMENTER B:	·		4 2005 	_@	
# 345 HELPER Ste	248	- 1/0014	UCLUTA	@ 	· · · · · · · · · · · · · · · · · · ·
BULK TRUCK		- KPP M	ACHITA	_	
# 362 DRIVER 69x	7			_	
BULK TRUCK	,				
# DRIVER	·	- HANDLING	158	@ <u>/6</u> 0	Z528°
		MILEAGE _		_	15000
REMARKS:			/ /	ТОТАТ	0.0
				TOTAL	/400
Ran Chi A ST.	1662 6921	_	SERVI	CE.	
	ts or s to be y		SERVI	CE	
100 hr 100 per 3-2.		DEPTH OF JO)R		
		PHMPTRHC	K CHARGE		670°°
Pump plugul 130015	est whether	EXTRA FOOT	TAGE	@	<u> </u>
	•	_ MILEAGE_			10500
Cent did SiRC	-		- A		7.5
		to the	9		
				_@	
CHARGE TO: F.C.D					
				TOTAL	_775°°
STREET				101112	
CITYSTATE	ZIP	_			
			PLUG & FLOAT	'EQUIPMEN'	Γ
					
		_8 <i>5</i> /8	wood	_ @	_55°°
			····	@	
To Allied Cementing Co., Inc.				_ @	
You are hereby requested to rent ceme	nting equipment				
and furnish cementer and helper to ass				_ @	
contractor to do work as is listed. The					
done to satisfaction and supervision of	owner agent or			TOTAL	<u>55 °°</u>
contractor. I have read & understand t					
CONDITIONS" listed on the reverse s	ide.	TAX			
		TOTALCHAR	GE		
					•
		DISCOUNT -		IF PAID	IN 30 DAYS
, 1			and the same		
SIGNATURE LICHE BL.	The Contract of the Contract o	(Nau	3 Holdi		
C			PRINTE	D NAME	

ALLIED CEMENTING CO., INC. 16198 BOX 31 SERVICE POINT, 16198

RUSSI		NSAS 6760	65)
	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
DATE 6-29-05						COUNTY	STATE
LEASE ZANICH	WELL#	<u>J</u>	LOCATION GORAL	AM 1E 1	12 N 12.E	KUSSELL	LS
OLDOR NEW (Cit	cle one)	 		1/2 ~			
CONTRACTOR	EXPRE	'ڪٽ		OWNER			
	SQUEE						
HOLE SIZE		T.D		CEMENT			
CASING SIZE	51/z	DE	PTH	AMOUNT O	RDERED	Com	
TUBING SIZE	21/2	DE	PTH		20# AZ	لئے ؛	
DRILL PIPE		DE	PTH				
TOOL ZEZN	LARAT	DE	PTH		•		
PRES. MAX			NIMUM	COMMON_	75	_@ <u>\$</u> 72	6525
MEAS. LINE		SHO	OE JOINT	POZMIX		@	
CEMENT LEFT IN	CSG.			GEL			
PERFS.							
DISPLACEMENT				ASC			
DISTURCEMENT		****		P-2L	205		17400
	EQU	JIPMENT		1-26		_	. •
PUMP TRUCK	CEMENT	ER M	IRK.				
	HELPER		ARL	RECE			
BULK TRUCK				AUC 9 I	. 2005		
	DRIVER		REA	AUG 24	7 Z003		
BULK TRUCK				KCCW	ICHITA	@	
	DRIVER					_ @	10.00
		•		- HANDLING		@ <u>7</u>	750=
				MILEAGE _	<u>64</u> /8	sk) Milt	
	RE	MARKS:			•	TOTA	L 112650
7人 3368 、	DERP C	3348	-48 54-60				
			E 3 BBL/MEN	-	SERV	ICE	
			LICK 75 NEET			TOE	
			15525 TO 1500	OF DEPTH OF	IOB		
			ATTOM WASHED		JOB CK CHARGE		70-96
							(25-
			0 1800# for 101			@_ 	1000
Plus Toxes				_ MILEAGE _	20		
				-			
					4. 40040	@	
CHARGE TO:	ESP			-			
						TOTA	l <u>885 =</u>
STREET	· · · · · · · · · · · · · · · · · · ·			-	•		
CITY	ST	TATE	ZIP				
ż				_	PLUG & FLOA	T EQUIPME	NT
5							
				MANIFOLD)	@	
m: 1.0		~					
To Allied Cemen	-				····	_	
			menting equipment				
and furnish ceme	nter and l	helper to a	assist owner or				
contractor to do v	vork as is	s listed. T	he above work was				
done to satisfaction	on and su	pervision	of owner agent or			TOTA	L
		_	d the "TERMS AND)			
CONDITIONS"				TAX			
	iisica oii	Circ 10 4012	o Jido.	TOTAL OIL	ADCE		
				TOTAL CHA	ARGE		······································
				DISCOUNT		IF PA	ID IN 30 DAYS
			,				
SIGNATURE	1				_		•
SIGNATURE (wil	Ves	ulin		.*		

PRINTED NAME