


Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bittling Building  
Wichita, Kansas

15-167-00381-00-00  
WELL PLUGGING RECORD

NORTH



Locate well correctly on above Section Flat

Russell County. Sec. 35 Twp. 12 Rge. 14 (E) SE 1/4 (W)  
Location as "NE/CNW 1/4 SW 1/4" or footage from lines SW 10-a. location  
Lease Owner J.B. Zimmerman & A.D. Zinn  
Lease Name F.S. Steinert Well No. I  
Office Address Russell, Kansas  
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole  
Date well completed November 9 19 49  
Application for plugging filed November 10 19 49  
Application for plugging approved November 12 19 49  
Plugging commenced November 12 19 49  
Plugging completed November 21 19 49  
Reason for abandonment of well or producing formation No oil or gas

If a producing well is abandoned, date of last production \_\_\_\_\_ 19\_\_\_\_  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well \_\_\_\_\_  
Producing formation None Depth to top \_\_\_\_\_ Bottom 3072 Total Depth of Well 3072 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Filled hole full of mud, total depth 3072 ft., pulled 2880 ft. of 5 1/2" casing. Mudded hole again and pulled 2300 ft. of 7" casing, mudded hole and pulled 600 ft. of 8 5/8" casing. Set plug at 603 ft. and put 10 ft. of rock and chat on top of it and 50 sacks of cement, mudded hole and pulled 350 ft. of 10" casing, filled hole full of heavy mud and pulled 12" casing, approximately 81 ft., put bridge at 35 ft. and put in 25 sacks of cement and filled balance of hole with mud.

12-01-1949

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to \_\_\_\_\_  
Address \_\_\_\_\_


STATE OF Kansas, COUNTY OF Russell, ss. \_\_\_\_\_  
Don Zimmerman (employee of owner) or (~~owner or operator~~) of the above-described well,  
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Don Zimmerman  
Russell, Kansas (Address)

SUBSCRIBED AND SWORN to before me this 28th day of November 19 49

My commission expires November 17, 1952.

[Signature]  
Notary Public.



15-167-00381-00-00

STEINERT NO. I

SW: SE 4 35-12-14

Prairie Oil Well Drillers Russell, Kansas

12-05-1949

Well started September 28, 1949 Well finished November 9, 1949.

From:	To:		From:	To:	
5	20	Cellar	1395	1410	Lime
20	25	Water	1410	1415	Lime
25		Lime	1415	1425	Shale & shells
25	45	Sand rock	1425	1435	Red rock
45	60	Red rock	1435	1450	Shale & shells
60	65	Sand rock	1450	1470	Lime
65	85	Gray shale	1470	1475	Lime
85	100	Gray shale	1475	1500	Brown shale
100	115	Light brown shale	1500	1530	Lime
115	120	Gray shale	1530	1535	Blue shale
120	125	Red shale	1535	1550	Blue shale
125	158	Gray shale	1550	1565	Blue shale
158	160	Gray sandy lime	1565	1595	Lime
160	190	Blue shale	1595	1605	Hard Lime
190	210	Sand	1605	1610	Lime
210	220	Gray shale	1610	1625	Sharp sand
220	230	Sand	1625	1640	Shale
230	245	Gray shale	1640	1650	Lime
245	250	Gray shale	1650	1675	Blue shale
250	265	Brown shale	1675	1685	Shale & shells
265	268	Lime	1685	1715	Blue shale
268	275	Brown shale	1715	1720	Lime
275	280	Gray shale	1720	1735	Lime
280	310	Red rock	1735	1760	Gray shale
310	355	Red rock	1760	1780	Shale & shells
355	410	Red rock	1780	1795	Lime
410	505	Red rock	1795	1800	Lime
505	570	Red rock	1800	1810	Blue shale
570	595	Red rock	1810	1825	Green shale
595	603	Andhright <u>Anhydrite</u>	1825	1840	Shale & shells
603	635	Andhright	1840	1850	Lime
635	670	Red rock	1850	1855	Shells & shale
670	740	Red rock	1855	1875	Lime
740	780	Red rock	1875	1895	Lime
780	815	Blue shale	1895	1935	Blue shale
815	840	Red rock	1935	1945	Lime
840	860	Red rock	1945	1955	Lime
860	875	Dark blue	1955	1975	Shale & shells
875	895	Dark brown	1975	1990	Shale
895	910	Dark gray	1990	2040	Gray shale
910	925	Dark shale	2040	2050	Gray shale
925	970	Blue shale	2050	2075	Shale & shells
970	980	Lime & shale	2075	2080	Shale & shells
980	1005	Shale & shells	2080	2110	Lime
1005	1050	Salt	2110	2115	Lime
1050	1120	Salt	2115	2170	Shale & shells
1120		Salt	2170	2215	Dark shale
1120	1205	Salt	2215	2225	Lime
1205	1220	Salt	2225	2180	Strung in
1220	1255	Shale & shells	2225	2230	Lime
1255	1265	Shale & shells	2230	2240	Lime
1265	1280	Blue shale	2240	2260	Dark shale
1280	1290	Lime & shale	2260	2265	Lime
1290	1305	Shale & shells	2265	2270	Shale
1305	1310	White Lime	2270	2285	Lime
1310	1315	Brown shale	2285	2295	Shale
1315	1330	Gray shale	2295	2300	Lime
1330	1340	Shale & shells	2300	2310	Lime
1340	1350	Lime	2310	2315	Blue shale
1350	1360	Blue shale	2315	2330	Lime Hard
1360	1370	Blue shale	2330	2340	Blue shale
1370	1375	Lime	2340	2345	Lime
1375	1385	Gray shale	2345	2350	Lime
1385	1390	Lime	2350	2375	Blue shale
1390	1395	Blue shale	2375	2415	Blue shale

From:	To:	
2415	2435	Lime
2435	2445	Blue shale
2445	2465	Topeka lime
2465	2475	Blue shale
2475	2495	Hard lime
2495	2525	Lime
2525	2550	Lime
2550	2595	Lime
2595	2635	Lime
2635	2650	Lime
2650	2685	Lime
2685	2700	Lime
2700	2705	Dark shale
2705	2710	Lime
2710	2720	Gray shale
2720	2735	Lime
2735	2745	Gray shale
2745	2750	Red rock
2750	2757	Gray shale
2757	2762	Lime
2762	2764	Shale
2764	2790	Lime
2790	2795	Lime
2795	2804	Shale
2804	2810	Lime
2810	2832	Lime
2832	2835	Shale
2835	2875	Lime
2875	2880	Lime
2880	2885	Lime
2885	2895	Lime
2895	2925	Lime
2925	2950	Lime
2950	2975	Lime
2975	2980	Lime
2980	2985	Red rock & shale
2985	2995	Lime
2995	3004	Lime
3004	3007	Conglomerate
3007	3011	Broken shale & lime
3011	3015	Lime
3015	3024	Lime
3024	3026	Lime
3026	3035	Shale
3035	3045	Shale
3045	3055	Conglomerate
3055	3060	Lime & shale
3060	3072	Conglomerate

Conglomerate